

HALSTED & Co. (Pty) Ltd

Your Trusted Supplier of all PPE, Cleaning & Industrial Supplies Since 1952 www.halsted.co.za



BRANCHES NATIONWIDE

Boksburg

23C Merinda Ind Park Cnr Rudo Nell & Kelly Rd Jet Park Tel: 011 397 5989

Vryburg

3 Industria Str Tel: 053 927 1894

Klerksdorp

120A OR Thambo Str Tel: 018 469 1615

Polokwane

No. 19 22nd Street Tel: 015 000 6400

Potchestroom

A4 Jasper vd Westhuizen Street Tel: 018 000 5175

Cape Town

19 Muscat Rd Saxenburg Park 1 Blackheath Tel: 021 905 0661

Upington

2A Karakoel Str Tel: 054 332 2020

Kimberley

10A Fabrica Road Fabrica, Kimberley Tel: 053 831 2027/8

Welkom

8 14th Str Tel: 057 355 2535

Nelspruit

6 Wilkens Street C3 Axis Ind Park Rock Drift, White River Tel: 013 758 1109

Bloemfontein

3 Nuffield Str Tel: 051 435 7892

Rustenburg

98 Hefer Str Tel: 014 596 7090

Kathu

4095 Kameeldoring Business Zone Frikkie Meyer Str Tel: 053 723 1365



Company Overview

Halsted was founded in 1952 as a mining supply company and has grown into a national supplier of PPE, cleaning products, paper products, plumbing and industrial consumables.

All branches carry a substantial range of stock to fulfill any requirement, making Halsted the perfect supply partner for any business. With over 5000 line items ensure that Halsted is able to be a one stop supply shop.



HACCP Compliant

Halsted has HACCP (Hazard Analysis & Critical Control Points) compliant personnel within the business

Our Vision

We strive to be the Industry leader in the supply of all PPE, cleaning products, paper products, plumbing and industrial consumables, focusing on satisfying our customers through service excellence.

Our Mission

Distributing service orientated products, of reliable quality, at a reasonable price to the different sectors



Embroidery

Halsted is able to embroid on all workwear, corporate wear and general clothing























CONTENT.

WORK WEAR













80/20 POLY COTTON CONTI SUIT

- 200gsm Fabric
- · Overlocked stitching on shoulders & armholes
- Triple needle topstitch inleg & back rise
- Sold as a set

Suitable Use:

- Warehouses
- Workshops
- Gardening
- Construction
- Janitorial
- Work environment



80/20 POLY COTTON CONTI SUIT

• 50mm lime green & silver reflective webbing tape on arms & legs

Suitable Use:

- Warehouses
- Workshops
- Gardening
- Construction
- Janitorial
- Work environment



REFLECTIVE

Size Options: 30-64



WHT













Size Options: 30-64















65/35 POLY COTTON CONTI SUIT

80/20 POLY COTTON BOILER SUIT

- 220g/m²
- Made to SABS Spec

Suitable Use:

- Mining
- Agriculture
- Construction
- Logistics



Size Options: 32-58











• 230/235gsm fabric

• Triple needle topstitched garment

Suitable Use:

- Warehouses
- Workshops
- Gardening
- Construction
- Logistics
- Work environment

JACKET & PANTS SOLD SEPARATELY

Size Options: 30-60

















J54 100% COTTON CONTI SUIT

- 220/230gsm fabric
- Triple needle topstitched garment
- Natural fibres make this garment comfortable & breathable

Suitable For:

- Agriculture
- Logistics
- Construction
- General purpose













SANS compliant

- 50mm Lime/silver/lime reflective tape with double needle topstiching around arms, legs, breast pocket & "X" on the back.
- Full triple top stitched garment
- Concealed elasticated waistband
- Side tool pocket on right leg

Suitable Use:

- Mining
- Agriculture
- Construction
- Logistics

AVAILABLE IN A 2PC CONTI-SUIT

Size Options: 30-64









REFLECTIVE

D59 100% COTTON CONTI SUIT

- SANS compliant
- 270gsm fabric

Suitable Use:

- Construction
- Mining
- Agriculture
- Rigging
- Engineering
- Steel Installations

JACKET & PANTS SOLD SEPARATELY

Size Options: J: 32-60

P: 28-56





D59 100% ANGLO COTTON BOILER SUIT

J54 100% COTTON ANGLO BOILER SUIT

- SABS approved
- 270gsm fabric D59 unbleached
- 50mm Lime/silver/lime reflective tape with double needle topstitching around arms, legs, breast pocket & "X" on the back
- Full triple stitched garment
- Concealed elasticated waistband
- Side tool pocket on right leg

Suitable Use:

Mining spec

Size Options: 30-64









D59 100% COTTON FLAME RT CONTI SUIT

- SANS compliant
- 300/320gsm fabric
- YKK concealed brass zip on jacket & pants
- 50mm Lime/silver/lime reflective webbing tape on arms, legs, chest & back
- · A flame retardant finish coated fabric

Suitable Use:

- Welding
- Boiler shops
- Construction
- Foundry
- · Heavy Engineering





REFLECTIVE

- SABS approved - 300/320gsm fabric
- A flame retardant & coated acid resistant fabric

D59 100% COTTON FLAME & ACID CONTI SUIT

80/20 POLY COTTON ACID RESISTANT CONTI SUIT

- 50mm silver flame retardant double needle topstitched reflective tape on arms & legs
- YKK concealed brass zip on jacket & pants
- · Full triple stitched garment
- · Elasticated cuffs & side slits on
- · Protection in the event of a flash fire or accidental chemical spillage

Suitable Use:

- Petrochemical,Oil & Gases
- Mining Industry
- · Maintenance, repairs & Installations
- Utilities Power Generators

• Protection from following

· YKK concealed metal zip on

· Triple topstiched shoulders,

armholes, in-leg & back rise

· A coated acid resistant fabric

that doesnt allow wetting by

• Protection in the event of

accidental chemical spillage

chemicals: HN03, HCI, H2S04 &



REFLECTIVE







Size Options:

J: 28-68

NaOH

210qsm fabric

jackets & pants

acids or moisture

Suitable Use:

Mining

Laboratory

Chemical Industry

Cleaning Industry

Brewing Industry

P: 24-64

- SABS approved
- A flame retardant & coated acid resistant fabric
- . 50mm silver flame retardant with double needle topstiched reflective tape on arms & legs
- Elasticated cuffs

Suitable Use:

- Petrochemical, Oil & Gases
- Mining Industry
- Maintenance, repairs & Installations

Size Options:

28-64

Utilities Power Generators



REFLECTIVE





Size Options: 30-60



D59 100% COTTON FLAME & ACID BOILER SUIT

- 300/320gsm fabric
- YKK concealed brass zip with 2 way slider
- Full triple needle stitched garment
- Protection in the event of a flash fire or accidental chemical spillage

DANGER

HAZARDOUS WASTE

80/20 POLY VISCOSE ACID RESISTANT CONTI SUIT

- SANS 434/ ISO 6530
- Protection from following chemicals: HCI, H2SO₄, Caustic soda & N9OH
- 260/270gsm fabric
- · YKK concealed metal zip on jackets & pants
- Full triple topstitched garment
- A coated resistant fabric that prevents wetting by acids or moisture
- Protection in the event of accidental chemical spillage

Suitable For:

- Chemical Industry
- Cleaning Industry
- Brewing Industry
- Mining Industry

Size Options: 30-64





REFLECTIVE



80/20 POLY COTTON DUSTCOAT

- 200-240gsm fabric
- · Also available in acid Resistant (For Lab Use) Colours: White

Suitable Use:

- Hospitals
- Warehousing
- General Supervision



Size Options: S-3XL











100% COTTON DENIM CONTI SUIT

• 210gsm fabric

• 50mm orange and silver reflective tape

POLY COTTON CONSTRUCTION CONTI SUIT

- · Concealed Vislon zip front
- · Lower patch pockets
- Stress points bar-tacked

Suitable Use:

- Construction
- Warehouses
- Workshops
- General purpose
- Road Works

Size Options: 32-64









REFLECTIVE

- SANS 434 fit
- Indigo blue denim, 12oz fabric
- YKK concealed brass zip on jackets & pants
- Full triple needle topstitched jacket & pants

Suitable Use:

- Construction
- Engineering
- Steel Foundry
- Automotive
- Warehouse
- General Work environment

JACKET & PANTS SOLD SEPARATELY

Size Options: J: 30-64 P: 26-60



100% COTTON REFLECTIVE SHIRTS

- 100% cotton
- 135gsm fabric
- · Vented back yoke for comfort in heat
- 48mm silver reflective tape on sleeves, around the chest & waist

Suitable Use:

- Construction
- Outdoor Inspections
- Outdoor work in hot climates
- Mining
- Two tone shirts are available in short and long sleeve
- Navy available in long sleeve only

Size Options: S-3XL











PIQUE KNIT GOLF SHIRTS

100% COTTON T-SHIRTS

- 100% combed cotton
- 165gsm fabric
- Premium round neck t-shirt

Suitable Use:

- General work environment
- Warehouse
- Corporate
- Promotional
- Construction



Size Options: S-3XL

















100% COTTON DENIM JEANS

• 100% polyester

- 165gsm fabric
- •Durable & lightweight
- High tear resistance

Suitable Use:

- General work environment
- Warehouse
- Corporate
- Promotional

Size Options: XS-5XL

















- 100% cotton indigo blue denim
- 408gsm fabric

Suitable Use:

- General work environment
- Warehouse
- Corporate
- Promotional

Size Options: 28-50



POSEIDON OIL & GAS BOILER SUIT

- 98% cotton, 2% anti-static, 220gsm fabric
- ATPV 8cal/cm²
- Inherent flame retardant thread
- 50mm silver FR reflective EN approved tape on shoulders, arms & legs
- Triple needle topstitched garment
- •Gas detector with concealed FR velcro 3pen protect on left sleeve
- · Adjustable sleeve cuff & leg hem with 15L press stud

Suitable Use:

- Oil & Gas
- Refineries



Size Options: 32-64























NOMEX FIRE SUIT

- Conforms to SANS 434 NFPA 70E, NFPA 1975, NFPA 2112, EN 1149-3 ANTI-STATIC, EN 1149-1, EN 13034 ASTM F1506, ASTM D6413 Flame resistant of textiles
- DuPonttm Nomex*, 203gsm fabric
- · Inherent flame retardant yarn
- Nomex YKK concealed brass zip on jacket & pants
- 50mm silver FR reflective tape on arms & legs
- · Triple needle topstitched garment

Suitable Use:

- Petroleum
- Petrochemical
- Chemical
- Fire Fighters

Size Options: J: 32-60 P: 28-56







Conforms to SANS 434



NFPA 70E, NFPA 1975, NFPA 2112

FN 1149-3 ANTI-STATIC, FN 1149-1.

EN 13034 ASTM F1506, ASTM D6413 Flame







NOMEX FIRE BOILER SUIT

- DuPonttm Nomex*, 203gsm fabric
- Inherent flame retardant yarn
- Two way YKK concealed brass zip
- 50mm silver FR double needle topstitched reflective tape on arms & legs
- Full triple needle topstitched garment



- Petroleum
- Petrochemical
- Chemical
- Fire Fight


















FLAME RETARDANT SOCKS









- Zipro treated wool yarn
- · Convection & radiant heat protection
- Thermally balanced & odour free

Suitable Use:

- Electrical & gas industry
- Oil & Gas industry
- Petrochemical Industry
- Steel mills
- Firemen
- Fighter pilots

Size Options: 8-11 (Large)



15CAL ARC SUIT

- ATPV 15 cal/cm²
- 88% Cotton, 12% Nylon 305gsm Dromex A.P.T fabric
- Flame retardant thread throughout
- YKK concealed Brass Zips on jackets & pants
- Full triple needle side seams
- Flame retardant knitted rib cuffing
- 50mm flame retardant reflective tape on arms & legs

Suitable Use:

- Substations & **Switch Rooms**
- Utility power generators
- Industrial Electrical maintenance & Installations

Size Options: J: 32-68 P: 28-66





















25CAL ARC SUIT

- ATPV 25 cal/cm²
- 88% Cotton, 12% Nylon, 14oz A.P.T fabric
- Flame retardant thread throughout
- YKK concealed Brass Zips on jacket & pants
- Full triple needle topstitched garment
- Flame retardant knitted rib cuffing
- Jacket & Pants sold separtely

Suitable Use:

- Substations & Switch Rooms
- Utility Power generators
- Industrial Electrical maintenance & Installations

Jackets: S-5XL Pants: S-5XL



IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014





















15CAL ARC BOILER SUIT

- ATPV 15 cal/cm²
- 88% Cotton, 12% Nylon 305gsm Dromex A.P.T fabric
- Flame retardant thread throughout
- YKK concealed Brass Zips
- Triple needle topstitched garment
- 50mm flame retardant reflective tape on arms, legs & "X" on the back

Suitable Use:

- Substations & Switch Rooms
- Utility Power Generators
- Industrial Electrical Maintenance & Installations



Size Options: 28-64

NB





















55CAL ARC SUIT

- ATPV 55 cal/cm²
- 88% Cotton, 12% Nylon, A.P.T fabric
- Double layer construction: 14oz outer & 9oz inner
- Flame retardant thread throughout
- · YKK concealed vizlon zip on jacket
- Full triple needle topstitched garment
- · Flame retardant rib knitted cuffing · Hood, jacket, bib & brace sold separately
- Back flap with velcro closure for built-in fan/air system
- · Flame retardant velcro closures throughout
- Dromex BSD Arc visor with real view technology
- · Available with ventilation

Suitable Use:

- Substations
- Utility Power generators
- Industrial Electrical maintenance &Installations

Jackets: S-5XL Pants: S-5XL





NFPA 70E, SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

















2112.





9.6CAL ARC SHIRT

- ATPV 9.6 cal/cm²
- 88% Cotton, 12% Nylon 237gsm Fabric
- Flame retardant thread throughout
- Triple needle side seams & shoulder
- 50mm flame retardant reflective tape on arms

Suitable Use:

- Substations & Switch Rooms
- Utility power generators
- Industrial electrical maintenance & Installations

Size Options: S-3XL



9.6cal



12.4cal



IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014













21CAL ARC DENIM PANTS

- ATPV 21 cal/cm²
- 100% Cotton, 14oz Arc denim
- Flame retardant corespun 40 thread
- · YKK concealed brass zip
- · Double needle top stitching at inleg & back rise

Suitable Use:

- Substations
- Utility power generators
- Industrial electrical maintenance & Installations



Size Options: 28-50

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014















9.9CAL T-SHIRT UNDERGARMENTS

Size Options: S-3XL



- ATPV 9.9 cal/cm²
- 88% Cotton, 12% Nylon interlock FR knitted fabric, 203gsm
- · Flame retardant thread throughout
- Flame retardant knitted rib cuffing
- Available in Short & long sleeve

Suitable For:

- Substations
- Utility power generators
- Industrial Electrical maintenance & Installations
- Mining, chemical & refineries

9.9CAL BOXER SHORTS



Size Options: S-M L-XL



- ATPV 9.9 cal/cm²
- 88% Cotton, 12% Nylon interlock FR knitted fabric, 203asm
- · Flame retardant thread throughout
- Flame retardant knitted rib cufing

Suitable For:

- Subsations & Switch Rooms
- Utility power generators
- Industrial Electrical maintenance & Installations

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

















EN 11612:2015, EN 61482-1-2:2014





IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E,

ASTM F1959, ASTM F2621-12, EN 11611:2015,





51CAL LEATHER ARC GLOVE

16.8CAL ARC DIPPED GLOVE

- 42.3cal/cm² Arc rated palm & 16.8cal/cm² arc rated back
- Excellent grip in wet, oily & dry environments
- · High resistance to snatch, tear, cut, abrasion & heat

ASTM F2675/F2675M-13 D 3776: 2013 Option C

Suitable Use:

- Power & Utlity companies
- Installation, maintenance & repairs

F2675/F2675M-13

- 51cal/cm² Arc rated leather glove
- · High cut level D protection
- · High resistance to snatch, tear, cut, abrasion & heat
- Multi-layer protection provides flexibility, comfort & excellent insulation

ASTM

- Suitable Use: • Power & Utlity companies
- Installation, maintenance & repairs for high voltage equipment

Size Options: 7-13











Size Options: 8-11











70CAL ARC SWITCHING GLOVES



ASTM F2675/F2675M-13

- ATPV 70 cal/cm²
- Dromex A.P.T Fabric 88% cotton, 12% nylon
- Flame retardant glove lined with meta aramid mat lining

Suitable For:

- Substations
- Utility & Power generators
- Industrial Electrical maintenance & Installations

ARC FLASH TREAD SAFETY BOOT



Conforms to EN ISO 20345:2011

- · Waterproof full grain cow leather upper
- · Slip resistant outsole, SRC
- · Contact heat resistant outsole at 300°C for 60 seconds
- Composite toe cap is impact resistant up to 200+- 4J
- NRCS Approved

5-12

Size Options:

Suitable For:

- · Arc flash & flash fire potential
- Manufacturing
- Refineries

Size Options: M/L

L/XL





OEKO-TEX®



























PREMIUM LEATHER GLOVES

- · High abrasion, cut & heat resistance
- High contact protection
- Size: 10.5





DXWELD/RED



DXWELD/PRIME



DXWELD/BLUE

DBL PALM LEATHER GLOVES

- High abrasion & cut resistance
- Cow Chrome leather cuff
- Size: 10.5





DXWELD/6



DXWELD/6GR DXWELD/2.5GR

WELDING HELMETS

- Interchangable lens
- Shade 10-12



ACE LEATHER YOKE



TAEKI CUT5 JACKET

• Excludes neck protector



ACE LEATHER ANKLE SPAT



DH LEATHER

KNEE SPAT

WELDERS APRON

• Sizes: 60x90 Joined
60x90 1Piece
60x120 1Piece

DXACE60X90
DXACEONE60X120


ARC LEATHER APRON

DXACEONE60X90



 Full or half length aprons with buckle closure, adjustable neck & waist trap
 Apron, 1.6 mm - 2.2mm thick
 Cow split leather
 Neck & waist traps 25mm in length
 (1.6 mm - 2.2 mm thick)


> Suitable use: Welding, maintenance, manufacturing & carpentry







REFLECTIVE MAXI BIB



TWO TONE REFLECTIVE VEST



- Nylon black zip with metal slider
- Clear on PVC on black top entry ID pouch
- White Reflective Tape
- · Size: S-5XL

SAFETY VEST PRISMATIC TAPE



- EN4 lime airtex conforming prismatic white vinyl tape
- Size: XS-5XL





REFLECTIVE VEST

- · Mesh ventilation with PVC tape
- · Nylon zip with metal slider
- · Clear on black top entry ID pouch
- · Colour: Lime or orange
- · Size: S-5XL

TWO TONE MESH REFLECTIVE VEST



- 100% polyester fluorescent yellow/blue or yellow/red knitted weave fabric
- 18mm retro silver glass bead reflective tape
- Nylon zip with metal slider
- Clear on black top entry plastic pouch/ID pocket
- Size: S-3XL
- Suitable use: Construction industry, warehouse environment & mining industry

FLAME RETARDENT & ANTI-STATIC REFLECTIVE VEST



- 100% polyester fluorescent yellow open weave fabric
- Flame retardant tape is 100% cotton woven fabric with micro-glass bead coating, 502g/m²
- Velcro closure
- Black polyester binding
- Garment class 2
- · Size: S-5XL
- Suitable use: Construction industry, warehouse environment & mining industry

Tape: EN ISO 20471: 2013 & EN 469: 2005 +A1+AC Fabric: ISO 6330: 2012, EN ISO 14116: 2008



TRAFFIC REFLECTIVE JACKET



- 100% polyester tricot/mesh fabric
- Reflective tape is 50mm silver bead industrial washing T/C tape
- Nylon zip fastener with metal slider & buttons
- · Identity card holder on left breast
- Garment class 2
- · Enhanced visibility from all sides
- · Available with or without sleeves
- · Size: S-5XL
- · Suitable use: Construction industry, warehouse environment, mining industry & Police/law enforcement

Manufactured to ISO 20471: 2013 EN 471 /SANS 50471 as per requirment of 89/686/ECC

RAIN COAT REFLECTIVE

- Raincoat Class 3 Non-breathable Lime
- Size: XS-5XL



REFLECTIVE CAP

· Lime or orange



100% COTTON REFLECTIVE SLEEVE SHIRT

- · Short or long sleeve available
- · Colours: Yellow & navy, orange & navy or navy

REFLECTIVE CRICKET CAP





SUN BRIM FOR HARD HAT

- · With neck protector





HI-VIZ JACKET

· Colours: Lime, orange or navy



RAINSUIT REFLECTIVE

- Rainsuit 2-tone Lime and Navy
- · Size: S-5XL



TWO TONE HI-VIS GOLFER

- Colours: Lime & navy, orange & navy or navy



HI-VIS TEE SHIRT

- Colours: Lime, orange or yellow







FREEZER JACKET & TROUSER

- Navy 2000 oxford water resistant shower proof outer.
- 160gsm pongee straight stitch inner thermo warmth approximately -5 degree.
- Pyjama style trousers with elastic waist.
- Available as fixed or detactable hood.
- Fixed Hood available with or without reflective.
- Re-enforced patch pockets

S - 5XL

S - 5XL

Colour Navy









BLIFJFHSLTN - Fixed Hood Reflective

BUFPN - Pants

FREEZER WEAR



THERMAL WEAR

*Mens and Ladies style available

Vest sizes S - 5XL

Trouser sizes S - 5XL

Colour White Blue Black







BLIPBL



SOFTSHELL JACKET



BODY WARMER

PUFFER JACKET







Sizes S - 5XL Colour Black



Sizes S - 5XL Colour Black



SHIRT



UNIFORM SOCKS



TIE

JACKET





LONG SLEEVE COMBAT JERSEY



SLEEVELESS JERSEY



COMBAT CANVAS BOOT



COMBAT BOOT

SECURITY WEAR



COMBAT WEB BELT



ARMED RESPONSE CAP



LEATHER BELT



BERET



BULLET PROOF VEST





BATON HOLDER

HANDCUFF POUCH



HANDCUFF

VISA METAL DETECTOR



WHISTLE



LANYARD



FLASHLIGHT



RUBBERISED FLASHES



PLAIN & PRINTED **EPAULETTES**











RUBBERISED RAIN SUIT

- Ventilated aeration holes for breathability
- Fixed hood with drawstring
- Two pockets with storm flaps
- Pants with elasticated waist
- Press stud closures on the ankle

REFLECTIVE RUBBERISED RAIN SUIT

- Heavy duty & water resistant
- Ventilated back with mesh lining & aeration holes
- Fixed hood with drawstring
- Reflective tape on arms, legs, chest & back of jacket

RUBBERISED RAINCOAT

- Knee-length raincoat
- Fixed hood with drawstring
- Internal storm cuff that prevents water from running down your sleeve























CHEST WADERS

- 90% PVC and 10% polyester blend with PVC injection-moulded seamless gumboot construction for 100% waterproof protection
- 100% waterproof smooth PVC seam
- Elasticated chest collar suited for sizes S - XL
- Adjustable woven nylon suspenders with integrated nylon buckles for quick-release functionality







PVC RAIN SUIT

- Fixed hood with drawstring
- Two pockets with storm flaps
- Pants with elasticated waist
- Short term applications where there is exposure to rain
- Size: S-4XL













PVC STORM SUIT

- Water resistant
- · A fixed hood with drawstring
- 2 pockets with storm flap
- Plastic double snap closure at the neck with an internal storm cuff that prevents water from running down your sleeve
- All seams are welded for 100% waterproof protection
- Adjustable webbing suspender with plastic buckle
- Size: S-3XL





MASKS MOP CAPS **BEARD COVER**

■ Pack 100

18"











■ Pack 100





• 3 Ply with loops





GLOVES

- Latex, Nitrile & Vinyl
- Powder or Powder Free
- S-XL







• PVC & Non Woven







SLEEVE PROTECTORS

• PVC & Disposable



WH



LAB COAT

- Disposable
- S-3XL





APRONS

- Disposable
- Pack 100
- All purpose PVC apron 110x70mm
- PVC blood & fat apron 400 or 600 Micron 120x90mm



WH





PROMAX C4000 DISPOSABLE COVERALL

- Type 3, 4, 5 & 6 disposable coverall
- Double zip & storm flap for secure front protection
- Double elasticated cuff with thumb loop
- Resistance to penetration by blood/fluids, wet bacteria penetration, biologically contaminated aerosols & powders
- Size: M-3XL
- Suitable use: Chemical handling & distribution chemical clean ups, contaminated land cleaning, pathogens, oil spill, tank cleaning, petrochemical & refining applications



ISOLATION GOWN

- Water resistant/Non Slip/Antistatic
- Wear Resistant
- Non odour
- Environental Protection
- Designed Covid-19









We do all company branding, embroidery and screen printing





















FOOT WEAR





ANTI-STATIC



4-13

Black

BOVA60002

SPECIFIC FEATURES:

TOE CAP:

Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: SMS available (60702)

EN / ISO 20345 NRCS/9002/287766/0169

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

CORE RANGE







3-13

Black & Brown

BOVA90006

SPECIFIC FEATURES:

TOE CAP: Steel / Available without toe cap (90506) Dual Density PU/PU (Heat resistant up to 95°C) SOLE:

MIDSOLE: APT midsole available (90606)

EN / ISO 20345 NRCS/9002/287766/0170

E A V Y W E A R R A N G E

Hard-working protection for heavy industry demands

TRAX RANGE



ANTI-STATIC









5-13

Black

BOVA21001

SPECIFIC FEATURES:

Steel - Extra-wide Fitting TOE CAP:

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available (20701)

SANS / ISO 20345



Hard-working protection for heavy industry demands

CORE RANGE

NEOFLEX: 90004 o



EXTENDED





3-15

Black & Richmond

BOVA90004

SPECIFIC FEATURES:

TOE CAP: Steel / Available without toe cap in Black only (90504)

Dual Density PU/PU (Heat resistant up to 95°C) SOLE: MIDSOLE: SMS available (90704 / Black only)

EN / ISO 20345 NRCS/9002/287766/0055



E A V Y W E A R R A N G E

Hard-working protection for heavy industry demands

TRAX RANGE

HIKER 2.0: 21013 O









3-13

Black & Brown

BOVA21013

BOVA21513 - Soft Toe (Brown Only)

SPECIFIC FEATURES:

TOE CAP: Steel - extra wide fitting

Dual Density PU/PU (Heat resistant up to 95°C) SOLE: MIDSOLE: Shank reinforcement for arch support

SANS / ISO 20345



E A V Y W E A R R A N G E

Hard-working protection for heavy industry demands

TRAX RANGE













Black

BOVA21002

SPECIFIC FEATURES:

TOE CAP: Steel - Extra-wide Fitting

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

MIDSOLE: SMS available (20702)

SANS / ISO 20345



SPECIFIC FEATURES:

TOE CAP:

Dual Density PU/Rubber (Heat resistant up to 300°C) SOLE:

MIDSOLE: APT midsole available (42603)

SANS / ISO 20345 NRCS/9002/287766/0134



TOE CAP: Steel - Extra-wide Fitting

Dual Density PU/Vibram Rubber (Heat resistant up to 300°C) SOLE:

MIDSOLE: Standard with APT

SANS / ISO 20345



TOE CAP: Steel Toe Cap

SANS/ISO 20345

SOLE: Dual Density PU/PU (Heat-resistant up to 95°C)

NRCS/9002/287766/0152

MIDSOLE: APT midsole available (55606) HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

PU RUBBER RANGE





4-13 Colour Black

BOVA42004

SPECIFIC FEATURES:

TOE CAP:

Dual Density PU/Rubber (Heat resistant up to 300°C) SOLE:

MIDSOLE: APT Midsole available (42604)

SANS / ISO 20345

SiSi

FOOT PROTECTION

DUAL DENSITY PU RANGE



Anti-static

3 - 8

Black

SISI55013

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

Dual density PU/PU (Heat-resistance up to 95°C) SOLE:

MIDSOLE: Shank reinforcement for arch support

FN 20345

SiSi

FOOT PROTECTION

DUAL DENSITY PU RANGE







3 - 8

Black with Pink trim

SISI55005

SPECIFIC FEATURES:

Anti-static

TOF CAP: Steel Toe Cap

SOLE: Dual Density PU/PU (Heat-resistant up to 95°C)

MIDSOLE: APT midsole available (55605) SANS/ISO 20345 NRCS/9002/287766/0153



MAXECO RANGE

ROBUST: 8102



Sizes

2-13

Colour

Black Tan

LEM8102

SPECIFIC FEATURES:

Soft Toe - 8091

TOE CAP: Steel Toe Cap

SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345



MAXECO RANGE

SPARTACUS: 8075



Sizes

3-14

Coloui

Black

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345



MAXECO RANGE

ZEUS: 8115



Sizes

5-12

Colou

Black Brown

SPECIFIC FEATURES:

Soft Toe - 8114

TOE CAP: Steel Toe Cap

SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345



MAXECO RANGE

MAXECO: 8031



Sizes

2-13

Colo

Black Tan

SPECIFIC FEATURES:

Soft Toe - 8060 | Steel Midsole - 8011

TOE CAP: Steel Toe Cap

SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345



MAXECO RANGE

MAXIMUS: 8078



Sizes

3-13

Black

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345



APOLLO RANGE

BEN: 8003



Sizes 5-12

Colour

Black/Red or Black/Grey

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345



INYATI RANGE



4-13

Colour Black

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

Dual Density Pu/Rubber (Heat resistant up to 300°C) SOLE:

SANS/ISO 20345



RAPTOR RANGE



5-12

Black Tan

SPECIFIC FEATURES:

Soft Toe - 8238

TOE CAP: Steel Toe Cap

Double Density PU/PU (Heat resistant up to 95°C) SOLE:

SANS/ISO 20345



RAPTOR RANGE



5-12

Black

SPECIFIC FEATURES:

Steel Midsole - 8062

TOE CAP: Steel Toe Cap

Double Density PU/PU (Heat resistant up to 95°C) SOLE:

SANS/ISO 20345



INYATI RANGE



4-13

Black Brown

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

Dual Density Pu/Rubber (Heat resistant up to 300°C) SOLE:

SANS/ISO 20345



RAPTOR RANGE



5-12

Black

SPECIFIC FEATURES: Steel Midsole - 8035

TOE CAP: Steel Toe Cap

Double Density PU/PU (Heat resistant up to 95°C) SOLE:

SANS/ISO 20345



RAPTOR RANGE



5-12

Black

SPECIFIC FEATURES:

Steel Midsole - 8063

TOE CAP: Steel Toe Cap

Double Density PU/PU (Heat resistant up to 95°C) SOLE:

SANS/ISO 20345



PU/PU SOLE RANGE



3-13

Black

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

SOLE: Dual Density PU/PU Sole (Heat resistant up to 95°C)

No steel midsole MIDSOLE:

EN 20345



PU SOLE RANGE



4-13

Colour

Black



SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

Single Density PU Sole (Heat resistant up to 95°C) SOLE:

MIDSOLE: No steel midsole

EN 20345



EGOLI RANGE



3-14

BLACK /

Size 14 is on a different sole, but carries the same

accreditation

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap (available with no toe cap - F1260)

Nitrile PVC Sole SOLE: UPPER: **PVC Upper**

SANS/EN20345

32



PU/PU SOLE RANGE



4-13

Black

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap

SOLE: Dual Density PU/PU Sole (Heat resistant up to 95°C)

MIDSOLE: No steel midsole

EN 20345



DURALIGHT RANGE



WHITE / RED

SPECIFIC FEATURES:

Without STC (soft toe) TOE CAP: SOLE: Nitrile PVC Sole UPPER: Nitrile PVC Upper

SANS/ISO 20347



DURALIGHT RANGE



5-12

BLACK / BLACK

SPECIFIC FEATURES:

TOE CAP: Without STC (soft toe) Durable PVC sole SOLE: UPPER: **PVC Upper**

SANS/ISO 20347



SAFETY BOOT

Teleza Chelsea Boot



Colour

Black & Brown

Sizes

Black 4-13 Brown 3-14

- · Full grain crazy horse leather Upper
- · Full moisture-wicking lining
- · New improved moulded, padded, Removable sock liner
- Steel shank

- · 200j impact resistant steel Toe cap
- Dual-density pu/pu sole
- Slip resistant
- Acid & oil resistant
- Anti-static
- New wider mould

EN ISO 20345 2011 S1 SRC

NRCS/9002/211171/0084



SAFETY BOOT

Kusini Boot



Colour

Black

Sizes

3-15

HIW006699

- Split cow leather upper artificial pu
- · Artificial pu padded tongue and collar
- Non woven fabric vamp lining
- Metal eyelets
- Nylon lace

- · Bk mesh quarter lining
- · Bk mesh & eva foam insock
- Texon material insole
- · Steel toe cap
- Rubber outsole

FN20345 2011: SB SBA

NRCS 9002/2111/71/0200



SAFETY BOOT

Safiri Hiker



Colour Brown

Sizes

3-13



- · Full grain crazy horse leather upper
- Padded collar
- Padded tongue
- Full moisture-wicking lining
- · New improved moulded, padded, Removable sock liner
- Steel shank

Iso 20345 : 2011 s1 src

- 200j impact resistant steel toe cap
- · Dual-density pu/pu sole
- Slip resistant
- Acid & oil resistant
- Anti-static
- New wider mould

Nrcs/9002/211171/0058



SAFETY BOOT

Razer Boot



Colour

Black

Sizes

3-13

- Embossed split genuine leather 1.4-1.6mm for Increased durability
- · 4 Reinforced non-rusting, durable, metal d-rings
- Eva foam padded collar for added comfort & Ankle support
- · Eva foam padded bellows tongue prevents
- debris Entering boots

 Cambrelle moisture-wicking lining keeps feet drier
- Full padded removable eva sock liner for

Increased comfort ISO 20345 2011 S1P SRC

INTERCEPTOR

- · Anti-penetration steel plate
- Anti-static
- · Wide-fitting, comfortable steel toe cap tested to 200j impact resistance
- · Ladder grip sole design
- Oil & acid resistant
- Slip-resistant
- · Crack-resistant tested to 30000 flex-cycles
- Heat resistant to 90°c

NRCS/9002/211171/0091

SAFETY BOOT

Askari Mid



Colour

Black & Brown

Sizes

Black 2-13 Brown 4-13

HIW002488

- · Bartan-print split leather upper
- · Padded collar
- Padded tongue
- · Full moisture-wicking lining
- · New improved moulded, padded, Removable sock liner
- Steel shank

- 200j impact resistant steel toe cap
- · Dual-density pu/pu sole
- Slip resistant
- Acid & oil resistant
- Anti-static
- New wider mould

EN ISO 20345 2011 S1 SRC



NRCS/9002/211171/0083

SAFETY BOOT

Ulinda Security Boot



Colour Black

Sizes 2-13







SIDE ZIPPER ANTI-STATIC BREATHABLE

HIW006698

- · Split leather/mesh upper
- · Side zip for easy entry
- · Padded collar for added comfort Padded tongue for added comfort
- Full moisture-wicking lining
- · Moulded, padded, removable sock liner
- · Steel shank for stability
- · Dual-density pu/pusole
- · Slip resistant outsole Acid & oil resistant outsole
- Anti-static



Kontrakta Boot



SABS

Sizes

3-14 Colour

Black

RE1280

SPECIFIC FEATURES:

TOE CAP: 200J Steel SOLE: **Dual Density PU**

INSOLE: Moulded PU; taibrelle mesh upper with contoured heel and arch

SANS/ISO 20345 SB NRCS/9002/262020/190

REBEL

Chukka Boot



SHBS

Sizes

Black: 2-16 Brown: 2-15

Colour Black & Brown

RE811

SPECIFIC FEATURES:

TOE CAP: 200J Steel SOLE: **Dual Density PU**

INSOLE: Moulded PU; taibrelle mesh upper with contoured heel and arch

SANS/ISO 20345 S1 NRCS/9002/262020/0051

REBEL

Lo Top Shoe



Sizes 4-13 Colour

Charcoal &

Black

RE429

SPECIFIC FEATURES:

TOE CAP: 200J wide profile steel

Dual Density PU grey midsole and dark grey outsole, ESD. SOLE:

INSOLE: Ultra-thick PU foam with mesh top lining

SANS/ISO 20345 S1 NRCS/9002/262020/0201 REBEL

FX2 Boot



SABS

Sizes

2-14 Colour

Black

REFX2S1P

SPECIFIC FEATURES:

TOE CAP: 200J Steel SOLE: **Dual Density PU**

INSOLE: Moulded PU; taibrelle mesh upper with contoured heel and arch

SANS / ISO 20345 S1P NRCS/9002/262020/0066

REBEL

FX2 Chelsea Boot



SABS

Sizes

3-13

Colour Black & Brown

REFX2CBS1P

SPECIFIC FEATURES:

TOE CAP: 200J Steel SOLE: **Dual Density PU**

INSOLE: Moulded PU; taibrelle mesh upper with contoured heel and arch

MIDSOLE: Steel midsole for anti-penetration

SANS/ISO 20345 S1P

REBEL

Hi Top Boot



SHBS

Sizes 4-13

Brown & Black

RE420

SPECIFIC FEATURES:

TOE CAP: 200J wide profile steel SOLE: **Dual Density PU**

SANS/ISO 20345 S1 NRCS/9002/262020/0202



PREMIUM WORK BOOT

Crazy Horse Chelsea



Sizes

Black/Tan: 4-13 Brown: 2-14

Colour

Black, Brown & Tan



SPECIFIC FEATURES:

TOE CAP: 200J steel

SOLE: Dual density PU and rubber heat resistant sole INSOLE: Ultra-thick PU with memory foam and Poron heel insert

MIDSOLE: Steel

SANS / ISO 20345 S1P NRCS/9002/287766/0134



PREMIUM WORK SHOE

Light Industrial Mens Shoe





Sizes 5-13

Colou

Grey with Blue

RE942

SPECIFIC FEATURES:

TOE CAP: 200J Steel

SOLE: EVA rubber outsole, ESD.

INSOLE: Ultra-thick PU foam with mesh top lining

SANS/ISO 20345 S1 NRCS/9002/262020/0213



SPECIALISED WORK BOOT

Thermotrak Hi Boot





Sizes

4-14 Colour

Black

RE6S5072

SPECIFIC FEATURES:

TOE CAP: 200J steel

SOLE: PU /Rubber, heat resistant to 300°C

INSOLE: Moulded PU; taibrelle mesh upper with contoured heel and arch

SAN/ISO 20345 S1 NRCS/9002/262020/0124

REBEL

PREMIUM WORK BOOT

Havoc Boot





Sizes

4-13

Colour Black & Brown

RE651

SPECIFIC FEATURES:

TOE CAP: 200J Steel

SOLE: Dual density PU) and rubber

INSOLE: Ultra-thick PU with memory foam and Poron heel Insert

SANS/ISO 20345 S1P - Black SANS/ISO 20345 S1 - Brown NRCS/9002/262020/0181



SPECIALISED WORK SHOE

Glider Shoe





Sizes 3-13

Colou Black

RE801

SPECIFIC FEATURES:

TOE CAP: 200J composite non-metallic

SOLE: Dual Density PU

INSOLE: Extra-thick PU foam with 2mm memory foam pillow top

and Poron heel insert

SANS/ISO 20345 S1 NRCS/9002/262020/0233



SPECIALISED WORK BOOT

Jigga Boot





Sizes 3-13

Colour Black

RE5174

SPECIFIC FEATURES:

TOE CAP: 200J composite non-metallic SOLE: PU /Rubber, heat resistant to 300°C

INSOLE: Moulded PU; taibrelle mesh upper with contoured heel and arch

ARC FLASH: Compliant to Eskom Spec: 34.232

No breakdown at AC Voltage, rasied at 5kv s per minute up to 20kv

SANS/ISO 20345 SB NRCS/9002/262020/0102

FOOT WEAR

REBEL

Miners Boot





Colour

Brown

RE954

SPECIFIC FEATURES:

TOE CAP: 200J Steel

SOLE: PU and Rubber, heat resistant to 300°C

INSOLE: Extra-thick PU foam with 2mm memory foam pillow and Poron

METATARSAL

PROTECTION: XRD.Poron

SANS/ISO 20345 S3



Thuli Chelsea





Sizes

2-8

Colour

Black with Pink Trim

RE9400

SPECIFIC FEATURES:

TOE CAP: 200J Steel

SOLE: EVA/rubber outsole

INSOLE: EVA foam with mesh top lining

SANS/ISO 20345 S1 NRCS/9002/262020/0180

REBEL

Rigga Boot





Sizes

4-13

Colour Dark Brown

SPECIFIC FEATURES:

200J composite non-metallic

SOLE: PU /Rubber with non metalic anti penetration midsole.

Heat resistant to 300°C

INSOLE: Moulded PU; taibrelle mesh upper with contoured heel and arch

SANS/ISO 20345 S3 NRCS/9002/262020/0232

REBEL

Light Industrial Shoe





Sizes

2-8 Colour

Grey with Pink Trim

RE9410

SPECIFIC FEATURES:

TOE CAP: 200J Steel SOLE: EVA rubber

INSOLE: Ultra-thick ESD PU foam with mesh top lining

SANS/ISO 20345 S1 NRCS/9002/262020/0211





HEAVYDUTY GUMBOOT

Shosholoza Steel Toe Cap, Steel Midsole & Metaguard



Sizes 3-14

Colour

Black/Grey

NEPZBG25SP

SPECIFIC FEATURES:

Knee-length Average weight of 2.4kg Safety toe protection Steel toe cap Metatarsal protection

EN ISO 20345: 2011







HEAVYDUTY GUMBOOT

Shosholoza Steel Toe Cap & Steel Midsole



Sizes 3-14

Colour

Black/Grey

NEPZWG25SP

SPECIFIC FEATURES:

Knee-length Average weight of 2.4kg Safety toe protection Steel toe cap

EN ISO 20345: 2011







HEAVYDUTY GUMBOOT

Shosholoza Steel Toe Cap Recycled



Sizes 3-14

Colour

Black/Black

SPECIFIC FEATURES:

Knee-length Semi-recycled steel toe cap Safety toe protection

EN ISO 20345: 2011







HEAVYDUTY GUMBOOT

Shosholoza Steel Toe Gumboot



Sizes 3-14

Colour

Black/Grey

SPECIFIC FEATURES:

Knee-length Steel toe cap Safety toe protection

EN ISO 20345: 2011







HEAVYDUTY GUMBOOT

Shosholoza Steel Toe Cap & Metaguard



Sizes

3-14

Colour Black

NEPZWG25SP

SPECIFIC FEATURES:

Knee-length Safety toe protection Steel toe cap Metatarsal protection

EN ISO 20345: 2011







HEAVYDUTY GUMBOOT

Stimela XP Metal Free Toe Cap, Midsole & Metatarsal Protection



Sizes 4-13

Colour

Black/Grey

NEPXBG25SPM

Metal free

Knee-length Safety toe protection Midsole Protection Average weight of 2.35kg Metatarsal protection

SPECIFIC FEATURES:

EN ISO 20345: 2011







HEAVYDUTY GUMBOOT

Stimela XP Metal Free Toe Cap & Metatarsal Protection



Sizes 4-13

Colour

Black/Grey

NEPXBG25SMS



Metal free

Knee-length Safety toe protection Average weight of 2.35kg Metatarsal protection

EN ISO 20345: 2011







GENERAL PURPOSE GUMBOOT

Shova Oil & Acid Resistant Upper + Sole Gumboot



Sizes 4-13

Colour

White/Grey

NEPVWG25

SPECIFIC FEATURES:

Knee-length Average weight of 2kg Oil and acid resistant upper + sole

EN ISO 20347: 2012







GENERAL PURPOSE GUMBOOT

Marina Ladies Gumboot



Sizes 3-9

3-9

Colour

Black/Black or Black/Green

SPECIFIC FEATURES:

Average weight of 1.4kg Calve Length









GENERAL PURPOSE GUMBOOT

Shova Gumboot



Sizes 4-13

Colour

Black/Black

SPECIFIC FEATURES:

Knee-length Semi recycled Average weight of 2kg

EN ISO 20347: 2012







GENERAL PURPOSE PVC SHOE

Shova Oil & Acid Resistant Upper + Sole Gumboot



Sizes 4-13

Colour

White/Grey

NEPVWG25SH

SPECIFIC FEATURES:

Average weight of 1.5kg
Oil and acid resistant upper + sole

EN ISO 20347: 2012







GENERAL PURPOSE GUMBOOT

Marina Ladies Oil & Acid Resistant Upper + Sole Gumboot



Sizes 3-9

Colour

White/Grey

.....

SPECIFIC FEATURES:

Oil and acid resistant upper + sole Average weight of 1.4kg Calve Length









GENERAL PURPOSE PVC CLOG

Marina Ladies Oil & Acid Resistant Upper + Sole Clog



Sizes

3-9

Colour

White/White

NEPMWG25CLG

SPECIFIC FEATURES:

Clog Average weight of 1.kg

EN ISO 20347: 2012





NEPTUN

LIGHTWEIGHT SAFETY BOOT

Safelite Ankle Safety Boot



NEPAABS2

Sizes 3-13

Colour

Black/Grey

Available in:

- Toe cap S2
- Toe cap + midsole S3

SPECIFIC FEATURES:

Water resistance Full safety toe protection 2mm Split leather Barton print

EN ISO 20345: 2011

Metal free

Dual density PU direct injected sole Reflective Tape Side and Back Average weight of 1.25kg Polycarbonate Toe Cap







LIGHTWEIGHT SAFETY BOOT

Safelite Safety Shoe



NEPASBS2BLK

Sizes

3-13

Colour

Black/Grey

Available in:

- Toe cap S2
- Toe cap + midsole S3

Metal free

Water resistance Full safety toe protection 2mm Split leather Barton print

SPECIFIC FEATURES:

EN ISO 20345: 2011

Dual density PU direct injected sole Reflective Tape Side and Back Average weight of 1.25kg Polycarbonate Toe Cap







GENERAL PURPOSE SAFETY BOOT

Safelite Chelsea Boot



3-13

Colour

Brown Black

NEPACBS2 Black NEPACRS2 Brown

SPECIFIC FEATURES:

Water resistance
Full safety toe protection
2mm full-grain leather
Fine cow print

EN ISO 20345: 2011

Metal free

Dual density PU direct injected sole Average weight of 1.25kg Polycarbonate Toe Cap














- · Elasticated adjustable headband
- Provides protection against flying objects, particles, chemical splashes, splashes of molten metals & penetration of hot solids
- Approved to EN 166



2 Point/3 Point/4 Point





DROMEX HARD HAT



- Polypropylene copolymer hard hat
- 2- Point adjustable webbed polyester chin strap
- SANS 1397:2003
- EN 397:2012+ A1:2012
- CE Approved

STANDARD HARD HAT



WH

























GRN


BUMP CAP

- 80% Polyester 20% polyester Bump Cap.
- · Ventilated baseball cap style.
- Conforms to EN 812.





NIKKI 1 INDUSTRIAL HARD HAT





Rachet Lining Available



CAPS & HATS



BEANIES

NIKKI 1 MINING HARD HAT



Standard Lining Available



Rachet Lining Available





DISPOSABLE FOAM EAR PLUGS





DXDR-098 uncorded DXDR-098C corded

- Disposable, hi-visibility fluorescent PU foam ear plugs
- PU coated for hygiene
- Smooth, soft & pliable for comfort
- Available in corded & uncorded
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

Corded: CE EN 352-2 (H=33 dB, M=33 dB, L=32 dB) SNR 35 dB

Corded & uncorded: CE EN 352-2 (H=36 dB, M=34 dB, L=33 dB) SNR 37 dB

DISPOSABLE CORDED EARPLUGS





DXDR-099C

- Disposable corded foam ear plugs
- · Smooth & soft foam for comfort
- Hi-visability fluoresent lime PU foam
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

CE EN 352-2 (H=33 dB, M=33 dB, L=32 dB)

RE-USABLE CORDED EARPLUGS





- Hi-visibility fluorescent green triple flange TPR ear plugs
- Available in corded loose or corded in a plastic box
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

Corded: CE EN 352-2 (H=29 dB, M=26 dB, L=26 dB) SNR 29 dB

RE-USABLE CORDED EARPLUGS





DXDR-118C

- Hi-visibility fluorescent blue triple flange TPR ear plugs
- Corded
- Suitable use: Machining,
 Grinding, Woodwork & Steel cutting

Corded: CE EN 352-2 (H=29 dB, M=26 dB, L=26 dB) SNR 29 dB

BANDED RE-USABLE CORDED EARPLUGS



DXEG-3301B CE EN 352-2 (H=28, M=25, L=25) **SNR 28**

- Re-usable ear plugs
- Soft detachable cord
- Hi visibility Blue XTREE TPR
- Suitable use: Food, Machining, Grinding, Woodwork & Steel cutting

JM EAR MUFF



CE EN 352-1 (H=28 dB, M=23 dB, L=15 dB) SNR 25 dB

- Banded ear muff
- · Adjustable rotational ABS cups
- · Designed with comfort in mind
- · Lightweight & robust design
- · Soft foam cushions for all day comfort
- · Suitable use: Machining, Grinding, Woodwork & Steel cutting

CLASSIC EXTREME EAR MUFF





CE EN 352-1 (H=36 dB, M=27 dB, L=18 dB) SNR 30 dB

- · Padded headband ear muff
- Twin point mounted cups
- · Designed for all day comfort
- · Low risk of entanglement on machinery
- · Large cups with soft foam cushions for high noise levels
- · Hearing protection for extended
- Suitable use: Machining, Grinding, Woodwork, Aviation industry, high pressure steaming & hunting

BILSOM 303/304L EARPLUGS



HSE1005073 uncorded HSE1000106 corded EN352-2:2002

- Polyurethane foam delivers superior long-wearing comfort and solid performance.
- Smooth, soil resistant skin prevents dirt or other substances from accumulating on skin or entering ear canal.
- SNR dB33 corded
- SNR- dB31/32 uncorded
- · Suitable use: workers who need to block out loud noise and demand the best protection and comfort available in an earplug

LASER LITE CORDED EARPLUGS





HSE3301105 uncorded HSE3301106 corded EN352-2:2002

- · Vibrant colours makes protection fun and highly visible. Self-adjusting foam Polyurethane foam adjusts to fit virtually every wearer.
- Contoured T-shape Aids in easy insertion, removal from ear canal.
- · Its high visibility magenta and yellow colors make compliance checks quick
- SNR dB36 corded
- SNR dB35 uncorded
- · Laser Lite is available with special packaging and dispenser options, ideal for process industries with low tolerances for packaging waste.

LASER TRAK DETECTABLE EARPLUGS





HSE3301167 EN352-2:2002

- Single use
- · Non-ferrous metal, bright colours easily detected by visual and automated inspection.
- Self-adjusting polyurethane foam expands to fit virtually any wearer
- · Laser Trak's low-pressure foam expands gently inside the ear canal for comfort able long-term wear, while it's contoured T-shape delivers easy handling.
- SNR dB35

VERISHIELD VS120H HELMET EARMUFF

· A metal grommet on the earplug aids in metal detection, especially in process industries.

VERISHIELD HEADBAND EARMUFF

Honeywell HE POWER OF CONNECTED



FN-352-1:2002

Durable, non-deforming plastic Headband

- · New unique memory foam that combines denser and softer foam, reduces squeezing pressure on the head and enhances comfort
- SNR dB25

Honeywell



• Plastic earmuffs are designed to be worn when also wearing a hard hat.

- Includes a pair of hard hat adapters to attach the earmuffs to your hard hat. Helmet not included.
- SNR dB26



WIDE VISION GOGGLES





DXDV-11 Direct DXDV-21 Indirect

EN 166 F CE DV - 1, 9, B/DV - 1 F

- Clear Polycarbonate mono lens
- 14mm Elasticated & adjustable cotton knit headband
- Scratch resistant lens
- 120° lateral vision
- Available in direct mesh ventilation or indirect dual ventilation system
- Suitable use: Grinding,
 Woodwork & Light Chemical
 Splashes

MAXI VIEW GOGGLES





DXDV-004MAX EN 166 3, 4, 9, FN DV 2-1.2 1 F N

- Clear (EN 170 2-1, 2) polycarbonate mono lens
- Wide face contact area for comfort
 & seal
- Efficient indirect ventilation system
- Compatible with respiratory equipment
- Suitable with prescription spectacles
- Scratch resistant & anti fog lens
- 180° lateral vision
- Suitable use: Grinding; Woodwork & Light Chemical Splashes

FLIP FRONT WELDING GOGGLES





DXDV-GW5 EN 175:1997 3 4 9 B CE ES ANZI Z87 1

- Shade 5, flip-up, polycarbonate mono lens
- Soft rubber face seal
- Efficient indirect ventilation system
- Scratch resistant lens & anti-mist lens
- Suitable use: Welding industry & applications



DXDV-326B-C-AF clear DXDV-326B-G-AF grey

SPOGGLE

- Prescription lens inner attachment
- Polycarbonate mono lens
- Soft Rubber face seal
- Efficient indirect ventilation system
- Compatible with respiratory equipment
- · Scratch resistant & anti fog lens
- 180° lateral vision
- Available in Clear & Grey
- Suitable use: General Industry & Light Chemical Splashes

WRAP AROUND SPECTACLE





DXDV-1C clear DXDV-1GN green DXDV-1A amber

EN 166 F CE

- · Polycarbonate mono lens
- Polycarbonate temples with ventilation
- Compatible with respiratory equipment
- · Can be used with prescription spectacles
- Available in Clear, grey & amber
- · Anti-glare lens (green & amber)
- Scratch resistant lens
- Over spectacle
- · Suitable use: Overspecs & visitor glasses

EURO SPECTACLE

CLASSIC SPECTACLE





DXDV-026C-AF clear DXDV-026GN-AF green DXDV-026G-AF grey DXDV-026A-AF amber

Clear: DV 1 F/ Clear anti-fog: DV 1 FN Grey: DV 5-2,5 1F/ Green: DV 5-2 1F Amber: DV 2-1, 2 1F

- Polycarbonate mono lens
- Compatible with respiratory equipment

Available in clear, green, grey & amber

- · Anti-fog lens (Clear only)
- Anti-glare lens (Amber, grey &
- Scratch resistant lens
- 180° lateral vision
- · Suitable use: Construction, mining, milling, engineering workshops & factories

WELDING SPECTACLES





DXDV-026-IR3

EN 166 F CE

- Polycarbonate mono lens
- · Compatible with respiratory equipment
- · Scratch resistant lens
- 180° lateral vision
- · Shade 3
- Suitable use: Welding industry



DXDV-55C-AF clear DXDV-55G-AF grey

FN 166 F CF Clear: DV 1 FN Grey: DV 5-2,5 1FN

- Polycarbonate dual lens
- · Soft nose seat for comfort
- Compatible with respiratory equipment
- · Available in clear & grey
- Anti-fog lens
- · Anti-glare lens (Grey)
- Scratch resistant lens
- 180° lateral vision
- · Suitable use: General industry & safety officers. Grey- outdoor & construction environment

SPORTY SPECTACLES





DXDV-12C-AF clear DXDV-12G-AF grey DXDV-12GN-AF green DXDV-12A-AF amber

Clear: DV 1 F/ Clear anti-fog: DV 1 FN Grey: DV 5-2,5 1F/ Green: DV 5-2 1F Amber anti-fog: DV 2-1, 2 1F Mirror: DV 5-2,5 1F EN 166 F CE

- · Polycarbonate frame & mono lens
- Compatible with respiratory equipment
- · Available in clear, grey, green & amber
- Anti-fog lens (Clear & amber)
- · Anti-glare lens (Mirror, green &
- Scratch resistant lens
- 120° lateral vision
- · Suitable use: Construction, mining, milling, engineering workshops, factories, warehouse & general industries

SPORTY RACER SPECTACLE





DXDV-098C-AF

FN 166 F CF DV 2-1, 21 F N

- Polycarbonate frame mono lens
- Compatible with respiratory equipment
- Anti-fog & scratch resistant lens
- Scratch resistant lens
- 180° lateral vision
- · Suitable use: Construction, instrumental installation & general industry

SPORTY COOL SPECTACLE



DXDV-353C-AF clear DXDV-353B-AF blue DXDV-353L-AF lime

EN 166 F CE DV 2-1, 2 1 F N

- · Polycarbonate mono anti-fog lens
- · Polycarbonate multi colour frame & rubbber temples
- Scratch resistant lens
- 180° lateral vision
- Available frame in red, blue & lime
- · Suitable use: Construction, mining, instrumental installations & warehousing

uvex



UV9192225 green UV9192245 orange

- Duospherical lens with large field of vision
- Standard size

PHEOS SPECTACLES

- Uvex supravision excellence coating: anti-fog inside, extremely scratch-resistant & chemical-resistant on the outside
- · Available frame in black/green PC lens, clear
- · Available frame in black/orange (glare filter)
 - PC lens, grey 23 %

PHEOS CX2 SPECTACLES

uvex



UV9198256 black/blue UV9198237 black/white

- Soft component connected directly with the lens
- Uvex supravision excellence coating: anti-fog on the inside, extremely scratch-resistant and chemical-resistant on the outside
- Available frame in black/light blue,
 PC lens, clear
- · Available frame in white/black
- PC lens, grey 23 %

X-FIT SPECTACLES

CARBONVISION GOGGLES

uvex



UV9199265 - blue/clear UV9199280 - grey/grey UV9199286 - grey/amber

- Feather-light with a weight of only
 23 grams
- Uvex supravision excellence coating provides anti-fog protection on the inside and makes the outside extremely resistant to chemicals & scratches
- Translucent blue frame clear PC lens
- Translucent grey frame grey PC lens 23%
 Sun Protection
- Translucent grey frame amber PC lens
 Contrast adjustment

ULTRAVISION WIDE VISION GOGGLE

uvex



UV9301105

- Particularly well suited to use in conjunction with a respirator
- · Cleverly designed ventilation system
- Uvex supravision excellence coating provides anti-fog protection on the inside & makes the outside extremely resistant to chemicals & scratches
- Transparent grey frame
 -clear PC lens

uvex



UV9307375

- Lightweight at 46 grams, with high mechanical stability with uvex supravision extreme coating: extremely scratch-resistant exterior, permanently anti-fog interior
- Frame in black,/ grey
- -PC lens, clear

U-SONIC GOGGLES

uvex



UV9308240 grey lens UV9308245 clear lens

- Uvex i-gonomics product where comfort and ergonomics are priorities
- Sunglare filter
- Uvex supravision excellence coating: anti-fog inside, extremely scratch-resistant and chemicalresistant on the outside
- Available frame in grey/lime
 -PC lens grey 23 %
- Available frame in grey/lime
- clear PC lens

I-VO WELDING SAFETY SPECTACLES

uvex



- Intelligent combination of protection and comfort through the use of hard and soft components
- Uvex infrared plus coating provides anti-fog protection on the inside, while the outside is scratch-resistant and protected against sparks
- Combined UV and IR protection
- Perfect colour recognition
- Frame in black, green

UV9160041 welding protection level: 1.7 (lens: grey PC) UV9160043 welding protection level: 3 (lens: grey PC) UV9160045 welding protection level: 5 (lens: grey PC

UNIVET 625





HSE6250300 clear HSE6250301 green

- Extremely light and encircling
- Lens available with Vanguard PLUS coating
- Panoramic and wraparound lens for a better side protection
- The adjustable headband and the soft frame effectively distribute the pressure on the face
- Certified according to EN166 point 3 (droplets and splashes) and point 4 (large dust particles)
- Len available in clear or green G15

UNIVET 6X3 GOGGLE





HSE6X3000006 clear HSE6X3000005 green

- Panoramic lens can be perfectly worn over prescription glasses
- Exclusive Vanguard UDC coating
 Possibility to quickly replace the lens with a special release
- Facial support compatible with half masks
- Indirect ventilation system assures certified protection against drops and splashes
- Category III° PPE
- Impact resistance at 432 km/h, even at extreme temperatures
- Frame Gunmetal/Green
- Lens Available in Clear & Green G15

UNIVET 516 - PRIMARY PROTECTION

hse SOLUTIONS



HSE516020000 clear HSE516012003 yellow HSE516511002 blue mirrow HSE516031002 smoke

- Innovative line
- New temple design for a better ergonomy
- Wraparound model, guarantees optimal lateral protection
- Anatomical soft rubber nose bridge
- Len available in clear as/af
 yellow as blue mirror as & smoke

UNIVET 506U - FULL COLOUR TECHNOLOGY





HSE506U640100 clear I/O HSE506U060100 clear

- New technical features and design
- Panoramic wrapping lens available with AF+ and AS+ coatings
- Temples regulation in length and inclination
- Soft terminal tips to eliminate local pressure
- Optimal comfort and fit thanks to the soft adjustable nosepad
- Len available in clear or clear I/O

UNIVET 506 UP HYBRID KIT



HSE506UK10000



 Protection against high speed particles at extreme temperatures -5°/+55° C (T)











5000 SERIES





Superior Folded Maintenance Free Adjustable Respirator with or without Comfort Exhalation Valve.

FFP2 with valve



GL5201

FFP2 without valve



GL5200

FFP3 with valve



GL5301

FFP2 with valve



GL5401

6000 SERIES





SABS Moulded Adjustable Maintenance Free Respirator with or without comfort exhalation valve



FFP2 without valve



FFP2 with valve



FFP2 NRCS AZ2006/20



FFP2 (VALVED) NRCS AZ2006/29



MASK RESPIRATORS

SINGLE FILTER

mail P2



- · Soft PVC mask
- Dual wide elastic headband connected with a pin swivel connector
- NRCS AZ2011/43

TWIN FILTER





DXDH-102 soft pvc mask DXDH-202 soft TPR mask

- · Available in soft PVC mask
- Dual wide elastic headband connected with a pin swivel connector
- NRCS AZ2011/45
- Available in Soft TPR (Thermo Plastic Rubber)
- Dual wide elastic headband with a skull cradle and a pin swivel connector
- NRCS AZ2011/46





SINGLE UNIFIT FILTERS

DXDHCS-A1 - Organic

DXDHCS-B1 - Inorganic

DXDHCS-P2 - Particle

DXDHCS-K1 - Ammonia

DXDHCS-P2PF - Pre-filter

FULL FACE MASK



NRCS Homologated to SANS 50136: 1998 CL1 EN 136:2008 Approved ISO 9001: 2008

DXDH-FFM mask
DXDH-FFMBAG bag



DXDHCT-A1 - Organic

DXDHCT-A2 - Organic

DXDHCT-B1 - Inorganic

DXDHCT-E1 - Acid gases

DXDHCT-ABEK 1 - Organic, Inorganic, Acid & Ammonia

DXDHCT-K1 - Ammonia

DXDHCT-P2 - Particle

DXDHCT-P3 - Particle

DXDHCT-P3PF - Unifit pre-filter



CUT5 LATEX COATED GLOVE



- High Abrasion & Cut Resistance
- High Contact Protection
- · High Grip Power
- Ultra grip crinkle latex coating
- Composite knitted wrist
- Suitable for: Automotive, Glass & Welding Industry
- Size: 8-11








CUT5 CAMO GLOVE






- · High cut protection
- · Ultra grip PU anti-slip coating
- · Suitable for: Military, Police force & Outdoor hunting
- Size: 8-11



CUT5 NITRILE COATED GLOVE





- High dexterity
- Composite knitted wrist



• High Abrasion & Cut Resistance

- High Contact Heat Protection
- · High Grip Power
- · Ultra grip nitrile coating
- · Composite knitted wrist
- Suitable for: Automotive, Glass & Welding Industry
- Size: 7-12

CUT5 PU GLOVE



· High mechanical strength

- · Protects against abrasion, tear, puncture & hazards
- Superior Externity & Grip
- HDPE (High Density Polyethylene) glass fibre and nylon
- · Suitable for: Automotive Industries, Component & Assembly
- Size: 7-10

MACH 777 IMPACT & VIBRATION GLOVE



- · Highest cut resistance level 5
- · Nitrile micro foam coating Foamed padding adds on the palm for anti-vibration
- Impact protection
- · Suitable for: Outdoor Machinery & Mining
- Size: 7-13

50

DXPU5

MOLTEN WARRIOR GLOVE





- Leather palm and Aluminium back with Kevlar lining
- High heat resistance with contact heat up to 500°C
- Protection against molten metal sparks & splash
- · High resistance to abrasion, tear & cut
- Excellent grip in oily conditions
- Suitable for: Foundry, Forging & Welding
- Size: 10

DXMACH-4

- Thermal Plastic Rubber on back of fingers & thumb
- Anti-slip palm

MACH 4 META MINE IMPACT GLOVE

- Fluorescent orange spandex back for safety
- Highly reflective knuckle strip with an ergonomic design reducing hand fatique
- · Suitable for: Mechanics & Strip miners
- Size: 8-12

VIPER PLUS CHEMICAL GLOVE





DXVIPERPLUS

- Higher flexibility for long duration wear comfort
- High dexterity & abrasion
- Super grip
- Impermeable protection
- Suitable for: Chemical processing,
 Petrochemical refining, Metal
 treatment (acid, planting) & waste water
- Sizes: 9-10

INFERNO FIRE FIGHTER GLOVE



- High Breathability
- High Heat Resistance & Flash
- High Temperature Stability
- High Abrasion Resistance
- Waterproof
- Suitable for: Fire fighting, search & rescue
- Size: M-XL

VIPER CHEMICAL GLOVE





DXVIPER

- High dexterity & abrasion
- Super grip
- Impermeable protection
- Suitable for: Chemical processing & Petrochemical refining
- Size: 9-10

ULTI-CHEM PLUS CHEMICAL GLOVE



DXULTICHEMPLUS

- Premium protection against chemicals, mechanical, contact heat and micro-organism hazards
- Excellent dexterity & grip
- Resistance to n-Heptane, Sodium
 Hydroxide 40% & Sulphuric Acid 96%
- Suitable for: Chemical handling EN 374
 & Laboratories
- Size: 8-10

CUT5 CAMO SLEEVES





- High Abrasion, cut & heat
 Resistance
- · High Contact Heat Protection
- Colour UV Resistance/Washable
- Breathable & Comfortable
- Suitable for: Automotive, Glass;
 Steel, Machining, Construction;
 Mining & extraction industry

DX50-135-CAMO

ULTICHEM CHEMICAL GLOVE



DXULTICHEM

mechanical and micro-organism risks.

• Excellent dexterity & grip

Protection against chemicals,

- Resistance to Methanol, n-Heptane;
 Sodium Hydroxide 40% & Sulphuric
 Acid 96%
- Suitable for: Chemical handling EN 374
 & Cleaning Industry
- Size: 8-10

DBL PALM CHROME LEATHER GLOVES





High abrasion resistance

- High cut resistance
- Double layer palm
- 2.5 inch cow chrome leather cuff
- Suitable for: Welding related operations
- Elbow length available
- Size: 10.5

DX50-60THV

CUT5 FULL LENGTH SLEEVES

 High Abrasion, cut & heat Resistance

- High Contact Heat Protection
- Colour UV Resistance/Washable
- Breathable & Comfortable
- Suitable for: Automotive, Glass;
 Steel, Machining, Construction;
 Mining & extraction industry

RIGGER LEATHER PALM & CANDY BACK GLOVE



- · High abrasion & cut resistance
- · High contact protection
- Reinforced index finger, palm
 knuckle protection
- Suitable for: Rigging operations
 & General handling
- Size: 10

DXGRIGGER/EXEC

CANDY STRIPE GLOVE



- Chrome cow split leather and cotton drilled candy stripped fabric
- Cotton laminated safety cuff
- Suitable for: Rigging operations
 & General handling
- Size: 10-11

GOATSIN FULL GRAIN DRIVERS GLOVE



- Consists of natural premium full grain goatskin leather
- Syntax thread and red cotton bound cuff trim for additional strength
- Suitable for: VIP TIG
 (Tungsten Inert Gas) welding
 & driving
- Size: 7-12

PREMIUM WELDERS GLOVE



- High abrasion, heat & cut resistance
- · High contact protection
- Heat resistance
- 16 inch green split leather cuff
- Suitable for: Welding related operations
- Size: 10.5

SUPERIOR LINED LEATHER WELDERS GLOVE





- High abrasion & cut resistance
- Premium green dyed cow split leather
- 6 inch cow chrome leather cuff
- Size: 10.5

SUPERIOR LINED LEATHER WELDERS GLOVE



- High abrasion & cut resistance
- 2.5 inch cow split leather cuff
- Suitable for: Welding related Operations
- 2.5 inch cow split leather cuff
- Size: 7-10

BLUE PREMIUM LEATHER WELDERS GLOVES





DXWELD/BLUE

- High abrasion, cut & heat resistance
- · High contact protection
- 8 inch leather cuff
- Suitable for: Welding related operations
- Size: 10.5

PREMIUM PIG LEATHER GLOVE



- Pigskin full grain leather
- Continuous side open cuff with polyester binding
- Reinforced with syntax thread & cotton bound cuff trim for additional strength
- Suitable for: TIG
 (Tungsten Inert Gas) Welding
 & driving
- Size: 8-11

NITRILE FULLY DIPPED



- Excellent grip
- High abrasion & Cut resistant
- Fully Coated Nitrile
- Suitable for: Handling, assembling light fabrication
 Packaging
- Size: 8-12

RED PREMIUM LEATHER HEAT GLOVE



- High abrasion, cut & heat resistance
- High contact protection
- 8 inch leather cuff
- Suitable for: Welding related operations
- Size: 10.5

DXWELD/RED

NITRIFLEX FULLY COATED GLOVE



- High Abrasion
- Strong Oil-Resistance
- Super Grip
- · Softer Touch and Higher Flexibility
- · Suitable for: General Maintenance
- Size: 7-11

NITRIFLEX PALM COATED GLOVE



- High Abrasion
- Strong Oil-Resistance
- Super Grip
- Softer Touch and Higher Flexibility
- · Suitable for: General maintenance
- Size: 8-11

NITROLITE PALM COATED GLOVE



- High abrasion
- · Oil solvent resistance
- · High dexterity
- Suitable for: Engineering Assembly & Workshops
- Sizes: 7-10

NITRILE COATED KNIT WRIST GLOVE



- Heavy duty
- Excellent grip
- High abrasion
- · High cut resistance
- Suitable for: Automotive assembly & Construction
- Size: 10

NITRILE COATED SAFETY CUFF GLOVE





- · Heavy duty Excellent grip
- · High abrasion
- · High cut resistance
- Suitable for: Automotive assembly & Construction
- Size: 10

CHEMICAL NITRILE GLOVE



- Washable
- · Micro flock lined for comfort
- Resistance to K: Sodium Hydroxide 40% L: Sulphuric Acid 96% J: n-Heptane
- Suitable for: Chemical handling EN374/ Mild Acids/ Solvents
- Sizes: 7-11

SUPERLITE MICRO-COATED GLOVE

DX0742/10





- High Durability, Dexterity & Super Grip
- · High Sensitivity on the fingers area
- · Suitable for: General maintenance, assembly work & Small component handling
- Size: 8-11

MIIZU400 THERMAL GLOVE





DXMIIZU400IW

- · High Durability & Dexterity
- Super Grip
- Good alternative to leather glove
- Thermal protection
- Suitable for: Automotive, Component & Packing assembly
- Size: 8-10

MIIZU300 HI-VIZ GLOVE

SEAMLESS INSPECTORS GLOVE





- · High Durability & Dexterity
- Super Grip
- Suitable for: Automotive Machining, Inspection, component & Packing assembly
- Size: 7-10



- · High Durability& Dexterity
- Super Grip
- Suitable for: Automotive, Component & Packing assembly
- Size: 8-11

XTRA HEAVY DUTY PVC GLOVE



- High abrasion, cut, chemical & heat resistance
- 27cm open cuff
- Suitable for: Chemical handling, Oil & greasy environments & Petroleum hydrocarbons

XTRA HEAVY DUTY PVC GLOVE



- High abrasion, cut, chemical
 heat resistance
- Suitable for: Chemical handling, Oil & greasy environments,
 Petroleum hydrocarbons,
 Alcohol & glycol industry

DXXTRA/KW

STD DUTY PVC COATED GLOVE



- Provides excellent resistance to most acids, oils fats caustics and petroleum
- In addition provides abrasion resistance for both wet & dry applications
- Suitable for: Alcohol, glycol ethers, Chemicals. Oils & Fats

XTRA HEAVY DUTY PVC GLOVE



- High abrasion, cut, chemical
 heat resistance
- Suitable for: Chemical handling
 Oil & greasy environments/Petroleum
 hydrocarbons/Alcohol & glycol industry
- 35cm open cuff

STD DUTY PVC COATED GLOVE



- Provides excellent resistance to most acids, oils fats caustics and petroleum
- Provides abrasion resistance for both wet & dry applications
- Suitable for: Alcohol, glycol ethers, Chemicals, Oils & Fats
- 27cm open cuff

7GG DOUBLE DOTTED COTTON GLOVE



- Knit construction stretches for excellent fit
- Provides comfort and protection of the hand
- Designed to assist in grip on wet and dry surfaces
- Re-usable ambidextrous
- Suitable for: Warehousing & General maintenance

STD DUTY PVC COATED GLOVE



- Provides excellent resistance to most acids, oils fats caustics and petroleum
- Provides abrasion resistance for both wet & dry applications
- Suitable for: Alcohol, glycol ethers,
 Chemicals, Oils & Fats

HI-VIS PVC GLOVE

DXGCOTDD



- Provides hands with protection against hazards of most acids, oils fats, caustics and petroleum hydrocarbons.
- Excellent abrasion protection and tear resistant properties
- Suitable for: Automotive & Construction

INSPECTOR GLOVE



- Ultra thin for comfort and lightweight
- Excellent touch sensitivity& dexterity
- Eliminates finger print residue
- Suitable for: Inspecting, Motor
 & Component assembly
- Size: 8-10

RUBBER GRIPPER GLOVE



- Provides excellent grip and
 Devterity
- Machine knitted reinforced cotton liner
- Suitable for: Building,
 Woodworking & Wire industry
- Size: 8-10

CRAYFISH GLOVE



- Provides grip when handling slippery or abrasive objects
- Protects hands against cut and puncture hazards
- Suitable for: Inspection, General maintanance, Gardening, Glass handling & Fishing industries
- Size: 10

BLACK RUBBER GLOVE



- Designed to protect hands and arms
- Suitable for: chemical disposal and contact, handling laboratory experiment, unidentified liquid and powder recycle & examination, corpse transportation, agricultural pesticide, plywood manufacturing, work in plague zone & fishing
- Size: L

RUBBER HOUSEHOLD GLOVE



- 10cm Flute cuff allows the glove to breathe and provides a good seal over chemical protective suit or on hands
- Suitable for: Laboratories,
 Cleaning, Janitorial & Household
- Size: S-XL

UVEX UNIDUR 6649 GLOVE

uvex



- Good cut protection
- · Excellence dexterity
- · High abrasion resistance
- · High flexibility & resistance time
- Suitable for: automotive industry, metal work industry & packaging
- Size: 7-11

UVEX UNIFLEX U7020 GLOVE

uvex



- High quality cotton support
- Good abrasion resistance
- Extremely flexible
- Excellent fit
- Suitable for: Maintenance work, machine construction & Transport industry
- Size: 7-10

FLEXINITE GRIP HANDLING GLOVE



- Excellent dexterity due to fine knitting
- Sandy finish provides very good grip properties, especially of slippery oily parts
- High degree of flexibility and durability with optimum dexterity
- EN420
- EN388
- Size: 8-11

ULTIFLEX FULL NITRILE COATED GLOVE



- Excellent abrasion, snag and good puncture resistance
- Excellent resistance to oils, greases, solvents and chemicals
- Soft jersey lining for comfort
- Knitted wrist to exclude debris
- EN420
- EN388Size: 7-10
- GL0101

ULTIFLEX 3/4 NITRILE COATED GLOVE



- Excellent abrasion, snag and good puncture resistance
- Excellent resistance to oils, greases, solvents and chemicals
- So jersey lining for comfort
- Knitted wrist to exclude debris
- EN420
- EN388
- Size: 7-10

FLEXINITE EXTREME HANDLING GLOVE




- Soft coating reduces hand fatigue, breathable coating keeps hands cool and dry
- Excellent dexterity, sensitivity and tactility
- Nylon/ lycra mix liner and ergonomic design assures a maximum comfort
- DMF and silicon free
- Size: 7-11

FLEXINITE CUT D GLOVE



- Genuine 100% cut yarn throughout the glove and not just on palm guaranteeing full cut resistant protecon
- Excellent dexterity and sensivity with the use special Alkimos* yarn technology
- Nitrile with sandy surface offers good grip in both dry & wet environments and excellent oil & chemical resistance
- High degree of flexibility and durability with optimum dexterity
- GL0305 EN420/ EN388
 - Size: 7-11



CORE RANGE

1 BOVA



HARN01220

STANDARD HARNESS

- · Permanently attached double leg, shock absorbing lanyard with scaffolding hooks.
- · Adjustable leg and chest straps

Sizing: One Size Fits All Weight: 2,00kg

Standards: SANS 50354 | EN 354 SANS 50355 | EN 355 SANS 50361 | EN 361 EN 362



CORE+ RANGE

1 BOVA



BELTED HARNESS

- Permanently attached, double leg, shock absorbing lanyard with scaffolding hooks.
- · Adjustable shoulder, leg, waist and chest straps.

Sizing: One Size Fits All Weight: 2,48kg

Standards: SANS 50354 | EN 354 SANS 50355 | EN 355 SANS 50361 | EN 361



MINING RANGE

BOVA



HARN30000

EXCAVO

- Rescue pack & battery strap
- 3 Attachment points: Dorsal D-ring & 2 frontal attachment points
- · Adjustable leg, shoulder, chest & waist straps
- Padded waist & shoulder straps
- Standing step

Sizing: S/M/L/XL Weight: 2,25kg

Standards:

SANS 50361 | EN 361



M BOVA



HARN40000

AGILIS

EN 362

MULTI PURPOSE HARNESS

- 4 Attachment points: Chest & dorsal D-ring with work positioning D-rings
- Adjustable leg, shoulder & chest straps
- Padded waist area
- Standing step

Sizing: S/M/L/XL Weight: 2,5kg

Standards:

SANS 50361 | EN 361 SANS 50358 | EN 358



ROPE ACCESS & RESCUE HARNESS

BOVA



HARN50000

GORDIAN

- 5 Attachment points: Front waist, chest & dorsal D-ring with work positioning D-rings & loops
- Adjustable leg, waist, shoulder & back straps
- Padding in the leg & waist areas

Sizing: S/M/L/XL Weight: 2,1kg

Standards:

SANS 50361 | EN 361 SANS 50358 | EN 358 SANS 50813 | EN 813



LANYARD EXTENSION RANGE

BOVA



LANYARD

- Double leg with scaff hooks
- Shock absorber

Sizing: 1750mm Weight: 1.65kg

Max Fall Weight: 140kg

Standards:

SANS 50354 | EN 354 SANS 50355 | EN 355 EN 362





REGULATION 3 FIRST AID KIT COMPLETE, METAL BOX

- 1x Cleansing Solution 100ml
- 1x Gauze swabs 100's
- 2 x Sterile gauze 5's
- 1x Forceps
- 1 x Bandage scissors
- 1 x Safety pins 12"
- 4 x Triangular bandages non-woven/ 4 x Conforming bandages 75mm
- 4 x Conforming bandages 100mm/1 x Plaster roll 25mm x 3m
- 1 x Paper tape 25mm x 3m
- +1x Plaster assorted 20's
- 2 x Straight splints Interlocking
- 4 x Latex gloves (2 x M; 2 x L) 2 x CPR mouth pieces
- 1x Cotton wool



REGULATION 7 FIRST AID KIT COMPLETE, METAL BOX

- 1x Cleansing Solution 100ml
- 1x Gauze swabs 100's
- 2 x Sterile gauze 5's
- 1x Forceps
- 1x Bandage scissors
- 1 x Safety pins 12"
- 4 x Triangular bandages non-woven/ 4 x Conforming bandages 75mm
- 4 x Conforming bandages 100mm/1 x Plaster roll 25mm x 3m
- 1 x Paper tape 25mm x 3m
- +1x Plaster assorted 20's
- 2 x Straight splints Interlocking
- 4 x Latex gloves (2 x M; 2 x L) 2 x CPR mouth pieces
- 1x Cotton wool
- Absorbent 40g
- Eusol Disinfectant 50ml
- Bioside 6a
- Rubber household Glove (2x M, 2xL)
- Imperious yellow bag



REGULATION 3 & 7 FIRST AID KIT REFILLS **AVAILABLE**

MOTORIST FIRST AID KIT COMPLETE IN ZIPPER BAG

1 x Cleansing Solution 100ml 2 x Gauze swabs 5's 1x Plastic Forceps 1x Scissors

4 x Conforming Bandages 75mm x 5,4m 4 x Conforming Bandages 100mm x 4.5m

1 x Eye Pad



- 2 x Pairs Latex gloves

1 x Safety Pins 12's 2 x Triangular Bandages

- 4 x First Aid Dressing No 3
- 4 x First Aid Dressing No 5

1x Plaster roll 3m x 25mm

- 1x Plasters Assorted 5's 2 x CPR mouth pieces
- 2 x Set Green plastic splints

MOTORIST FIRST AID KIT REFILL AVAILABLE







DISHWASH

H18



Application

- All-purpose, high-foaming neutral cleaner.
- General and light duty type cleaning applications.
- · Washing of dishes, floors; walls, glass tops and windows.

Pack Size

1lt / 5lt / 25lt

BLEACH

DRAIN CLEANER

HAND CLEANER

ALL PURPOSE DEGREASER

HAND SOAP

H8



Application

- · All-purpose bleaching agent for white fabric.
- Product has cleaning & biocidal properties.
- · Toilets, urinals, wash basins & dustbins

Pack Size

1lt / 5lt / 25lt

PINESAN

H69



ACT 29

Application

- · All purpose biocidal cleaner
- Contains pleasant pine oil & surfactants for effective cleaning.
- Q.A.C additive provides biocidal properties.
- Mainly washroom & toilet facilities.

1lt / 5lt / 25lt

H36



Application

- · Heavy duty drain cleaner for unclogging exterior drains.
- · Highly acidic acid drain cleaner, inhibited.

Pack Size

1lt / 5lt / 25lt

DEGREASER

H22



Application

Pack Size

- · Walls, floors, engine's, upholstery, carpets.
- · All food & beverage cleaning requirements.
- · All in one, multi-functional degreaser and general purpose cleaner of all hard surface's.

Pack Size

1lt / 5lt / 25lt

H49



Application

- · Used daily in all industries that require quick and effective cleaning of hands and arms soiled with all types of grease and grime.
- · Contains essential oils providing skin conditioning.

Pack Size

500gr/ 5kg / 25kg

CREAM CLEANER

SANS 1828

H47



Application

- · All purpose ammoniated cleaner for all types of hard surface.
- · Floors, walls, tiles, basins, kitchens and general surfaces.

Pack Size

1lt / 5lt / 25lt

H₁₈₀



Application

- · Daily degreasing & cleaning of most hard & soft surfaces
- Uses: most general & industrial equipment. Garment soaking and spotting.

Pack Size

1lt / 5lt / 25lt

PINE GEL

H68



Application

- · All purpose cleaner, in mainly washroom and toilet facilities.
- · Can be used for most general cleaning applications.
- · Contains pleasant pine oil and surfactants for effective cleaning.

Pack Size

1lt / 5lt / 25lt



H51

Application

- · All-purpose liquid hand soap and skin cleanser.
- · Gentle on skin, contains essential moisturizing oils, pleasant fragrance.

Pack Size

1lt / 5lt / 25lt



ISO 9001 COMPANY

FOOD GRADE PRODUCTS

DEGREASER

H26



Application

- Multi functional fat, oil, grease and grime remover.
- Used as an all-purpose foaming degreaser in food sensitive areas.
- · Uses: processing equipment, abattoir's, ovens, grills, fryers, smoke-houses, baking equipment, restaurants, food transport vehicles, general floors.

Pack Size

1lt / 5lt / 25lt

H135

Application

HEAVY DUTY DEGREASER

remover.



- · High alkaline, heavy duty, concentrated.
- Multi functional fat, oil, grease and grime
- · Assist with the removal of hard stains and carbon build-up.
- · Uses: Hard surface degreaser.

Pack Size

1lt / 5lt / 25lt

DISINFECTANT

H28B



Application

- · All-purpose liquid disinfectant and cleaner in food sensitive areas
- · Uses: food processing equipment, abattoirs, butcheries, bakeries, restaurants, food transport vehicles food store warehouse & associated areas.

Pack Size

EN1276/ACT

1lt / 5lt

POWDER DISINFECTANT

SANS 1828

H134



Application

- · All-purpose powder disinfectant and light duty cleaner in food sensitive areas.
- Uses: food processing floors & abattoirs. In restaurants / kitchens & sanitizing buckets stations.

Pack Size

Application

1kg / 5kg / 25kg 200x10ar

FN1276/ΔCT

EN1276

HYGIENE HANDSOAP

H46



- · All-purpose hygiene hand-soap with added anti-microbial reducing agents.
- · Uses: most food & beverage industries as the pre-sanitizing wash.

Pack Size

1lt / 5lt / 25lt

SUPER DETERGENT

H241



SANS 1828

Application

- · All-purpose, high-foaming neutral cleaner.
- Uses: washing of dishes ,floors , walls, glass tops, windows and all other general and light duty type cleaning applications.

Pack Size

1lt / 5lt / 25lt

HYGIENE GEL SANITIZER

H₁₀5



Application

- · All-purpose alcohol hand sanitizer gel.
- · Will dry on hands, thus rinsing with water is not required.
- For best results use, Handsan (FG) prior to using Alcosan G (FG).

Pack Size

1lt / 5lt / 25lt

H115



Application

- · All-purpose chlorinated disinfectant foam cleaner/degreaser in food sensitive areas.
- Uses: processing equipment, restaurants, food transport vehicles, floors in food store warehouse etc.

Pack Size

5lt / 25lt

ACID DESCALER

EN 1276

SANS 1828

H144



Application

- Used primarily as a viscous detergent on plant and general manufacturing equipment to remove harsh water scale and hard water mineral deposits.
- Uses: holding tanks, stainless mixing vessels, gantries, walls, windows and general area's prone to scale build-up.

Pack Size

5lt / 25lt

PERACETIC DISINFECTANT

EN 1276/ACT

CHLORINE DISINFECTANT

H142



Application

- · All-purpose broad spectrum disinfectant & CIP cleaner in various sensitive industries.
- · Uses: chicken, ostrich, pork, beef, lamb abattoirs.
- Perfect for use as a hygiene drain oxidizer treatment.

Pack Size

5lt / 25lt

EN 1276/ACT

60



OMO HAND WASHING POWDER

PROFESSIONAL MARKET PROFES

UL68167281

Benefits

•90 loads

- Fights tough stainsHygienically clean
- •Shelf Life: 2 years

Application

·Hand wash laundry

Case cofig.

1X9ka

OMO AUTO WASHING POWDER



UL68167279

Benefits

•90 loads
•Fights tough stains

Hygienically cleanShelf Life: 2 years

Application

•Front loaders
•Top loaders/Twin tubs

Case cofig.

1X9kg 1X18kg

SKIP AUTO WASHING POWDER



UL68167283

Benefits

•90 loads
•Fibre care technology
•Removes stains
without damage
•Shelf Life: 2 years

Application

•Front loaders
•Top loaders/Twin tubs

Case cofig.

1X9kg

SUNLIGHT AUTO WASH POWDER



UL68345430

Benefits

•90 loads
•With optical brightner
•Sensational fragrance
•Shelf Life: 2 years

Application

•Front loaders
•Top loaders/Twin tubs

Case cofig.

1X9kg 1X18kg

SUNLIGHT HAND WASHING POWDER



UL68345426

Benefits

•90 loads
•With optical brightner

·Sensational clean

Long lasting fragrance
 More and more foam

•Shelf Life: 2 years Application

·Hand wash laundry

Case cofig.

1X9kg

COMFORT CONCENTRATED FABRIC SOFTNER



UL68348711

Benefits

Long lasting freshness
 No need to dilute
 75 loads
 Shelf life: 18 months

Application

•Front loaders
•Top loaders

Case cofig.

1x3L

SUNLIGHT MULTIPURPOSE PINE GEL



UL68424421

Benefits

•Fresh, Pine Fragrance
•Non-Abrasive, Shines Surfaces
•Neutralises Odours
•Adaptable: Use Neat or Diluted
•Soluble in Hot and Cold Water
•Shelf Life: 1 year

Application

Kitchen/FloorsWalls/SurfacesBathroom/Toilets

Case cofig.

1X5L

SUNLIGHT DISHWASHING LIQUID



UL68191007

Benefits

4 x Degreasing Powders
 Powerful Degreaser
 Leaves dishes sparkling
 Shelf life: 3 years

Application

•Cutlery
•Glasses
•Dishes

Case cofig.

4X5L

LIFEBUOY HAND SANITIZER LIQUID

HAND SANTIZE LUQUO the property of the propert

UL68432546

Benefits

- Instantly protects
- Kills 99.99% of germs, including bacteria
 - Leaves no residue
- Moisturises your hands
 - Fragrance free
 - Proven effective against coronavirus

Application

Hands

Case cofig.

4X5L

DOMESTOS MULTIPURPOSE THICK BLEACH



UL68144870

Benefits

•Kills 99.9% of germs
•Destroys Coronavirus in
just 60 seconds
•Removes stains
•Prevent limescale

Application

ToiletsBathrooms

·Shelf life: 1 year

•Floors and surfaces

•Drains

Case cofig.

eval

Kitchen

HANDY ANDY MULTIPURPOSE WITH BLEACH



UL68348687

Benefits

•Antibacterial
•Kills 99.99% of germs
•Shelf Life: 18 months

Application

•Toilets
•Bathrooms
•Kitchen

Case cofig.

4X5L



UL68191005

Benefits

•With natural micro crystals
•100% dirt removal
•Shiny clean
•Shelf Life: 3 years

Application

*Basins/Sinks
 *Taps/Tiles
*Counter tops/Floors
 *Work bench
 *Pots & pans

Case cofig.

·Kitchen hob

·Bath/Shower

4X5L

HANDY ANDY GLASS & WINDOW CLEANER



UL68348685

Benefits

•Removes dirt
•Sparkling shine
•Clean & shiny in 10 seconds
•Shelf life: 3 years

Application

• Windows

MirrorsDoors

Case cofig.

4X5L

HANDY ANDY KITCHEN DEGREASER

HANDY ANDY MULTIPURPOSE CREAM



UL68348689

Benefits

•100% daily grease removal
•No need to rince
•Clean & shiny in 10 seconds
•Shelf life: 2 years

Application

•Stoves
•Ovens
•Surfaces

Case cofig.

4X51



















FAN MOP HEAD

ProMop



Size 400g 500g

Interchangeable heads for cost effective use.

Handle not included

FAN MOP HEAD

ProMop



Size 38mm Webbing

400g Mop head

Red White Yellow Blue Green

Colour coded for use in colour coded areas.

Handle not included

AFCMHFA-2034/41/47/13/21

FAN MOP HEAD HYGIENE



Colour

Red Yellow Blue Green

The Spunlace Mop head is used in Hygiene sensitive areas. It is low linting and has colour coded webbing.

Handle not included

AFCMHFA-2025/26/27/29

MOP FAN HEAD MICROFIBRE

Colour

Blue White

Detail

Colour coding tags

The Microfibre mop head is used in hygiene sensitive areas, is lint free and has looped ends to reduce fraying.

Handle not included

DUST MOP FRAME



Size

100cm 80cm 60cm 40cm

Handle not included

DUST MOP SLEEVE ACRYLIC



AFCMHFA-1100/11

Size 100cm

80cm 60cm 40cm

Options:

Cotton Acrylic (for finer dust)

AFCMCDU-1009/10/11/12

To be used with dust mop frame & aluminium handle.

- Handle not included.

MICROFIBRE SLEEVE



AFCSPMI-1022

Free of metal eyelids- no rust. Comes with colour coded tags and can be used in hygiene sensitive areas.

FLOOR TOOL MICROFIBRE



AFCSPMI-1001

Use with aluminium handle

- 22mm or 25mm and microfibre sleeve.
- · Handle not included

HANDLE ALUMINIUM

Size

1.3m x 22mm 1.5m x 25mm

Aluminium handles can be used in hygiene sensitive areas.

AFCHAME-1026/27

MOP CLIP E-LINE



Colour

Red White Yellow Blue Green Orange

Clips are colour coded and can be used for colour coding purposes.

AFCMACL-1002/03/04/05/06/18

Suitable for 22mm and 25mm handles. -Handle not included

FAN WOOD, WITH METAL CLIP



Handle

Coated Uncoated

Size

1.5m 1.2m

Mop Head not included

FAN MOP HOLDER SPRING CLIP + ALUM. HANDLE






Aluminium handle with a metal spring clip. Not suitable for hygiene sensitive areas.

Mop Head not included

HANDLE POWDER COATED



Colour

Red White Yellow Blue Green

AFCHAME-1229/30/31/32/33

Handles are threaded and can only be used with a threaded mop head socket.

HANDLE FAN METAL PVC



Colour

Red White Yellow Blue Green

Size

25mmx1.5m

AFCHAME-1255/56/57/58/59/60 AFCHAME-6026

Plug socket handles - colour coded for use in colour coded areas.

Mop Heads not included

COMPLETE MOPS



Size

300g 400g 500g

Handle

Coated Uncoated

Mop Head and handle included

FLOOR SQUEEGEE MUSTIK



Colour

Red White Yellow Blue Green

AFCSPFS-1002/03/04/05/06

To be used with aluminium handle.

- Handle not included.

HANDLE GRIP



AFCHAGR-1004/05/07/09/11/39 Grip for colour coding

Colour

Red White Yellow Blue Green Orange

Size

22mm 25mm

BUCKET & WRINGER



Red Yellow Blue Green

Colour

Size

20L 36L

AFCJAMS-1001/02/03/04/06/07/08/09

DOUBLE BUCKET + WRINGER

(300g mop max in a 20L wringer)

TROLLEY ECONO JANI



AFCJATR-1004

Details

With lid + bag (30L bag)



AFCJAMS-1024


Replacement Wringer available

50L Plastic econo

POLISHER ECONO INCL. PAD DRIVE

Details

ST Speed



Also available:

Single disc polisher 150 RPM -Includes: 425MM pad drive only.

VAC 15L PLASTIC DRY ONLY



AFCCMVA-1008

Capacity: 15L Power: 1000W Tank diameter: 345mm Height: 580mm Hose length:2.5m

PUSH SWEEPER MANUAL



AFCCMRA-1009/30

AFCCMVA-1060

Blue

PADS E-LINE (FLOOR)



AFCPAFL-1010/11/12/13 AFCPAFL-1027/28/29/30 AFCPAFL-1043/44/45/46 AFCPAFL-1059/60/61/21

Details

425mm 450mm 500mm

Black = Stripping Blue = Cleaner Red = Buffing White = Polishing

AMERICO PADS



AFCPAFL-1401/02/03/06/07/08 AFCPAFL-1411/12/13/14/16/17

Size

425mm 450mm 500mm

Black = Stripping Blue = Cleaner Red = Buffing White = Polishing

DOODLEBUG PADS E-LINE





AFCPASC-1011/13/24/26

Colour

Blue Red White Black

Black = Stripping Blue = Cleaner Red = Buffing White = Polish

> Colour Red White

Yellow Blue

Green

Orange

DOODLEBUG HOLDER



To be used with aluminium handle.
- Handle not included.

CLOTH SPUNLACE HD



AFCCLSP-1040/42/43/44/56

Multi-purpose, disposable cloth (2-3 day) 70gsm.

CLOTH SPUNLACE 45GSM



AFCCLSP-1006/07/08/09/10/37/38

Multi-purpose, disposable cloth (1 day) 45gsm.

MICROFIBRE CLOTH WOVEN



Colour

Yellow
Blue
Green
Orange (200gsm only)
White (200gsm only)
Black (200gsm only)

Options

200gsm 280gsm

AFCCLMI-11/12/13/15/22/23/24/25/26/27

Multi-purpose cloth which can be used on sensitive surface areas, holds dust well - low linting

CLOTH HOSPITAL (25 PACK)



AFCCLNP-1002/03/04/05

Colour

Colour

Red

White

Yellow Blue Green

Orange

Red Yellow Blue Green

Multi-purpose, semi-disposable cloth (5-7 days), absorbent, low linting and durable, 75gsm.

MICROFIBRE CLOTH WOVEN



AFCCLMI-1035

Option

Pack of 5 220gsm

SPUNLACE JUMBO ROLL

DISH CLOTH SWAB (10 PACK)



AFCLSP-1026/27/28/29/30/39/55

Colour Red White Yellow Blue Green Orange Black

Weight: 45gsm Length: 400m Multi-purpose absorbent disposable cloth (1-a-day).



AFCCLGE-1022/31

DISH CLOTH DELUXE (10 PACK)



WET FLOOR SIGN ECONO



BUCKET PLASTIC 06L

WET FLOOR SIGN CONE



AFCJAEQ-1052

65cm



AFCJABU-1008/9/10/11/12/14/15/16/17/18 AFCJABU-1068/69/70/71

Colour

Red White Yellow Blue Green Orange (6L Only) Black (6L Only)

06L 12.5L

Buckets are colour coded and can be used for colour coding purposes to avoid cross contamination. Comes with measurements on the inside of the bucket

SPONGE SCOURER



AFCPASC-1038/39

110mm x 80mm 75mm x 55mm

Sold in pack of 3

STEEL WOOL



AFCPASC-1095/96

Options

200g = 20 units p/pack 500g = 10 units p/pack

POT SCOURER



AFCPASC-1098

SPRAY BOTTLE OR TRIGGER SPRAY



AFCJAEQ-1101/02/03/04/14/25 AFCJAEQ-1014

750ml Bottle

Trigger Colour

Red White Yellow Blue Green

Bottle & Trigger Spray Sold separately

HAND PAD THINLINE GREEN



AFCPASC-1024/29

Size

Details

Pack of 36 Standard Deluxe

14cm X 21cm - Pack of 10 14cm x 11cm - Pack of 20

Thinline green hand pads.

DUSTERS YELLOW



Soft, non-abrasive cloth which is commonly used to wipe down surfaces.

DUSTER CHENILLE MICROFIBER

DUSTER FLICK HEAD & HANDLE



AFCBRDU-1027/28/29

Replacement sleeve available

FEATHER DUSTER



WALL RAIL ONLY



Handle

Extendable length

Powder coated mild steel Size

50cm 90cm

1840mm

460mm

AFCBRGE-1026/27

WALL RAIL BRACKET 20-30

WALL RAIL/ BRACKETS

AFCBRGE-1025/35/36/37/38/39

Colour

Red White Yellow Blue Green Black



AFCBRGE-1030/31

50cm X 3 brackets 90cm X 5 brackets

Colour

Red

White

Yellow Blue Green Black

LITTER PICKER



Options

Light duty Heavy duty

REFUSE BAGS



AFCCOBA-1003/04/05/06/07 AFCCOBA-1016/17/18/19/39

BIN LINERS (100)



AFCWASC-1002 AFCCOBA-1036

Colour

Red White Blue Green Yellow

25 - 30 microns

MINI SANI BAG (100)



AFCWASC-1009

BROOM HEAD HYGIENE



AFCBMHY-1050/51-59 AFCBMHY-1060/61-69 AFCBMHY-1070/71-76

Head

Hard or soft

Colour

Red Blue White Green Yellow Black

300mm 450mm

HANDLE HYG HD



AFCHAME-1032/33/34/35/36 AFCHAME-1082 AFCBMPL-1106/12

Colour

Red Blue White Green Yellow Black

CLEANING EQUIPMENT

PLATFORM BROOM

ARROW-



AFCBMPL-1074/79/81/90/94 AFCBMPL-1100/10/14

Details

Black = Soft Brown = PVC/hard

Size

300mm 450mm 600mm

FLAT BACK PAINTED BROOM

ARROW brushware



Details

Wooden handle

Used for smooth surfaces eg. Tiles/houses/domestic/ indoors/offices/wooden floors - non-sensitive areas

AFCBMGE-1228

DELUXE BROOM FLAGGED

ARROWbrushware



AFCBMGE-1215

Details

Wooden handle

SUPA DELUXE BROOM FLAGGED

ARROW-



AFCBMGE-1409

Details Wooden handle

Epoxy coated metal handle

POLYCORN BROOM + HANDLE



Suitable to be used on carpets and outdoors

PLASTIC BACK SCREW FIT BROOM

ARROWbrushware



AFCBMGE-1260/1443

Colour

Details

PVC handle Wooden handle

SCOOP + BROOM



AFCJASC-1002

Details

Scoop long plastic handle Broom Econo

DUSTPAN SETS



AFCBRBR-2134/35/36/37/40/71 BRBR-2134/35/36/37/40/71

Colour

Blue Green Red Yellow

BUS WASH HANDLE

TRUCK WASH BROOM



With a 1.2m or 2.5m handle.

Available as complete or seperate.

Size

brushware

ARROW-

Size

1.2m extends to 2m

Replacement head sold separately.

AFCBMGE-1001/02 AFCBMGE-1023/27/28

CHUBBY SCRUB





AFCBRBR-2150

280MM UNION SCRUB

AFCBMGE-1470 BMGE-1470

CBMGE-1492/93 BMGE-1492/93

ARROWbrushware



AFCBRBR-2088

BRAZING BRUSH - WOODEN

ARROW brushware



BIIAZING BIIOSII WOODEN

WINDOW SQUEEGEE



WINDOW SQUEEGEE



Size

1.1m 2.1m

Extendable

WINDOW CLEANING SET E-LINE WC



AFCWIGE-1008

Includes: Sponge 2x1/1m E-Line telepole 20cm window scraper with handle, 35m window washer, 3x channel and rubbers (34cm,35cm,45cm), crank joint, channel with 10blades (92cm rubber).

35CM WINDOW SQUEEGEE

TELEPOLE





JUMBO PAPER WALL STAND

JUMBO PAPER ROLL STAND







FLOOR SQUEEGEE METAL

BUCKET METAL 28L ON CASTORS



AFCSPFS-1007/09

AFCJAMS-1015

Geerpres Econo Bumper Bucket on Castors -use either geerpress wringer or

wringmaster

MOP WRINGMASTER METAL

MOP WRINGER METAL



AFCJAMS-1022

The wringmaster is only suitable for fan mops

Size

45cm

60cm



The geerpres wringer is suitable for both the round mop and the fan mop

TROLLEY METAL DOUBLE

<u>GEERPRES</u>



Size

20L 25L

Rhino Double Bucket Trolley Only suitable to be used with a metal wringer. Wringmaster or geerpress.

A/FRESH 250ML AEROSOL



AFCWAAF-1053/54/55/56

Fragrance

Boss Calm Linen CK Forest fern

AIR FRESH UNIT





Battery: 2 x "D" size Takes a 250ml aerosol can. Settings: 5, 15 and 25min / 24 hours, Night or Day mode

GOLDEN TOUCH SOAP DISP



SOAP: H51/H46



Plastic Soap Dispenser -1.2L Lockable Top up

> Stainless Steel Soap Dispenser -1.2L Lockable Top up only unit

Options

BARREL PAPER DISP STD



AFCWAPD-1003 PAPER: AFCWAPA-1023

FOLDED PAPER TOWEL DISP

WALL BIN S/S



AFCWAPD-1009/10 PAPER: KC6659

Plastic S/S

Options

Capacity: 500 sheets Estimated paper size: 240 x 360mm per sheet

TOILET ROLL HOLDER



AFCWATR-1001,02,03,04,05,06

Options

S/S - TR2, TR3 White- TR2, TR3



AFCWABI-1013/15

Size

Large Small

Stainless Steel, Grade 441-Rust Resistant

SANI BIN S/S

8

AFCWABI-1007/11/60

Size

Large Small

Stainless Steel, Grade 441-Rust Resistant Available in Plastic



AFCWAHD-1003

HAND DRYER

Details

2.3kw S/S

BREEZE - HAND DRYER

breeze



AFCWAHD-1012

Details

1.8kw White 20 000rpm

Details 100

TOILET SEAT WIPE DISPENSER



AFCWADI-1011

Details

Plastic

TOILET SEAT ECOWIPE



AFCWASC-1004

TOILET BRUSH SET ROUND



AFCBRBR-1067

URINAL SCREEN



AFCWAAF-1016/17/18/19

Fragrances

Blue = Ocean mist Green = Herbal mint Red = Melon Yellow = Lemon

TOILET BRUSH SET SQUARE



BRBR-2117

Colour

White Grey

NVP180-11 NUPRO (DRY)

Numatic



SKU - 905722

Motor - 620W

Power - 230V AC50 / 60Hz

Airflow - 31.5L/sec

Suction - 2050mm H2O

Capacity - 8L

Range - 26.8m

Weight - 5.8kg

Dimensions - 340x340x350mm

CT370-2 CARPET EXTRACTOR

Numatic



SKU - VA838084

Motor - 1060W

Power - 230V AC50 / 60Hz

Airflow - 49L/sec

Suction - 2500mm

Capacity- 15L-Dry / 9L-Wet

Range - 26.8m

Weight - 8.86kg

Dimensions - 355x355x510mm

WV370-2 (WET OR DRY)

Numatic



SKU - VA832184

Motor - 1060W

Power - 230V AC50 / 60Hz

Airflow - 49L/sec

Suction - 2400mm

Capacity- 15L-Dry / 9L-Wet

Range - 26.8m

Weight - 7.1kg

Dimensions - 355x355x510mm

HFM ROTARY (150RPM / 300RPM)

Numatic



SKU - RO905882 (150 rpm)

SKU - RO905894 (300 rpm)

Motor - 1500W

Deck- 450mm

Power - 230V AC50Hz

Range - 32m

Weight - 32kg

Dimensions - 460x560x1250mm

AUTOSCRUBBER (ELECTRIC/ BATTERY)

Numatic



SKU - TW904007 (Electric)

SKU - TW904597 (Battery)

Speed - 100rpm

Brush Motor - 24V / 300W

Vac Motor - 24V / 400W

Power - 2 x 12V (24V) IO0Ahr Dimensions - 330x540x1145mm

Capacity - 40L

Deck- 450mm

HB1812R DOUBLE MOP SYSTEM

Numatic



SKU - NM909881

Capacity - 30L or 18L / 12L

Castors - 4 x 75mm

Dimensions - 30 litre Bucket

TM2815WR DOUBLE MOP SYSTEM

Numatic



SKU - NM910652 28l Bucket (Blue Handle) 15l Bucket (Red Handle) 30l Waste Bin & Lid (ReFlo Black) Dual Press (ReFlo Black) (Rear Discharge)

NKS1LLFF NUKEEPER SINGLE SERIES

Numatic



SKU - NM906258

Bags- 2 x l00L

Castors - 4 x 200mm

Dimens ions - 582x1420x1352mm

Drawer/ Trays - 3 x 10L Drawers

PAPER PRODUCTS BATHROOM SYSTEMS & DISPENSERS



ExceptionalWorkplaces



KLEENEX® ULTRA™ SLIMROLL™

- Voenex-KC6781
- Slimroll 100m/2ply.
- 400 sheets per roll, 6 Rolls per case.
- Provides user satisfaction through luxurious quality and delivers our most gentle hand dry.
- Superior brand embossing on our rolled hand towels increase user satisfaction and enhance employee care.
- Unique Airflex technology fabric delivers a highly absorbent hand towel with superior strength, meaning fewer towels are needed and do not break up when wet.







SCOTT® ESSENTIAL™ HAND TOWEL



ISO 14001/ISO 9001

ISO 14001/ISO 9001

- Large Roll 350m/1ply.
- 1400 sheets per roll, 6 Rolls per case.
- Gives 23% more hand dries than equivalent systems.
- Also available in blue and food contact certified.
- Unique Airflex technology fabric delivers highly absorbent hand towels with superior strength, meaning fewer towels are needed and do not break up when wet.







SCOTT® ESSENTIAL™ SLIMROLL™ HAND TOWEL



- Slim Roll 190m/1ply.
- 760 sheets per roll, 6 Rolls per case.
- Gives 23% more hand dries than equivalent systems.
- Also available in blue and contact certified.
- Unique Airflex technology fabric delivers a highly absorbent hand towel with superior strength, meaning fewer towels are needed and not break up when wet.







SCOTT® CONTROL™ SLIMROLL™ HAND TOWEL



- Slim Roll 165m/1ply.
- 990 sheets per roll, 6 Rolls per case.
- Made with eucalyptus fibres for a gentle feel for repeated use.
- Unique Airflex technology fabric delivers a highly absorbent hand towel with superior strength, meaning fewer towels are needed and do not break up when wet.
- The superior brand embossing on our rolled hand towels increase user satisfaction and enhance employee care.
- For uncompromised clean, every single time our slimroll works with the most hygienic dispencer to deliver increased hygiene.







SCOTT* HAND CLEANSER



- 11 Cassette
- 0.4ml per shot, 2500 shots per cassette (6 per case)
- Available in Scott* Control Frequent use hand cleaner
 6342 or Scott* Control Sani foam hand cleaner
- Foam soap delivers up to twice as many washes per litre as conventional liquid soaps & uses 16-45% less water to wash hands
- Fragrance & die free
- Hygienic hand wash is completely triclosan free, improves personal hygiene, cares for your skin & reduces bacteria
- Dispensing the ideal amount of soap to prevent overuse





ALCOHOL SANITIZER



- 1L Cassette
- Kleenex* gel 6382 1ml shot size, 1000 shots per cassette (6 per case)
- Scott* foam 6392 0.4ml shot size, 2500 shots per cassette (6 per case)
- Alcohol hand sanitizer meets the requirements of the biocidal % 99.999 products directive (98/8/EC) & kills (in as little as 30 seconds) up to of the common bacteria fungi, yeast and viruses that can cause infection or illness.
- Available as colour free, fragrance free gel containing aloe vera, vitamins E and B





SCOTT° CUSHY* TOILET TISSUE-UNWRAPPED



ISO 1400:2004/ISO 9001:2008

- Small Roll/1Ply
- 500 sheets per roll, 48 rolls per case
- Made using 100% recycled fibre and ultra absorbent whilst retaining a soft and comfortable texture
- Unwrapped packaging is pre-packed for increased hygiene and efficiency









KLEENEX® TOILET TISSUE-WRAPPED & UNWRAPPED



- Small Roll/2Ply
- 350 sheets per roll, 48 rolls per case
- Soft and luxurious for user comfort
- Uniquly embossed with the Baby Soft $\ensuremath{^{\circ}}$ Puppy
- Unwrapped packaging is pre-packed for increased hygiene
 & efficiency













SCOTT® CONTROL™ JUMBO ROLL TOILET TISSUE



- Jumbo Roll/2Ply
- Available in 8569- 314m centrefeed 1280 sheets per roll,
 6rolls per case or the 8591- 204m centrefeed, 833 sheets per roll,
 12rolls per case
- The centrefeed toilet tissue system delivers maximum hygiene without compromising on efficiency
- The Scott® Control™ dispencers forms part of the controlled one-sheet dispensing system for increased efficiency- helping to control usage, reduce waste and cut unnecessary costs
- Fully enclosed protecting the rolls against cross-contamination and ensuring users only touch the sheet they use









SCOTT DECA JUMBO ROLL TOILET TISSUE



- Jumbo Roll/1Ply
- Continous roll, 8 rolls per case
- Jumbo roll format reduce washroom maintenance and waste
- Tissue dissolves in water to prevent blockage





WASHROOM ACCESSORIES- AIRCARE FRAGRANCES



- 6 x 300ml pouch
- 0.05ml shot size, 6000 shots per pouch
- Fragrances are manufactured using compressed oil technology for consistent fragrance intensity with much lower residue
- A specially designed valve delivery system ensures a finer spray dispersal with each refill lasting up to 90 days of frequent use
- This aerosol free technology creates lower VOC's compared to standard aerosol system





WASHROOM ACCESSORIES- TOILET SEAT & SURFACE CLEANER



- 6 x 400ml pouch
- 0.2ml shot size, 2000 shots per pouch
- Kimberly-Clark Professional™ toilet seat and surface cleaner dispenser provides a stylish slimline design, promoting hygiene and helping to manage costs through controlled dispensing
- Simple to unlock and refill with a window to gauge refill needs





WYPALL* EXTRA: LARGE WHITE 1PLY PAPER WIPER



- Jumbo Wiper (Large Roll)/1Ply
- 0.270 X 1500m, 1 roll per case
- Reliability for light to medium duty tasks
- Strong and absorbent
- The strongest, thickest 1ply paper wiper
- · High wet strength paper wiper
- Ideal for polishing glass, smooth surfaces and cleaning tasks where strength and absorbtion are critical
- Larger roll for high traffic areas and heavier wiping tasks







WYPALL* EXTRA: LARGE WHITE 2PLY PAPER WIPER



WYPALL KCSD066142

- Jumbo Wiper (Large Roll)/2Ply
- 0.270 X 1500m, 1 roll per case
- · Reliability for light to medium duty tasks
- Soft, low lint, non scratching wiper
- 2Ply highly adbsorbent- absorbs 3.5 times its own weight
- Ideal for polishing glass, smooth surfaces and cleaning tasks where strength and absorbtion are critical
- Ideal laboratory use
- · Large roll for high traffic areas and heavier wiping tasks





WYPALL* X50 INTERFOLD CLOTHS





- Interfold cleaning cloth x50/1Ply
- 245 x 416mm 6 packs
- Reusable Wypall* cloths are absorbent and solvent resistant
- Strong enough to tackle tough tasks
- Designed for efficiency to save costs and time
- · Absorbs 6 times its own weight in oil
- Contains no adhesive or binders, reducing surface residue
- Colour coded for HACCP compliance
- Ideal for cleaning surfaces, hands and wiping down machinery





WYPALL* X80 INTERFOLD CLOTHS





- Interfold cleaning cloth x80/1Ply
- 350 x 420mm 10 packs
- Extended use Wypall* X cloths are absorbent and solvent resistant
- Power pockets help trap dirt and grime quicker and more effectively better scrubbing power
- Wypall* X cloths weigh 5x less than the average rag, meaning less waste
- Contains no adhesive or binders, reducing surface residue
- Colour coded and low lint for HACCP compliance
- Ideal for cleaning surfaces, hands and wiping down machinery

WYPALL* X80 CLOTHS-LARGE ROLL





- Large roll/1Ply
- 475 sheets per roll, 1 roll per case
- Reusable Wypall* X cloths are absorbent and solvent resistant
- Perforated roll
- Improved absorbtion with unique power pockets and better scrubing power
- Power pockets help trap dirt and grime quicker and more effectively Wypall
- Wypall* x80 cloths weigh 5x less than an average rag, meaning less waste
- Contains no adhesive or binders, reducing surface residue
- Ideal for cleaning surfaces, hands and wiping down machinery

WETTASK™ ROLL WIPER DISPENSER



WD41 KC7754





- Centrefeed
- 1Ply
- Wypall* Wettask[™] 7754 for sanitizing and disinfecting,
 6 refills x 290 sheets
- Wypall® Wettask™ 6101 for solvents, 6 refills x 60 sheets
- Designed for use with pre-soaked cloths to help control the costs of solvents and disinfectants and improve safety by reducing spills
- Low-lint synthetic wipes with a compact sheet size for removing grease or adhesive residue
- Single sheet dispensing ensures economical consumption
 using as many wipes as needed, reducing waste
- Saves time as the bucket & wipe is prepared with the desired solution before use. A clean fresh soaked wipe every time
- The disinfection use can be marked quickly and easily using a flexible system of coloured strips





WYPALL® REACH™ CENTREFEED SYSTEM



WYPALL KC6223



WYPALL KC6220

- 6223 1 Ply food & hygiene centrefeed 6 rolls x 164m= 984m
- 6220 1 Ply service & retail centrefeed
 6 rolls x 106m= 636m
- Designed to help prevent transmission of foodborne bacteria caused by handling of exposed blue rolls during food preparation
- Always at hand- convenient and portable for cleaning tables
- High image dispenser- designed to compliment front of house areas
- Reduces paper consumption by over 20%
- Cuts paper waste by over 20%







THE TRUSTED TISSUE BRAND



TWINSAVER SUPERIOR 2 PLY











TWINSAVER EMBOSSED 2 PLY











- Softness: 3D embossing that is soft to the touch
- 100% Virgin fibre
- Wrapped in 4's for hygiene
- 12 packs of 4 with 350 sheets per case
- Sheet size: 100mmx110mm

TWINSAVER LAMINATED 2 PLY

















- TW3022
- Luxurious laminated soft towel
- Ideal for automated dispensers
- Controlled sheet dispensing, reduce waste
- 6 Rolls per case
- Roll size: 200mmx125m

Green choice

TW0171

· Green choice

Septic tank safe

Cost effective 2 ply toilet tissue

• 48 Rolls of 350 sheets per case

Soft, strong & great quality

Sheet size: 100mmx110mm

- Cost effective
- Septic tank safe
- 48 Rolls of 500 sheets per case
- Sheet size: 100mmx110mm

TWINSAVER ROLL 1 PLY VIRGIN







TWINSAVER CONTROL 1 PLY











- · Super strong, super absorbent
- · Controlled sheet dispensing, reduces waste
- Cost Effective
- 6 Rolls per case
- Roll size: 200mmx150m



TWINSAVER FLAT 2000







• Green Choice

 Soft, great quality FCS Certified

Affordable virgin 1 ply

Made from 100% virgin fibre

• Sheet size: 100mmx110mm

• 48 Rolls of 500 sheets per case

- · Controlled sheet dispensing, reduces waste
- Cost effective quality and adsorbency
- 20 packs of 100 per case (2000 sheets per case)
- Sheet size: 240mmx330mm



- Bulk pack
- Strong and soft

TWINSAVER 1 PLY SERVIETTES

- 1000 sheets per case
- Sheet size: 290mmx300m







TWINSAVER 2 PLY ROLLER TOWEL



TW3012

- Green choice
- Super strong, super absorbent
- 50 Sheets per roll
- 12 packs of 2s per case
- Sheet size: 260mmx220mm



TWINSAVER WIPE



TW0480

- Super strong, super absorbent
- Multi-purpose wiping
- 2 Ply softness
- 1 roll per pack
- Sheet size: 280mmx1000mm

TWINSAVER WIPE



TW0474

- Green choice
- Multi-purpose wiping
- 1 Roll per pack
- Roll size: 210mmx1500m













TWINSAVER MIGHT BIG ROLLER TOWEL





- Green choice
- Super strong, super absorbent
- 150 Sheets per roll
- 12 packs of 2s per case
- Sheet size: 260mmx220mm











TWINSAVER WIPE ECONO



TW0482



- Multi-purpose wiping
- 1 Roll per pack
- Roll size: 160mmx1500m











TWINSAVER WIPE MINI



TW0481

- Green choice
- Multi-purpose wiping
- 1 Roll per pack
- Roll size: 210mmx1500m















A FRESH APPROACH TO WORKPLACE SOLUTIONS









GENERIC CARTONS



MARULA COLLECTION

















- · White
- Case pack:
 100



TERRY

- White
- Case pack:
 100



THONG

- · White
- Case pack:

 100



THONG

- Black
- Case pack:

 100







GENERIC TUBES

DELUXE RANGE



SOLID BRASS PADLOCKS









PRODUCT FEATURES

- Diamond shape solid brass
- Available in a range of sizes
- 20mm to 70mm for heavy duty appliction
- Larger sizes ideal for securing gates, sheds and workshops
- 2 keys per lock

COMMERCIAL HIGH SECURITY PRO-SERIES

PRODUCT FEATURES

Commercial padlocks are custom built to end users requirements. All padlocks come in different body sizes, shackle lengths and can be keyed to differ, keyed alike or master keyed. Anti Bump advanced cylinder technology can be added. Edge Key control eliminates the risk of unauthorised key duplication. Key blanks are not available locally. Cut keys are only available from factory. End users will receive a Commercial USER ID to control the system.















HIGH SECURITY LAMINATED EXCELL

PRODUCT FEATURES

- Octangonal boron-carbide shackles 50% stronger
- Dual ball bearing locking
- 50% more pull strength
- 4 keys per lock









PADLOCKS, IDENTIFICATION AND ACCESSORIES



LOCKOUT DEVICES, KITS AND STATIONS




SIGNS AND TAGS



RODUCT FEATURES **Master** offers a complete line of Safety Lockout, to complement our full range of Safety Padlocks. The goal is for your facility to meet or surpass OSHA's LOTO requirements. You can rely on the Master Lock Safety Solutions lockout to perform to the high standards you expect from Master

LANEC

LIFEBUOY RING **RED & WHITE**



BUGGY WHIP ONE PIECE OR SPLIT POLE



RED FLAG LOOSE OR COMPLETE WITH POLE



TRAFFIC CONE REFLECTIVE 500M/750MM



1 M X 5 0 M



BARRIER NETTING ORANGE

KIDNEY BELT ELASTICATED



BARRIER TAPE RED & WHITE 75 M M X 10 0 M / 75 M M X 5 0 0 M



S-3XL



RAGS 5KG



MUTTON CLOTH



BELT CAMP LAMP S-4XL



KNEE PADS SINGLE STRAP OR **DOUBLE STRAP**



REFUSE BAGS



ABSORBENT BAG 20 LT



WHEELIE BIN 240LT WITH LID



SPILL KIT 240LT WHEELIE BIN **AVAILABLE FOR OIL OR** CHEMICAL SPILLS





DEO BLOCKS

5KG

GROCERIES

FIVE ROSES BLACK TEA ENVELOPE 200X2.5G







TEABLK200E TEAR00200E

NESCAFE RICOFFY SACHET 200X2.5G

NESCAFE CLASSIC SACHET 200X1.8G

NESCAFE DEFAF SACHET 200X1.8G







COFRIC200 COFNESDC200 COFNESDC200

NESTLE CREMORA SACHET 200X4G

PARMALAT MINI MILKS 50X20ML

CANDEREL SWEETNER STICKS 1000X1G







NOVATMINI50

CAN100

SELATI BROWN OR WHITE SUGAR TUBES 5G (5KG)

HULETTS BROWN OR WHITE SUGAR TUBES 1X5KG





PRODUCT BY INDUSTRY.

PRODUCT CATOGORY	ENGINEERING	MANUFACTURING	FARMS	MINING	CORPORATE	sсноогs	GUEST HOUSES AND	ABATTOIRS AND	PETROL	LOGISTICS	HEALTH
							LODGES	FOOD INDUSTRIES	STATIONS		SECTOR
Cleaning Chemicals	*	*		*	*	*	*	*	*	*	*
Food Grade Chemicals			*				*	*			*
Brooms/Brushes/Mops/Cloths	*	*	*	*	*	*	*	*	*	*	*
Colour Coded Brushware HACCP			*				*	*			*
Rags and Mutton cloth	*	*	*	*					*	*	
Headwear	*	*	*	*			*				*
Hearing Protection	*	*	*	*				*	*		
Eye And Face Protection	*	*	*	*				*	*		*
Respitory Protection	*	*	*	*			*	*	*	*	*
Workwear	*	*	*	*		*		*	*	*	*
Freezer and Thermal Wear	*	*	*	*	*	*	*	*	*	*	*
Reflective wear	*	*	*	*	*				*	*	
Chef Wear					*	*	*				*
Rain Wear			*	*					*	*	*
Disposable Wear		*	*	*	*	*	*	*			*
Corporate Clothing	*	*		*	*	*	*			*	*
Gloves	*	*	*	*			*	*	*	*	*
Footwear	*	*	*	*	*		*	*	*	*	*
Harnesses	*	*		*							
Security Wear				*							
Toilet Paper and Paper Products	*	*	*	*	*	*	*	*	*	*	*
Dispensers and Air freshners	*	*	*	*	*	*	*	*	*		*
Polishers and Vacuum Machines				*	*	*	*	*			*
First Aid	*	*	*	*	*	*	*	*	*	*	
Safety Signs	*	*		*		*					
Hotel Amenities							*				
Coffee/Tea/Sugar	*	*	*	*	*	*	*	*	*	*	
Welding Equipment	*	*		*							
Locks And Tools	*	*		*		*					

Size Chart.

MENS WORKWEAR.

INCHES	30	32	34	36	38	40	42	44	46	48	50
CHEST CM	76	81	87	92	97	102	107	112	117	122	127
RANGE	XS	S	S	М	М	L	L	ХL	ΧL	XXL	3XL

SECURITY & COMBAT CLOTHING TROUSERS

CM	76	81	87	92	97	102	107	112	117	122	127
INCHES	30	32	34	36	38	40	42	44	46	48	50
RANGE	3	4	5	6	7	8	9	10	11	12	13

SHIRT: Table of equivalent sizes

CM	36	37	38	39	41	42	43	44	46	48	51
INCHES	14	14.5	15	15.5	16	16.5	17	17.5	18	19	20
RANGE	XS	S	М	М	L	L	ХL	ΧL	XXL	3XL	4XL

LADIES WORKWEAR

SIZES REF	SW	W	OS	xos	XXOS	3XOS	4XOS	5XOS	6XOS
INCHES	32/34	36/38	40/42	44/46	48/50	52	54	56	58

SAFETY BOOTS, SHOES & GUMBOOTS

RANGE	6	7	8	9	10	11
EU SIZE	40	41	42	43	44	45
METRIC SIZE	247	255	262	270	277	285

RISE BY SIZE

SIZE	32-34	46	48	50	52	54
SIZE	S-L	ΧL	XXL	3XL	4XL	5XL
PERCENT	Price stated	+10%	+15%	+20%	+25%	+30%