

HALSTED

Your Trusted Supplier of all PPE, Cleaning & Industrial Supplies Since 1952

www.halsted.co.za

2024/25 CATALOGUE



ABOUT US

Company Overview

Halsted was founded in 1952 as a mining supply company and has grown into a national supplier of PPE, cleaning products, paper products, plumbing and industrial consumables.

All branches carry a substantial range of stock to fulfill any requirement, making Halsted the perfect supply partner for any business. With over 5000 line items ensure that Halsted is able to be a one stop supply shop.

Our Vision

We strive to be the Industry leader in the supply of all PPE, cleaning products, paper products, plumbing and industrial consumables, focusing on satisfying our customers through service excellence.

Our Mission

Distributing service orientated products, of reliable quality, at a reasonable price to the different sectors

HACCP Compliant

Halsted has HACCP (Hazard Analysis & Critical Control Points) compliant personnel within the business

Embroidery

Halsted is able to embroid on all workwear, corporate wear and general clothing



HALSTED
Embroidery
Screenprinting
FOCUSED CHEMISTRY
Clean | Treat | Protect
CHEMICAL TECHNIQUES
Focused on a greener tomorrow... today
SAFETY FI


HALSTED
Dromex
EISH
Honeywell
BRONX SAFETY FOOTWEAR
HALSTED
BRANCHES


A600
A200
A300
BOVA
INTERCEPTOR



HALSTED
& CO (PTY) LTD


HALSTED


JONSSON


HALSTED
SHAYA FIRE
Tel: (011) 397 5989
238 Merinda Ind Park
Cnr Rudo Nell & Kelly Rd
Jet Park, Boksburg


MERINDA
INDUSTRIAL PARK
HALSTED
011 397 5989
www.halsted.co.za
SHAYA FIRE
011 397 5989
www.shayafire.net
Specialists in Handheld Fire Equipment


KALIBER
REBEL
INTERCEPTOR


DERS IN SAFETY
JONSSON
Honeywell


Welkom by Ons
CHOOSE THE SAFE ROUTE
QUALITY SAFETY FOOTWEAR
TOUGH ENOUGH FOR ANY JOB

CONTENT.

1 WORK WEAR

23 WELDING

26 CATERING WEAR

27 WOMEN IN THE WORKPLACE

29 HI - VISIBILITY

31 FREEZER WEAR

33 SECURITY WEAR

37 RAIN WEAR

39 DISPOSABLE WEAR

41 CORPORATE CLOTHING

43 FOOT PROTECTION

60 FALL ARREST

61 HEAD PROTECTION

63 HEARING PROTECTION

















65 EYE PROTECTION



68 FIRST AID

69 RESPIRATORY

71 HAND PROTECTION

78 LOCKS

79 FOOD GRADE CHEMICALS

81 CLEANING PRODUCTS

85 CLEANING EQUIPMENT

98 NUMATIC



99 BATHROOM SYSTEMS & DISPENSERS

105 PAPER PRODUCTS

107 HOSPITALITY

109 MISCELLANEOUS

110 GROCERIES

WORK WEAR



Dromex

JONSSON® WORKWEAR

JAVLIN

80/20 POLY COTTON CONTI SUIT



- 200gsm Fabric
- Overlocked stitching on shoulders & armholes
- Triple needle topstitch inleg & back rise
- Sold as a set

Size Options: 30-64

Suitable Use:
- Warehouses
- Workshops
- Gardening
- Construction
- Janitorial
- Work environment

NB RB GY BK WHT

RD OR KH EG

80/20 POLY COTTON REFLECTIVE TAPE CONTI SUIT



- 50mm lime green & silver reflective webbing tape on arms & legs

Size Options: 30-64

Suitable Use:
- Warehouses
- Workshops
- Gardening
- Construction
- Janitorial
- Work environment

REFLECTIVE

NB RB GY BK

RD OR KH EG

80/20 POLY COTTON BOILER SUIT



- 220g/m²
- Made to SABS Spec

Size Options: 32-58

Suitable Use:
- Mining
- Agriculture
- Construction
- Logistics

NB RB EG

WHT RD KH

80/20 POLY COTTON DUSTCOAT



- 200-240gsm fabric
- Also available in acid Resistant (For Lab Use) Colours: White

Size Options: S-3XL

Suitable Use:
- Hospitals
- Warehousing
- General Supervision

NB RB BK GY

WHT EG OR KH

80/20 POLY VISCOSE ACID RESISTANT CONTI SUIT



- SANS 434/ ISO 6530
- Protection from following chemicals: HCl, $H2S0_4$, Caustic soda & N9OH
- 260/270gsm fabric
- YKK concealed metal zip on jackets & pants
- Full triple topstitched garment
- A coated resistant fabric that prevents wetting by acids or moisture
- Protection in the event of accidental chemical spillage

Size Options: 30-64

Suitable Use:

- Chemical Industry
- Cleaning Industry
- Brewing Industry
- Mining Industry

REFLECTIVE

BG

80/20 POLY COTTON ACID RESISTANT CONTI SUIT



- Protection from following chemicals: HN03, HCl, H2S04 & NaOH
- 210gsm fabric
- YKK concealed metal zip on jackets & pants
- Triple topstiched shoulders, armholes, in-leg & back rise
- A coated acid resistant fabric that doesnt allow wetting by acids or moisture
- Protection in the event of accidental chemical spillage

Size Options: 30-60

Suitable Use:

- Chemical Industry
- Cleaning Industry
- Brewing Industry
- Mining
- Laboratory

OG

MAXIMUS 80/20 POLLY COTTON TRIPLE STITCH CONTI SUIT

TRIPLE STITCH



SOLD AS A SET

- 80/20 Poly Cotton, 200gsm fabric
- Concealed DRO zip closures
- Triple needle topstitched jacket shoulders, armholes and side seams
- 2 Open laid on waist pockets, 1 open left chest pocket with a pen pocket and 1 right breast pocket with a V-flap and a concealed metal press stud closure.
- Two front pants swing pockets and an open mitred back pocket
- All pant seams are triple stitched for added durability
- Inner elasticated waist for optimum fit and flexibility with 7 belt loops
- Ruler/tool pocket on rear right leg
- Generous cut made with Polyester & Cotton blend for colour-fastness, comfort & breathability.

Size Options: 30 - 60

Suitable Use:

- Logistics
- Warehousing
- Construction
- Workshops, maintenance & repairs
- Gardening & general-purpose applications

NB RB RD EG

D59 100% MINING SPEC COTTON BOILER SUIT



- SABS approved
- 270gsm fabric D59 unbleached
- 50mm Lime/silver/lime reflective tape with double needle topstitching around arms, legs, breast pocket & "X" on the back
- Full triple stitched garment
- Concealed elasticated waistband
- Side tool pocket on right leg

Size Options: 30-64

Suitable Use:

- Mining spec

REFLECTIVE

UB

SABS APPROVED

D59 100% COTTON FLAME RT CONTI SUIT



- SANS compliant
- 300/320gsm fabric
- YKK concealed brass zip on jacket & pants
- 50mm Lime/Silver/Lime reflective webbing tape on arms, legs, chest & back
- A flame retardant finish coated fabric

Size Options:
J: 30-64
P: 26-60

Suitable Use:
- Welding
- Boiler shops
- Construction
- Foundry
- Heavy Engineering

REFLECTIVE

FG

D59 100% COTTON FLAME & ACID CONTI SUIT



- SABS approved
- 300/320gsm fabric
- A flame retardant & coated acid resistant fabric
- 50mm silver flame retardant double needle topstitched reflective tape on arms & legs
- YKK concealed brass zip on jacket & pants
- Full triple stitched garment
- Elasticated cuffs & side slits on jacket
- Protection in the event of a flash fire or accidental chemical spillage

Size Options:
J: 28-68
P: 24-64

Suitable Use:
- Petrochemical,Oil & Gases
- Mining Industry
- Maintenance, repairs & Installations
- Utilities Power Generators

REFLECTIVE

NB

D59 100% COTTON FLAME & ACID BOILER SUIT



- SABS approved
- 300/320gsm fabric
- A flame retardant & coated acid resistant fabric
- 50mm silver flame retardant with double needle topstiched reflective tape on arms & legs
- YKK concealed brass zip with 2 way slider
- Full triple needle stitched garment
- Elasticated cuffs
- Protection in the event of a flash fire or accidental chemical spillage

Size Options: 28-64

Suitable Use:
- Petrochemical,Oil & Gases
- Mining Industry
- Maintenance, repairs & Installations
- Utilities Power Generators

REFLECTIVE

NB OR

D59 100% COTTON REFLECTIVE TAPE CONTI SUIT



JACKET & PANTS SOLD SEPARATELY

- SANS compliant
- 270gsm fabric

Size Options:
J: 32-60
P: 28-56

Suitable Use:
- Construction
- Mining
- Agriculture
- Rigging
- Engineering
- Steel Installations

REFLECTIVE

RB

D59 FLAME ACID THERMAL JACKET



- 100% Cotton
- 320gsm Flame & acid retardant fabric outer
- 100gsm Flame retardant wadding interlining
- 220gsm Flame retardant lining
- YKK chunky nylon zip
- Double needle topstitched on shoulders & armholes
- Flame retardant 50mm silver reflective tape on arms
- Adjustable size flap on cuff
- Two square breast pockets with press studded flaps
- Two outer square bottom pockets with press studded flaps
- Nickel press studs throughout

Size Options: 30-64

Suitable Use:

- Petrochemical
- Oil & gas
- Mining industry
- Utilities & power generators
- Maintenance & repairs including installations

NB OR

LADIES D59 FLAME & ACID CONTI



JACKET & PANTS SOLD SEPARATELY

- SANS 434 Ladies cut & design
- 100% Cotton, 320gsm fabric
- A flame retardant & coated acid resistant fabric
- 50mm Silver flame retardant double needle topstitched reflective tape on arms & legs
- YKK Concealed brass zip on jackets & pants
- Mitred laid on jacket pockets, mitred breast pocket with flap, mitred hip pocket & tool pocket on pants
- Side slits for comfortable fit over waist
- Double needle topstitched mitred back pocket
- Full triple needle topstitched garment
- Elasticated cuffs
- The natural fibres add comfort & breathability
- Protection in the event of a flash fire, and accidental chemical spillage

Size Options:
J: S - 5XL
P: S - 5XL

Suitable Use:

- Petrochemical, oil & gas
- Mining industry
- Maintenance & repairs including installations
- Utilities & power generators

D59 FLAME & ACID UTILITY JACKET & PANTS



- Multi-functional custom pockets (ruler/pen pocket, mobile phone pocket and cargo pocket)
- Reflective piping stripe on rear leg pockets, rear ankle and knee area for enhanced visibility
- Hammer/tool loop
- Seams are triple needle stitched for added durability
- Stress areas are bar tacked
- Inner elasticated waist for optimum fit and flexibility with 7 belt loops
- Reinforced canvas panels and a comfortable spacious crotch area allowing bending with ease.
- Contrasting colour cotton overlay for added support on common stress/ wear areas
- Flame retardant and acid resistant embroidery on right leg below waist pocket

Size Options:
J: S - 4XL
P: 28 - 50

Suitable Use:

- Engineering
- Construction
- Maintenance & repairs
- Welding

ESKOM SPEC D59 FLAME JACKET & PANTS



JACKET & PANTS SOLD SEPARATELY

- 100% Cotton, 315gsm flame treated fabric
- Eskom pantone navy blue jacket & pants with “Eskom” and “Zero Harm” embroidery
- 50mm Silver retro-reflective flame retardant tape double needle topstitched on arms & legs
- Concealed heavy duty Vizlon zip & plastic press stud closure
- Mitred laid on jacket pockets, mitred left breast pocket with flap & button closure.
- Two side entry pants pockets with money pocket & mitred back pockets.
- Full triple needle topstitched garment
- The natural fibres add comfort & breathability
- Protection in the event of accidental flame contact

Size Options:
J: 28 - 64
P: 24 - 60

Suitable Use:

- Eskom Distribution, Transmission, Generation & Rotek operations in compliance with Eskom group specification

J54 100% COTTON CONTI SUIT



- 220/230gsm fabric
- Triple needle topstitched garment
- Natural fibres make this garment comfortable & breathable

Size Options: 30-64

Suitable Use:
- Agriculture
- Logistics
- Construction
- General purpose

NB RB GY
OR EG BK

J54 100% COTTON MINING SPEC BOILER SUIT



AVAILABLE IN A 2PC CONTI-SUIT

- SANS compliant
- 50mm Lime/silver/lime reflective tape with double needle topstiching around arms, legs, breast pocket & "X" on the back.
- Full triple top stitched garment
- Concealed elasticated waistband
- Side tool pocket on right leg

Size Options: 30-64

Suitable Use:
- Mining
- Agriculture
- Construction
- Logistics

REFLECTIVE

RB RD YL UB

65/35 TWO-TONE CONTI JACKET



- 65/35 Poly Cotton, 235gsm fabric
- Concealed DRO aluminium zip
- Triple needle topstitched garment
- 2 Mitred breast pockets with V-flaps & concealed press stud closure, left breast pocket with pen division
- 2 Open mitred waist pockets
- Polyester blended with Cotton for colour-fastness, comfort & breathability.

Size Options: XS - 5XL

Suitable Use:
- Farming & Agriculture
- Warehouses
- Workshops
- Construction
- General purpose
- Maintanance & repairs

GY/NB KH/OG

65/35 POLY COTTON CONTI SUIT



JACKET & PANTS SOLD SEPARATELY

- 230/235gsm fabric
- Triple needle topstitched garment

Size Options: 30-60

Suitable Use:
- Warehouses
- Workshops
- Gardening
- Construction
- Logistics
- Work environment

NB RB GY BK WHT
RD OR KH EG

100% COTTON DENIM CONTI SUIT



JACKET & PANTS SOLD SEPARATELY

- SANS 434 fit
- Indigo blue denim, 12oz fabric
- YKK concealed brass zip on jackets & pants
- Full triple needle topstitched jacket & pants

Size Options:
J: 30-64
P: 26-60

Suitable Use:
- Construction
- Engineering
- Steel Foundry
- Automotive
- Warehouse
- General Work environment

100% COTTON REFLECTIVE SHIRTS



- **TWO TONE SHIRTS ARE AVAILABLE IN SHORT AND LONG SLEEVE**
- **NAVY AVAILABLE IN LONG SLEEVE ONLY**

- 100% cotton
- 135gsm fabric
- Vented back yoke for comfort in heat
- 48mm silver reflective tape on sleeves, around the chest & waist

Size Options: S- 3XL

Suitable Use:
- Construction
- Outdoor Inspections
- Outdoor work in hot climates
- Mining

NB | CB/NB | OR/NB | YL/NB

100% COTTON T-SHIRTS



- 100% combed cotton
- 165gsm fabric
- Premium round neck t-shirt

Size Options: S- 3XL

Suitable Use:
- General work environment
- Warehouse
- Corporate
- Promotional
- Construction

NB | RB | GY | BK

WHT | RD | YL | BG

100% POLY QUICK DRY T-SHIRTS



- 100% Polyester, 140gsm Fabric
- Premium Crew Neck T-Shirt
- Lightweight Polyester Moisture Management Fabric For Added Comfort
- Quick Drying Garment
- The Natural Fibres & Relaxed Fit Design Makes This Garment Comfortable & Breathable

Size Options: XS - 5XL

Suitable Use:
- Corporate wear
- Promotional wear
- Active wear
- General work environments
- Warehouses

BK | GY | NB

RB | RD

PIQUE KNIT GOLF SHIRTS



- 100% polyester
- 165gsm fabric
- Durable & lightweight
- High tear resistance

Size Options: XS-5XL

Suitable Use:
- General work environment
- Warehouse
- Corporate
- Promotional

NB RB GY

WHT RD BK

100% POLY QUICK DRY GOLFERS



AVAILABLE IN 2 DESIGNS:
SOLID COLOUR OR 2-TONE

- 100% Polyester, 140gsm fabric
- Quick dry, short sleeve collared golf shirts with button closure
- Double needle stitched cover seams
- Rib knit collar
- Side slits
- Unisex style
- Comfortable & breathable

Size Options: XS - 5XL

Suitable Use:
- Corporate wear
- Promotional wear
- Active wear
- General work environments
- Warehouses

BK GY NB RB RD

OR/NB LG/OG

100% COTTON DENIM JEANS



- 100% cotton indigo blue denim
- 408gsm fabric

Size Options: 28-50

Suitable Use:
- General work environment
- Warehouse
- Corporate
- Promotional

LADIES DENIM STRETCH



- 75% Cotton, 23% Polyester, 2% Spandex, 10.5oz indigo blue denim
- Mid-rise waistline, modern cut & contoured fit
- Double needle stitching on inlegs, pockets, zip, back yoke & back rise
- Two front pockets, money pocket & two back pockets
- The natural fibres make this garment comfortable & breathable
- Suitable for casual & smart/casual use

Size Options: 26 - 50

Suitable Use:
- Hospitals
- Warehousing
- General Supervision

UTILITY GEAR

UTILITY PANTS



- 65/35 Poly Cotton & 300D water-resistant, 100% Polyester Oxford, 280gsm
- Concealed nylon zip
- Triple needle topstitched garment
- Multifunctional custom pockets (ruler/ penpocket, mobile phone pocket & cargo pocket)
- Reflective piping on rear ankle, knee area and back pockets
- Hammer/tool loop
- Concealed elasticated waistband
- Reinforced canvas panels for added durability
- Polyester blended with Cotton for colour-fastness, comfort & breathability

Size Options: 28 - 50

Suitable Use:

- General purpose
- Maintenance & repairs
- Workshops
- Logistics
- Rigging

KH CA

UTILITY SHORTS



- 65/35 Poly Cotton & 300D water-resistant, 100% Polyester Oxford, 280gsm
- Concealed nylon zip
- Triple needle topstitched garment
- Multifunctional custom pockets (ruler/ penpocket, mobile phone pocket & cargo pocket)
- Reflective piping on rear ankle, knee area and back pockets
- Hammer/tool loop
- Concealed elasticated waistband
- Reinforced canvas panels for added durability
- Polyester blended with Cotton for colour-fastness, comfort & breathability

Size Options: 28 - 50

Suitable Use:

- General purpose
- Maintenance & repairs
- Workshops
- Logistics
- Rigging

KH CA

TECHNICAL UTILITY JACKET



- 65/35 Poly Cotton & 300D water-resistant, 100% Polyester Oxford, 280gsm
- Multifunctional custom pockets 2 waist pockets with zip closure
- 2 chest pockets with hook and loop closure:
- left pocket has multiple pens pocket
- right pocket with a concealed side entry pocket & zip fastener, an inner mobile phone pocket with hook and loop fastening
- A pen/ruler pocket on the left arm
- Adjustable sleeve cuffs
- Adjustable waist band with press stud fasteners.
- Action back pleats at rear of jacket for comfort and flexibility
- Reflective piping for enhanced visibility
- Stress points are bar tacked

Size Options: S - 3XL

Suitable Use:

- General purpose
- Maintenance & repairs
- Workshops
- Logistics
- Rigging

KH CA

KNEE PAD TECHNICAL UTILITY PANTS



- 65/35 Poly Cotton & 300D water-resistant, 100% Polyester Oxford, 280gsm
- Top loading pre-shaped knee pad pockets for use with Dromex knee pads (DW-UTI-KPAD)
- Concealed nylon zip
- Triple needle topstitched garment
- 10 Multifunctional custom pockets (tool pockets, ruler/ pen-pocket, mobile phone pocket & cargo pocket)
- Reflective piping on knee, back pockets and cargo pockets
- Hammer/tool loop
- Concealed elasticated and rubberised waistband
- Reinforced canvas panels for added durability
- Polyester blended with Cotton for colour-fastness, comfort & breathability

Size Options: 28 - 50

Suitable Use:

- General purpose
- Maintenance & repairs
- Workshops
- Logistics
- Rigging



WINTER WEAR

ACTIVE BODY WARMER



- Unisex, black thermal body warmer
- Outer: 40D Nylon fabric
- Inner: 220gsm Cotton with 190T Taffeta
- Lightweight with metal zip front closure
- Two waist pockets with zip closure & an internal pocket on the right breast

Size Options: S - 3XL

HARDBODY BODYWARMER



- Unisex, navy, padded, thermal body warmer
- Outer: 65% Polyester/35% Cotton
- Inner: 100% Polyester with 190T Taffeta
- Lightweight with concealed front zip & storm flap button closure
- Four external pockets with storm flaps & an internal pocket on the left breast

Size Options: S - 3XL

SOFTSHELL JACKET



- Stylish, lightweight, thermal & water resistant jacket with a micro polar fleece lining
- High collar with reverse zip closure & adjustable cuffs
- Outer: 125g laminated, 95% Polyester, 5% Elastane
- Inner: 100% Polyester Micro Polar Fleece 190g

Size Options: XS - 5XL

PUFFER JACKET



AVAILABLE IN 2 DESIGNS:

SOLID COLOUR OR 2-TONE

- Retains insulating property of warmth when wet and offers water resistance and breathability
- Fast-drying construction
- Hypoallergenic and vegan
- High stand collar provides thermal coverage and protection around the neck
- Elasticated cuff and waist for a snug fit against cold and wet weather
- Two waist pockets with reversed coil zippers
- Two deep inner jacket pockets
- Inner lining - 260g/sqm Synthetic Down cotton
- Outer lining - 400T Nylon fabric

Size Options: S - 2XL

BK RB BK/CA BK/OG

LITE WINDBREAKER



- Thermal protective hooded jacket
- Outer: 100% Polyester, 210T Fabric with PU coating
- Inner: 240gsm Polar fleece
- Sleeve: 160gsm Cotton with 190T Taffeta
- Fixed hood with drawstrings
- Heavy-duty nylon zip with metal puller
- Two side entry pockets with reflective trim
- Left breast pocket with press stud closure

Size Options: S - 3XL

Suitable Use:

- Cold/wet outdoor environments
- Cold storage & refrigeration

BK NB

APOLLO THERMAL JACKET



- Bomber-style thermal protective & water-resistant jacket
- Outer: 280gsm Gabardine fabric
- Body lining: 240gsm 100% Polyester fleece fabric
- Sleeve lining: 100% Quilted Polyester 190T Taffeta & padding on sleeve: 180gsm 100% Polyester fabric
- 50mm Silver reflective tape on arms, waist & upper abdomen
- Elasticated rib knit cuffs & waistband
- Detachable sleeves with open end nylon zip
- Heavy-duty chunky nylon zip at front
- Two large side entry waist welt pockets
- Right breast pocket: a dual utility bellow pocket with flap Velcro closure and a chunky nylon closed end zip closure.
- Left breast bellow pocket: with storm flap Velcro closure and plastic ID card holder with Velcro closure.
- Internal right breast pocket with Velcro closure

Size Options: XS - 5XL

Suitable Use:

- Petrochemical
- Marine industry
- Agriculture
- Mining
- Outdoor & contractor applications
- Rain & wet conditions

NB OR

WET PRO THERMAL JACKET



- 2-Tone lime/navy blue reflective jacket
- Thermal protective & water-resistant storm jacket
- Composition:
- Outer: 300D, 100% Oxford Polyester fabric
- Lining: 100% Quilted Polyester 190T Taffeta fabric
- Padding: 100% Polyester fabric
- Storm cuff: 100% Polyester rib knit fabric
- Jacket includes a fixed stow away hood with drawstring fasteners & Velcro closure
- Heavy-duty chunky nylon zip, outer storm flap with large nylon press studs
- 2 Waist jet pockets with large straight cut flaps
- Utility/accessory bellow pocket with Velcro closure on right breast
- Internal left breast with patch pocket & nylon zip
- 50mm Silver reflective tape on arms, wrist, shoulders, waist & breast
- Inner jacket water drainage system

Size Options: XS - 5XL

Suitable Use:

- Petrochemical
- Marine industry
- Agriculture
- Mining
- Outdoor & contractor applications
- Rain & wet conditions

POLAR THERMAL REFLECTIVE SUIT



- 2-piece thermal suit with 50mm silver reflective tape on arms, waist & legs
- Thermal protective & water-resistant
- Outer: 100% Polyester 300D Oxford with PVC
- Inner: Polyester Taffeta with Cotton
- Jacket includes a detachable hood with drawstrings & a heavy-duty non-metal zip with storm flap & press stud closure
- Sleeves have an internal storm cuff
- Four utility jacket pockets with passants on shoulders with snap closure
- Pants have an elasticated waist with two side entry pockets
- Ankles have zip closure with apron seal
- Fully taped seams

Size Options:
J: S - 4XL
P: S - 4XL

Suitable Use:

- Work in rain/wet /cold environments
- Mining
- Cold storage & refrigeration
- Outdoor work in cold climate
- Contractor applications
- Outdoor security



HACCP WEAR

HACCP CONTI SUIT



- 65/35 Poly Cotton, 235gsm fabric
- Pull over jacket with a V-neck chest and collar
- Triple stitched jacket shoulders, armholes and side seams
- Left breast internal pocket
- Partially elasticated jacket sleeve cuffs
- Triple stitched, elasticated pants with drawstring
- Pants back pocket with flap closure
- Polyester blended with Cotton for colour-fastness, comfort & breathability.

Size Options:
J: 30-60
P: 26-56

Suitable Use:
- Food Industry

WHT RB NB RD

HACCP DUST COAT



- 65/35 Poly Cotton, 235gsm fabric
- Double concealed press stud closures
- Triple stitched shoulders, armholes and side seams
- Left breast internal pocket
- Back slit on rear of coat for flexibility and ease of movement
- Partially elasticated sleeve cuffs
- Polyester blended with Cotton for colour-fastness, comfort & breathability.

Size Options: XS - 3XL

Suitable Use:
- Food Industry

WHT RB NB RD

MIGHTY NITE GUMBOOTS



Suitable Use:
- Food processing
- Butcheries
- Fisheries
- Agriculture

Size Options: 4 - 13

- Knee-length PVC / Nitrile gumboots
- Anti-bacterial, hygienic & lightweight
- Slip resistant outsole, SR (Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine^c)
- Energy absorbing heel
- Anti-static, reducing the chance of electrostatic discharges
- Oil resistant and cleated outsole providing additional traction on slippery surfaces
- Wide toe region for hours of comfort
- Reinforced shin and ankle protection
- Easy to pull off tab construction
- Average weight: 1.7 - 1.9kg's (size dependant)



LADIES LITE GUMBOOTS



Suitable Use:
- Food processing
- Butcheries
- Fisheries
- Agriculture

Size Options: 3 - 9

- Calf-length PVC / Nitrile gumboots
- Anti-bacterial, hygienic & lightweight
- Slip resistant outsole, SR (Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine^c)
- Energy absorbing heel
- Anti-static, reducing the chance of electrostatic discharges
- Oil resistant and cleated outsole providing additional traction on slippery surfaces
- Wide toe region for hours of comfort
- Reinforced shin and ankle protection
- Easy to pull off tab construction
- Average weight: 1.0 - 1.2kg's (size dependant)





SPECIALISED WORKWEAR
FIRE RANGE

POSEIDON OIL & GAS BOILER SUIT

- 98% cotton, 2% anti-static, 220gsm fabric
- ATPV 8cal/cm²
- Inherent flame retardant thread
- 50mm silver FR reflective EN approved tape on shoulders, arms & legs
- Triple needle topstitched garment
- Gas detector with concealed FR velcro 3pen protect on left sleeve
- Adjustable sleeve cuff & leg hem with 15L press stud

Size Options: 32-64

Suitable Use:
- Oil & Gas
- Refineries



IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, ASTM F1959, ASTM F2621-12, EN 11612, EN 61482

NB RB RD OR

EN 11612 EN 11611 EN 1149 EN 61482

NOMEX FIRE BOILER SUIT

- DuPont™ Nomex®, 203gsm fabric
- Inherent flame retardant yarn
- Two way YKK concealed brass zip
- 50mm silver FR double needle topstitched reflective tape on arms & legs
- Full triple needle topstitched garment

Size Options: 32-64

Suitable Use:
- Petroleum
- Petrochemical
- Chemical
- Fire Fight



Conforms to SANS 434
NFPA 70E, NFPA 1975, NFPA 2112
EN 1149-3 ANTI-STATIC, EN 1149-1,
EN 13034 ASTM F1506, ASTM D6413 Flame resistant of textiles

NB

NOMEX FIRE SUIT

- Conforms to SANS 434 NFPA 70E, NFPA 1975, NFPA 2112, EN 1149-3 ANTI-STATIC, EN 1149-1, EN 13034 ASTM F1506, ASTM D6413 Flame resistant of textiles
- DuPont™ Nomex®, 203gsm fabric
- Inherent flame retardant yarn
- Nomex YKK concealed brass zip on jacket & pants
- 50mm silver FR reflective tape on arms & legs
- Triple needle topstitched garment

Size Options:
J: 32-60
P: 28-56

Suitable Use:
- Petroleum
- Petrochemical
- Chemical
- Fire Fighters



Conforms to SANS 434
NFPA 70E, NFPA 1975, NFPA 2112
EN 1149-3 ANTI-STATIC, EN 1149-1,
EN 13034 ASTM F1506, ASTM D6413 Flame resistant of textiles

NB

FIRE & CHEMICAL BOOTS



Suitable Use:
- Structural and wildland fire fighting applications
- Search & Rescue
- Aircraft fires
- Petrochemical fires

Size Options: 3 - 11 ½
* Ladies size options available

EN 15090:2012 approved

- Lightweight firefighting boots
- Suitable against chemicals & can be worn with chemical encapsulated suits
- Chemical protection, Type 3 (fire suppression, rescue interventions including protection against chemical hazards)
- Reflective strips & trim can be seen as far as 250m away
- Rot proof inner lining



ARC RANGE

INNOVATION

INTRODUCING THE DROMEX ARC RANGE

Through years of consulting with experts, testing fabric combinations and working with world-leading testing facilities, we are proud to bring the Dromex ARC range of workwear and PPE to the global stage.

Dromex is committed to developing quality products, that effectively mitigate risk, which extends to our specialist offering - specifically our ARC range which has been designed to reduce the risks associated with hazardous industries, where 2nd & 3rd degree burns can occur.

Our ARC workwear is manufactured locally using our custom Dromex A.P.T™ (Arc Protection Technologies) fabric and is certified to the highest local and international standards.

Each garment is rated to varying degrees for specific environments and conditions and our ARC range includes a number of styles and accessories for various industries.

Dromex ARC workwear and PPE is suitable during any work with or within the vicinity of industrial electrical panels switch rooms, substations and utilities power generators.

THE SAFETY IS IN THE DETAIL

When it comes to safety, the smallest detail can make a difference. Through extensive research, development, and testing, we've created an ARC range that's every bit as comfortable and practical as it is safe:

- Inherent flame-retardant thread
- Triple needle stitched seams
- Transfer print & embroidery logos
- Flame-retardant Velcro
- Double needle stitched FR reflective tape

MEETING THE HIGHEST STANDARDS

Dromex believes in uncompromising safety, so we've insisted that the integrity of our specialist ARC range also passes the most stringent garment tests in addition to the fabric tests.

We're proud to be associated with the leading standards authorities locally and internationally enabling us to produce certified ARC workwear.

These standards include:
- **IEC 61482-1-1 · IEC 61482-1-2 · NFPA 70E · NFPA 2112**
- **SANS 724 · ASTM F1959 · ASTM F2621-12**
- **EN 11611:2015 · EN 11612:2015 · EN 61482-1-2:2014**

What is an Arc Flash?

An Arc Flash is a potentially fatal explosion of extreme light & radiant heat as a result of a short circuit on an electrical panel that can be caused by dust, dropping tools, accidental touching, condensation, corrosion or a faulty installation.

An Arc Flash can reach temperatures of up to 20 000˚C and cause permanent and often deadly injuries.

Did You Know?

Dromex A.P.T™ FR Cotton Fabric has passed "Red Metal" testing which offers additional bodily protection from Molten Metal, Vaporised Copper & Metal Oxides up to 1400˚C. This offers the wearer effective protection and peace of mind.

Molten metal is a deadly hazard that can easily penetrate synthetic lightweight fabrics during an Arc Flash incident.

Arc Fabric Testing Process:

Fabric is manufactured → Sent to a world-leading testing facility → Tested in accordance to standards → Fabric certification & cal/cm² rating is specified

Arc Garment Testing Process:

Arc garment is made → Sent to a world-leading testing facility → Tested in accordance to standards → Garment arc rating & certification is obtained

IMPORTANT: Always request a ***FABRIC TEST*** report & certificate in addition to the ***GARMENT INTEGRITY TEST.***

100CAL ARC SUIT BIB & BRACE , JAC KET & HOOD

- ATPV 100cal/cm2
- Dromex A.P.T Fabric - 88% Cotton, 12% Nylon
- Triple layer construction: 14oz outer, 250gsm meta aramid FR mat lining & 14oz inner
- Inherent flame retardant thread throughout
- Fully triple needle stitched garment
- Concealed YKK Vizlon zip on jacket
- Flame retardant hook & loop closures
- Flame retardant knitted rib cuffing
- cal/cm2 Rating embroidery on hood, jacket, bib & brace and gloves
- Back flap with hook & loop closure for built-in fan/air system
- Flame retardant hook & loop closures
- Dromex BSD 100cal/cm2 Arc Visor with Real View Technology
- Integrated fresh air arc flash ventilation system for cooling



Size Options:

- **Jackets: S - 5XL**
- **Pants: S - 5XL**
- **Gloves: S/M & L/XL**

Suitable Use:

- Substations & switch-rooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining, chemical & refineries

NFPA 2112, NFPA 70E, SANS 724, ASTM F2621-12, EN 11612:2015, EN 61482-2-2:2020, ASTM F2178-12, ASTM F2675

SB

OEKO-TEX®

55CAL ARC SUIT

- ATPV 55 cal/cm²
- 88% Cotton, 12% Nylon, A.P.T fabric
- Double layer construction: 14oz outer & 9oz inner
- Flame retardant thread throughout
- YKK concealed vizlon zip on jacket
- Full triple needle topstitched garment
- Flame retardant rib knitted cuffing
- Hood, jacket, bib & brace sold separately
- Back flap with velcro closure for built-in fan/air system
- Flame retardant velcro closures throughout
- Dromex BSD Arc visor with real view technology
- Available with ventilation



Size Options:

Jackets: S-5XL

Pants: S-5XL

Suitable Use:

- Substations
- Utility Power generators
- Industrial Electrical maintenance &Installations

HOOD: ASTM F2178-12

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E,SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

SB

OEKO-TEX®

40CAL ARC THERMAL JACKET

- ATPV 40 cal/cm2
- Dromex A.P.T Fabric - 88% Cotton 12% Nylon, 305gsm (Outer fabric & lining)
- Flame retardant wadding interlining
- Flame retardant thread throughout
- Flame retardant hook & loop closure on pockets & front
- Flame retardant rib knit cuffing on sleeves
- cal/cm2 Rating embroidery on right breast
- 50mm Flame retardant reflective tape on arms
- Double needle topstitching on armholes & shoulders
- Rounded chest pocket and mitred flap with FR hook & loop closure
- Concealed YKK chunky nylon zip with 25mm FR hook & loop closure



Size Options: XS-5XL

Suitable Use:

- Substations & switch-rooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining, chemical & refineries

NFPA 2112, EN 11611:2015, EN 11612:2015

OEKO-TEX®

25CAL ARC SUIT

- ATPV 25 cal/cm²
- 88% Cotton, 12% Nylon, 14oz A.P.T fabric
- Flame retardant thread throughout
- YKK concealed Brass Zips on jacket & pants
- Full triple needle topstitched garment
- Flame retardant knitted rib cuffing
- Jacket & Pants sold separtely



Size Options:

Jackets: S-5XL

Pants: S-5XL

Suitable Use:

- Substations & switch-rooms
- Utility Power generators
- Industrial Electrical maintenance & Installations

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E,SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

SB

21CAL ARC DENIM PANTS

- ATPV 21 cal/cm²
- 100% Cotton, 14oz Arc denim
- Flame retardant corespun 40 thread
- YKK concealed brass zip
- Double needle top stitching at inleg & back rise



Size Options: 28-50

Suitable Use:
- Substations
- Utility power generators
- Industrial electrical maintenance & Installations

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

OEKO-TEX®

15CAL ARC SHIRT

- ATPV 15 cal/cm2
- Dromex A.P.T Fabric - 88% Cotton 12% Nylon, 305gsm
- Flame retardant thread throughout
- Flame retardant melamine buttons
- Triple needle topstitched garment
- Two mitred breast pockets with double needle topstitching & mitred flap
- 50mm Lime/silver/lime FR reflective tape
- cal/cm2 Rating embroidery on right breast



Size Options: S-5XL

Suitable Use:
- Substations & switch-rooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining, chemical & refineries

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 61482-1-1:2009, EN 11612:2015, EN 61482-2:2009, CE 0338:2016

OEKO-TEX®

15CAL ARC SUIT

- ATPV 15 cal/cm²
- 88% Cotton, 12% Nylon 305gsm Dromex A.P.T fabric
- Flame retardant thread throughout
- YKK concealed Brass Zips on jackets & pants
- Full triple needle side seams
- Flame retardant knitted rib cuffing
- 50mm flame retardant reflective tape on arms & legs



Size Options:
J: 32-68
P: 28-66

Suitable Use:
- Substations & switch-rooms
- Utility power generators
- Industrial Electrical maintenance & Installations

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E,SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014, CE 0338:2016

OEKO-TEX®

15CAL ARC SUIT - LADIES

- ATPV 15cal/cm2
- Dromex A.P.T Fabric - 88% Cotton, 12% Nylon, 305gsm
- Full triple needle topstitched garment
- Flame retardant thread throughout
- YKK Concealed brass zips on jackets & pants
- Flame retardant hook & loop closures
- Flame retardant knitted rib cuffing
- Three jacket pockets with mitred flap & flame retardant hook & loop closure & side swing pockets on pants
- cal/cm2 Rating embroidery on jacket & pants
- 50mm Flame retardant reflective tape on arms & legs



Size Options: S-5XL

Suitable Use:
- Substations & switch-rooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining, chemical & refineries

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

OEKO-TEX®

15CAL ARC BOILER SUIT

- ATPV 15 cal/cm²
- 88% Cotton, 12% Nylon 305gsm Dromex A.P.T fabric
- Flame retardant thread throughout
- YKK concealed Brass Zips
- Triple needle topstitched garment
- 50mm flame retardant reflective tape on arms, legs & "X" on the back



Size Options: 28-64

Suitable Use:

- Substations & switch-rooms
- Utility Power Generators
- Industrial Electrical Maintenance & Installations

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

NB

OEKO-TEX®

15CAL ARC DUST COAT

- ATPV 15cal/cm2
- Dromex A.P.T Fabric - 88% Cotton, 12% Nylon, 305gsm
- Flame retardant thread throughout
- Concealed flame retardant plastic snap buttons & 25mm x 85mm hook & loop closure at front
- Flame retardant rib cuff*
- 50mm Lime/silver/lime flame retardant reflective tape on arms, chest and "X" on back
- Triple needle topstitched shoulders & armholes
- Slit at centre back hem
- cal/cm2 Rating embroidery on right breast



Size Options: S - 5XL

Suitable Use:

- Substations & switch-rooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining, chemical & refineries

NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014, EN ISO 204471:2013, SANS 724

OEKO-TEX®

15CAL ARC X-BIB

- ATPV 15 cal/cm2
- Dromex A.P.T Fabric - 88% Cotton 12% Nylon, 305gsm
- Flame retardant thread throughout
- Adjustable flame retardant hook & loop closure
- 50mm Lime/silver/lime flame retardant reflective tape



Size Options:
S - XL
2XL - 5XL

Suitable Use:

- Substations & switch-rooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining, chemical & refineries

IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014, EN ISO 20471:2013

OEKO-TEX®

12.4CAL ARC SUIT

- ATPV 12.4 cal/cm2 *Tested & approved up to 15 cal/cm2
- Dromex A.P.T Fabric - 88% Cotton 12% Nylon, 305gsm
- Flame retardant thread throughout
- YKK concealed brass zip on jacket & pants
- Flame retardant hook & loop closures
- Full triple needle topstitched garment
- Flame retardant knitted rib cuffing
- Three jacket pockets with mitred flap & flame retardant hook & loop closure & side swing pockets on pants
- 50mm Flame retardant reflective tape on arms & legs
- cal/cm2 Rating embroidery on jacket & pants



Size Options:
J: 32-60
P: 28-56

Suitable Use:

- Substations & switch-rooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining, chemical & refineries

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, SANS 724, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014, CE 0338:2016

OEKO-TEX®

9.9CAL T-SHIRT UNDERGARMENTS



- ATPV 9.9 cal/cm²
- 88% Cotton, 12% Nylon interlock FR knitted fabric, 203gsm
- Flame retardant thread throughout
- Flame retardant knitted rib cuffing
- Available in Short & long sleeve

Suitable For:

- Substations
- Utility power generators
- Industrial Electrical maintenance & Installations
- Mining, chemical & refineries

Size Options: S-3XL

NB

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

OEKO-TEX®

9.9CAL BOXER SHORTS



- ATPV 9.9 cal/cm²
- 88% Cotton, 12% Nylon interlock FR knitted fabric, 203gsm
- Flame retardant thread throughout
- Flame retardant knitted rib cufing

Suitable For:

- Subsations & switch-rooms
- Utility power generators
- Industrial Electrical maintenance & Installations

Size Options:
S-M
L-XL

NB

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

OEKO-TEX®

9.6CAL ARC SHIRT

- ATPV 9.6 cal/cm²
- 88% Cotton, 12% Nylon 237gsm Fabric
- Flame retardant thread throughout
- Triple needle side seams & shoulder
- 50mm flame retardant reflective tape on arms



Size Options: S-3XL

Suitable Use:

- Substations & switch-rooms
- Utility power generators
- Industrial electrical maintenance & Installations

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

SB 9.6cal KH 12.4cal

OEKO-TEX®

ARC BALACLAVA



ARC 9.9-BAL-S
ARC 31-BAL-DBL

- 100% Meta-Aramid
- Single layer: 203gsm fabric
  Double layer: 406gsm fabric
- Flame retardant thread throughout
- Lightweight & breathable

Suitable For:

Fire caused by -

- Chemicals
- Petrochemicals
- Utility/Electrical work

Size Options: One size fits all

NB

OEKO-TEX®

16.8CAL ARC DIPPED GLOVE



- 42.3cal/cm² Arc rated palm & 16.8cal/cm² arc rated back
- Excellent grip in wet, oily & dry environments
- High resistance to snatch, tear, cut, abrasion & heat

Suitable Use:

- Power & Utility companies
- Installation, maintenance & repairs

Size Options: 7-13

ASTM
F2675/F2675M-13
D 3776: 2013 Option C

EN 388 2341C EN 407 41324X 2 HRC

51CAL LEATHER ARC GLOVE



- 51cal/cm² Arc rated leather glove
- High cut level D protection
- High resistance to snatch, tear, cut, abrasion & heat
- Multi-layer protection provides flexibility, comfort & excellent insulation

Suitable Use:

- Power & Utlity companies
- Installation, maintenance & repairs for high voltage equipment

Size Options: 8-11

ASTM
F2675/F2675M-13

EN 388 3X33D EN 407 X1XXXX 4 HRC

70CAL ARC SWITCHING GLOVES



- ATPV 70 cal/cm²
- Dromex A.P.T Fabric 88% cotton, 12% nylon
- Flame retardant glove lined with meta aramid mat lining

Size Options:
S/M
L/XL

Suitable For:

- Substations
- Utility & Power generators
- Industrial Electrical maintenance & Installations

NFPA 2112, NFPA 70E, AST M F2675, IEC 61482-1-1, IEC 61482-1-2, EN 11611, EN 11612, EN 61482

NFPA ASTM IEC 4 HRC EN
OEKO-TEX®

100CAL ARC SWITCHING GLOVES



- APTV 100cal/cm2 mitt-style glove
- Dromex A.P.T Fabric - 88% Cotton, 12% Nylon
- Triple layer construction: 14oz outer, 700gsm meta aramid mat lining & 14oz inner
- Inherent FR stitching throughout
- Elasticated shirred glove for an ideal fit
- cal/cm2 Rating embroidery on cuff

Size Options:
S/M
L/XL

Suitable For:

- Substations & switchrooms
- Utility & Power generators
- Industrial Electrical maintenance & Installations

NFPA 2112, NFPA 70E, ASTM F2675, IEC 61482-1-1, IEC 61482-1-2, EN 11611, EN 11612, EN61482, SANS 724

NFPA ASTM IEC 4 HRC EN
OEKO-TEX®

55CAL ARC BLANKET



Suitable For:

- Substations & switchrooms
- Utilities & power generators
- Industrial electrical maintenance & installations
- Mining

- Dromex A.P.T Fabric - 88% Cotton, 12% FR Nylon
- Two-layer panel system
- 14 oz Layer 1
- 14 oz Layer 2
- Inherent FR thread throughout
- Heat transfer print & FR APTV 55cal embroidery
- Ten double-layer loops for securing in place
- Centralised cable strap with Velcro/zip strap
- Provides protection against arc blast hazards during electrical work in confined spaces

Size Options:
Small: 1.5m x 2.4m
XLarge: 2.5m x 4m

OEKO-TEX®

ERGOS2 ARC VISOR





- Increased worker safety because of REAL VIEW of work environment.
- New generation of face protection against the thermal hazards and impact of an arc flash
- Tested to EN 166 for protection against molten metals & hot solids
- Realistic colour reproduction >95%
- Protection against high-speed particles: medium energy impact (B)
- Extended length visor & transprent chin guard
- Optimised weight balance & no time limit on durability
- Fitted with a universal bracket for use with front brim arc rated hard hats according to EN 50365 or EN 397 standards

ERGOS INTEC ARC HELMET



- ATPV 28 cal/cm2
- Insulated helmet with integrated retractable visor & chin protection
- Provides safety against thermal hazards of an electric arc & projected droplets of molten metal
- Electrical insulation 1000V AC & 1500V DC

Suitable For:

Electricians during work on live equipment and work at heights on electrical connections

EN 166:2001, EN 170:2002, EN 50365:2002, EN 397:2012 + A1:2012, GS-ET-29:2011 & ASTM F2178-17b

ARC HARD HAT



- Electric hard hat offering dielectric protection up to 20 000 volts
- 4-point quick fit suspension
- Adjustable Fast-Trac III rachet
- Fixed stitched sweat band
- Easily integrated with face and hearing PPE

Suitable For:

- Electric / utilities
- Manufacturing industries

ARC FLASH TREAD SAFETY BOOT



DF-FLASH

Sizes
5-13

Colour
Black

Suitable For:

- Arc flash & flash fire potential
- Manufacturing
- Refineries

TOE CAP:	Composite, impact resistant up to200J ± 4J; Wide toe cap
OUTSOLE:	Cleated; Slip resistant; Contact heat resistant at 300°C for 60 seconds; Energy absorption heel
UPPER:	Waterproof full grain cow leather
INSOLE:	Anti-static non-woven material

NRCS/9002/217251/0228



WELDING SAFETY

WELDING JACKET



- Flame retardant 100% Cotton jacket with premium leather sleeves
- Flame resistant Kevlar thread for durable seams
- Adjustable, stand-up, collar for neck protection
- Flame retardant reflective “X” tape on back
- Adjustable waist for enhanced torso fit
- Protects the torso & arms from welding spatter & burns
- Comfortable, breathable & lightweight

Size Options: S - 2XL

Suitable For:

- Welding applications with exposure to intense sparks

ACE LEATHER YOKE



- ATPV 9.9 cal/cm²
- 88% Cotton, 12% Nylon interlock FR knitted fabric, 203gsm
- Flame retardant thread throughout
- Flame retardant knitted rib cuffing
- Available in Short & long sleeve

Size Options: L - 2XL

IEC 61482-1-1, IEC 61482-1-2, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015, EN 11612:2015, EN 61482-1-2:2014

WELDERS APRON



- High Abrasion Resistance
- High Cut Resistance
- High Heat Resistance
- Clip-on adjustable straps
- Lint Free
- No change of properties to light and UV exposition
- Comfort and fitting

Size Options:
60x90 Joined
60x90 1Piece
60x120 1Piece

Size Options: S-3XL

DXACE60X90
DXACEONE60X120
DXACEONE60X90

SMELTER BOOT

Dromex



Metal free

Sizes
5-13

Colour
Brown

Suitable Use:

- Contractors
- Manufacturing
- Refineries
- Electrical Arc flash

DF-EMPEROR

TOE CAP:	Fiberglass toecap is impact resistant up to 200 ± 4J; Wide toe cap
OUTSOLE:	PU / Rubber outsole; Slip resistant; Contact heat resistant at 300°C for 60 seconds; Energy & shock absorption heel
UPPER:	Flame proof Cow grain leather
MIDSOLE:	Kevlar midsole protects from penetrating objects & heat
INSOLE:	Non conductive Kevlar insole

WELDING HELMETS



- Interchangable lens
- Shade 10-12

WELDING SCREENS



- 100% Flame Retardant PVC
- Brass eyelets

Size Options:
2m X 2m
2m x 3m

Suitable For:
- Construction industry
- Warehouse environment
- Mining industry

ACE LEATHER ANKLE SPAT



- Natural cow hide chrome split grain leather
- Protects the foot, ankle & footwear
- 2 Adjustable straps with buckle closures
- Double stitched Kevlar thread for added durability

Suitable For:
- Welding Applications
- Maintenance Industry
- Manufacturing Industry
- Carpentry Industry

DH LEATHER KNEE SPAT



- Premium, heavy duty welding spat
- Chrome buffalo leather
- Protects the knee, ankle, footwear & trousers
- 4 Adjustable straps with buckle closures
- Double lock-stitched Kevlar thread for added durability.

PREMIUM LEATHER GLOVES

- High abrasion, cut & heat resistance
- High contact protection
- Size: 10.5



DXWELD/RED



DXWELD/PRIME



DXWELD/BLUE

DBL PALM LEATHER GLOVES

- High abrasion & cut resistance
- Cow Chrome leather cuff
- Size: 10.5



DXWELD/6



DXWELD/6GR
DXWELD/2.5GR

WELDING RODS & ACCESSORIES AVAILABLE

DELI & CHEF CAPS

TOPS

CHEF JACKETS

SAFETY DUST COATS

APRONS

BOTTOMS

FOOTWEAR

CATERING WEAR











WOMEN IN THE WORKPLACE



Empowering women in the workplace with thoughtful safety wear

At Halsted, we understand the frustration of wearing ill-fitting clothing or footwear at work. Physical discomfort can hinder productivity, and we recognise the significant lack of choice in women's safety wear.
Driven by the need for better options in sole shapes and garment cuts, we proudly offer a range of footwear and safety wear that challenges the "one size fits all" mentality. Through extensive research and consultation with women in various industries, we've sourced locally manufactured ranges of safety footwear and garments designed specifically for women who shape the world.
We also offer maternity conti suits designed to accommodate the unique needs of expectant mothers, ensuring comfort and safety throughout pregnancy.
Traditional boiler suits often fail to consider practical needs, such as using ablution facilities in the field. Women are required to remove the entire top half of the garment, posing an inconvenience and compromising their dignity, especially when surrounded by male colleagues. Additionally, light-coloured boiler suits can cause embarrassment by exposing sanitary accidents around the upper leg and hip area.
Our Safety Wear range addresses these challenges, ensuring that our products are not only comfortable but also preserve the dignity of female wearers. We are committed to providing safety wear that empowers women to work confidently and comfortably in any environment.

Conti Suits



Standard



Extended



Maternity

Boiler Suits



Gloves



Hi Vis Vest



Safety Eye Wear



Fall Arrest



Safety Shoes



Hard Hat





HI-VISIBILITY

REFLECTIVE MAXI BIB



REFLECTIVE VEST



- Mesh ventilation with PVC tape
- Nylon zip with metal slider
- Clear on black top entry ID pouch
- Colour: Lime or orange
- Size: S-5XL

TWO TONE REFLECTIVE VEST



- Nylon black zip with metal slider
- Clear on PVC on black top entry ID pouch
- White Reflective Tape
- Size: S-5XL

TWO TONE MESH REFLECTIVE VEST





- 100% polyester fluorescent yellow/blue or yellow/red knitted weave fabric
- 18mm retro silver glass bead reflective tape
- Nylon zip with metal slider
- Clear on black top entry plastic pouch/ID pocket
- Size: S-3XL
- Suitable use: Construction industry, warehouse environment & mining industry

SAFETY VEST PRISMATIC TAPE



- EN4 lime airtex conforming prismatic white vinyl tape
- Size: XS-5XL

WATT reflective safety gear

TRAFFIC REFLECTIVE JACKET



- 100% polyester tricot/mesh fabric
- Reflective tape is 50mm silver bead industrial washing T/C tape
- Nylon zip fastener with metal slider & buttons
- Identity card holder on left breast
- Garment class 2
- Enhanced visibility from all sides
- Available with or without sleeves
- Size: S-5XL
- Suitable use: Construction industry, warehouse environment, mining industry & Police/law enforcement

Manufactured to ISO 20471: 2013
EN 471 /SANS 50471 as per requirment of 89/686/ECC

HI-VIZ JACKET

- Colours: Lime, orange or navy



RAIN COAT REFLECTIVE

- Raincoat Class 3 Non-breathable Lime
- Size: XS-5XL



RAINSUIT REFLECTIVE

- Rainsuit 2-tone Lime and Navy
- Size: S-5XL



REFLECTIVE CAP

- Lime or orange



100% COTTON REFLECTIVE SLEEVE SHIRT

- Short or long sleeve available
- Colours: Yellow & navy, orange & navy or navy



TWO TONE HI-VIS GOLFER

- Colours: Lime & navy, orange & navy or navy



REFLECTIVE CRICKET CAP

- Lime



SUN BRIM FOR HARD HAT

- Lime
- With neck protector



HI-VIS TEE SHIRT

- Colours: Lime, orange or yellow





FREEZER WEAR



FREEZER JACKET & TROUSER

- Navy 2000 oxford water resistant shower proof outer.
- 160gsm pongee straight stitch inner thermo warmth approximately -5 degree.
- Pyjama style trousers with elastic waist.
- Available as fixed or detactable hood.
- Fixed Hood available with or without reflective.
- Raglan sleeve
- Ruched cuffs
- Double stitching on zip
- Re-enforced patch pockets

BLIFJDHSLN - Detachable hood
BLIFJFHSLN - Fixed Hood
BLIFJFHSLTN - Fixed Hood Reflective
BLIFPN - Pants

Jacket sizes
S - 5XL
Trouser sizes
S - 5XL
Colour
Navy

REFLECTIVE OPTION

PARKA JACKET

Sizes
S - 5XL
Colour
Navy/Orange
Navy/Lime

BLIBJNOS



REFLECTIVE

BUNNY JACKET

Sizes
S - 5XL
Colour
Navy

BLIBJN



REFLECTIVE OPTION





THERMAL WEAR

**Mens and Ladies style available*

Vest sizes

S - 5XL

Long Johns

S - 5XL

Colour

White
Black



BLIPBL

PUFFER JACKET

Sizes
S - 5XL
Colour
Black



BLISJBL

SOFTSHELL JACKET

Sizes
S - 5XL
Colour
Black



BLIBWBL

BODY WARMER

Sizes
S - 5XL
Colour
Black

BLIZZARD

SECURITY WEAR



SECURITY - ON THE JOB

COMBAT SHIRT



Size Options: S-3XL

Colour Options:

- Navy Blue
- Black
- Grey
- Khaki
- C Green
- Khaki/Navy Blue
- Red/Black

COMS

BK GY NB KH CG KH/NB RD/BK

COMBAT TROUSERS



Size Options: 28 - 48

COMPFC

MOCK PANTS: COMPMC

BK GY NB KH CG

COMBAT JERSEY



BK NB

Size Options: S - 3XL

COMJ

CORPORATE JERSEY



BK NB

COMJC

CORPORATE JERSEY PULLOVER



BK NB

COMPO

QUILTED COMBAT JACKET



BK NB

JAV6289

SECURITY - EXECUTIVE

Single Breast Blazer



COMSBB

BK NB

Pilot Shirt L/S with RC & GN



COMPSLSGN

Pilot Shirt S/S with RC & GN



COMPSSSGN

Chinos



MSJ Trousers



COMTMJSBL

Belt



COMDBBL

Size Options: 32, 34, 36

SECURITY - FOOTWEAR

Cadet



- Non-Steel Toe Cap
- Geunine Leather Upper
- PVC Sole

Size Options: 3 - 11

Radon



- lightweight &flexible dual density pu sole
- wider cut for added comfort
- removable comfort inner soles
- shock absorbent heel
- heat resistant up to 90°C

Size Options: 2 - 14

Black Canvas



- Non-Steel Toe
- Canvas Upper
- PU Injected Molded Sole
- Available in Sizes 3-13

Size Options: 3 - 13

Combat



- CE EN ISO 20345 Approved
- Steel Toe Cap
- Available in Sizes 3-13
- PU Sole
- Black Embossed Leather
- Slip Resistant

Size Options: 3 - 13

Ranger



- Non -Steel Toe
- Slip Resistant
- PU Sole
- Available in Sizes 3-13

Size Options: 3 - 13

SECURITY - ACCESSORIES

Beanie



BAKNBE

Beret



COMB

BK NB

6 Panel Cap



BAHW003

Webb Belt



NB

BK

COMWB

9mm Holster



WITH LOOP: COMHOL9L
WITH CLIP: COMHOL9C

Leg Holster with/without Mag Pouch



COMHOLMP
COMLHOL

Torch



COMTORCH

Metal Detector



COMWHMD

T-Baton 60cm & Holder

COMDT60



COMBH

Handcuffs & Pouch



COMC COMCP

Pepper Spray & Pouch



SPRAY 100ml DIRECT & POUCH: COM110P
SPRAY 60ml DIRECT & POUCH: COMP60P

Police Whistle



COMWHI

Epaulettes

COMEMA MR

COMENV NB

COMEBL BK



Rubberised Flashes



Rubberized flashes are exclusively available for order, as they are customized with the logo of the respective companies.



Bullet Proof Vests

Our bullet proof vests are available in a variety of specifications, to meet the needs of our clients.
To order a custom-made vest, please contact us and provide us with your specific requirements.
We will work with you to create a vest that is perfect for your needs.



RAIN WEAR



RUBBERISED RAIN SUIT

DXPRSRUB

- Ventilated aeration holes for breathability
- Fixed hood with drawstring
- Two pockets with storm flaps
- Pants with elasticated waist
- Press stud closures on the ankle

NB BK YL



REFLECTIVE RUBBERISED RAIN SUIT

DXPRSRUB/FL

- Heavy duty & water resistant
- Ventilated back with mesh lining & aeration holes
- Fixed hood with drawstring
- Reflective tape on arms, legs, chest & back of jacket

OR FL



RUBBERISED RAINCOAT

DXRUBCOAT

- Knee-length raincoat
- Fixed hood with drawstring
- Internal storm cuff that prevents water from running down your sleeve

NB OR YL

CHEST WADERS

WAYF1997



- 90% PVC and 10% polyester blend with PVC injection-moulded seamless gumboot construction for 100% waterproof protection
- 100% waterproof smooth PVC seam stitching
- Elasticated chest collar suited for sizes S – XL
- Adjustable woven nylon suspenders with integrated nylon buckles for quick-release functionality

BG

PVC RAIN SUIT



- Fixed hood with drawstring
- Two pockets with storm flaps
- Pants with elasticated waist
- Short term applications where there is exposure to rain
- Size: S-4XL

NB YL



DXJH-SM-G



DXBP-SM-G

PVC STORM SUIT

- Water resistant
- A fixed hood with drawstring
- 2 pockets with storm flap
- Plastic double snap closure at the neck with an internal storm cuff that prevents water from running down your sleeve
- All seams are welded for 100% waterproof protection
- Adjustable webbing suspender with plastic buckle
- Size: S-3XL

BG



DISPOSABLE WEAR

MOP CAPS

- Pack 100
- 18″

B BK WH G RD YL OR



BEARD COVER

- Pack 100

WH



MASKS

- 3 Ply with loops

B



GLOVES



- Latex, Nitrile & Vinyl
- Powder or Powder Free
- S-XL

B WH

SHOE COVERS

- PVC & Non Woven

B WH



SLEEVE PROTECTORS

- PVC & Disposable

B WH





LAB COAT

- Disposable
- S-3XL

WH



APRONS

- Disposable
- Pack 100
- All purpose PVC apron 110x70mm
- PVC blood & fat apron 400 or 600 Micron 120x90mm

B WH



PROMAX C4000 DISPOSABLE COVERALL

- Type 3, 4, 5 & 6 disposable coverall
- Double zip & storm flap for secure front protection
- Double elasticated cuff with thumb loop
- Resistance to penetration by blood/fluids, wet bacteria penetration, biologically contaminated aerosols & powders
- Suitable use: Chemical handling & distribution chemical clean ups, contaminated land cleaning, pathogens, oil spill, tank cleaning, petrochemical & refining applications

Size Options: M-3XL

Dromex DXPROMAX-C4



UVEX COVERALL 5/6 CLASSIC

- Protective clothing against infective agents
- Extremely lightweight and breathable material
- Skin friendly and soft non woven material on inside
- Self adhesive zipper flap for optimal protection
- Elasticated bands on hood, arms and legs
- Elasticated waistband
- Middle finger loops prevent sleeves sliding up the arm

Size Options: S-3XL

uvex SBU-W-PGM T



PROMAX DISPOSABLE COVERALL

- Type 5 & 6 disposable coverall
- Zip & storm flap front closing
- Size: M-3XL
- Suitable use: Abestor removal, Accident attendance, fiber exposure, painting & spraying, cleans rooms & general maintenance

Dromex DXPROMAX



NON WOVEN DISPOSABLE COVERALL

- Disposable full body coverall for protection against dust
- 50gsm Spunbond polypropylene
- Nylon Zipper front
- Size: M-3XL
- Suitable use: General maintenance

Dromex DXPDISPO

CORPORATE SHIRTS

GOLF SHIRTS

T-SHIRTS

BODYWARMERS

SWEATER & FLEECE

JACKETS

CORPORATE
TROUSERS

CORPORATE
GIFTS

CORPORATE WEAR & GIFTS





We do all company branding, embroidery and screen printing









FOOT PROTECTION




Dromex
SiSi
SAFETY WEAR
NEPTUN
SAFETY FOOTWEAR
FRAMS
Affordable safety you can trust
REBEL
SAFETY GEAR
PROFIT
SAFETY FOOTWEAR
BOVA
LEMAITRE

CHELSEA BOOT



Sizes
5-13

Colour
Black
Brown

Suitable Use:
- General use
- Warehouses
- Freight industry
- Mining
- Engineering
- Construction

DF-CHELSEA-BR
DF-CHELSEA-BLK

TOE CAP:	Steel, impact resistant up to 200J± 4J; Wide toe cap
OUTSOLE:	Cleated oil & slip resistant; Dual density PU (Polyurethane); Heat insulation properties up to 95 °C; Energy absorption heel
MIDSOLE:	Steel midsole protects from penetrating surfaces & objects
UPPER:	Premium full grain Crazy Horse leather
INSOLE:	Anti-static non woven material

NRCS/9002/217251/0438

ULTECO SAFETY BOOT



Sizes
5-13

Colour
Black & Yellow

Suitable Use:
- General use
- Warehouses
- Freight industry
- Mining
- Engineering
- Construction

DF-UBLK

TOE CAP:	Steel, impact resistant up to 200J ± 4J; Wide toe cap
OUTSOLE:	Dual density PU (Polyurethane); Heat resistant up to 95 °C; Energy absorption heel
UPPER:	Water resistant genuine Buff (buffalo) leather upper
INSOLE:	Anti-static non woven material

NRCS/9002/217251/0321

ULTECOPLUS BOOT



Sizes
5-13

Colour
Black

Suitable Use:
- General use
- Warehouses
- Freight industry
- Mining
- Engineering
- Construction

DF-SK7026

TOE CAP:	Steel, impact resistant up to 200J ± 4J; Wide toe cap
OUTSOLE:	Cleated oil & slip resistant; Dual density PU (Polyurethane); Heat insulation properties up to 95 °C; Energy absorption heel
UPPER:	Water resistant genuine Buff (buffalo) leather upper; Tear & abrasion resistant properties
MIDSOLE:	Steel midsole protects from penetrating surfaces & objects
INSOLE:	Anti-static non woven material

NRCS/9002/217251/0005

ULTECO SHOE



Sizes
5-13

Colour
Black

Suitable Use:
- General use
- Warehouse environment
- Freight industry
- Mining
- Engineering
- Construction

DF-USHOE

TOE CAP:	Steel, impact resistant up to 200J ± 4J; Wide toe cap
OUTSOLE:	Cleated oil & slip resistant; Dual density PU (Polyurethane); Heat insulation properties up to 95 °C; Energy absorption heel
UPPER:	Buffalo Buff leather
INSOLE:	Anti-static non woven material

NRCS/9002/217251/0006

S1 BOXER BOOT



Sizes
5-13

Colour
Black

Suitable Use:
- Ideal as a boot or shoe for contract workers
- General use
- Warehouse environment
- Freight industry

SS1020/BOOT

TOE CAP:	Steel, impact resistant up to 200J ± 4J; Wide toe cap
OUTSOLE:	Cleated oil & slip resistant; Dual density PU (Polyurethane); Energy absorption heel
UPPER:	Cow split grain leather; Water resistant; Tear & abrasion resistant properties
INSOLE:	Anti-static non woven material

NRCS/9002/271251/0004

NOBUHLE LADIES BOOT



Sizes
2 - 9

Colour
Black & Pink

Suitable Use:
- General use
- Warehouse environment
- Freight industry
- Mining
- Engineering
- Construction

DF-NOBUHLE

TOE CAP:	Composite, impact resistant up to 200J ± 4J; Wide toe cap
OUTSOLE:	Cleated oil & slip resistant; Dual density PU (Polyurethane); Heat insulation properties up to 95 °C; Energy absorption heel
UPPER:	Buffalo Buff leather; Tear & abrasion resistant properties
INSOLE:	Anti-static non-woven material

NRCS/9002/217251/0321

BOLT BOOT



Sizes
4-13

Colour
Black

Suitable Use:
- Arc flash & electrical hazards
- Manufacturing

Metal free

DF-BOLT

TOE CAP:	Fiberglass toecap is impact resistant up to 200± 4J
OUTSOLE:	PU / Rubber outsole; Heat resistant at 300°C for 60 seconds
UPPER:	Water resistant, full grain cow leather
MIDSOLE:	Kevlar midsole protects from penetrating objects & heat
INSOLE:	Removable and breathable PU and Memory Foam

SWIFT SAFETY SNEAKER SHOE



Sizes
3-13

Colour
Black

Suitable Use:
- General use
- Warehouse environment
- Freight industry
- Engineering
- Construction

Metal free

DF-SWIFT

TOE CAP:	Fiberglass toecap is impact resistant up to 200 ± 4J
OUTSOLE:	Cleated oil & slip resistant outsole; Single density PU (Polyurethane);
UPPER:	Anti-rip material upper for durability & breathability
MIDSOLE:	Lightweight Kevlar midsole for protection from penetrating objects
INSOLE:	Anti-static non woven material

HOBO BOOT

SKU: JS03



SIZE OPTIONS
2 – 15

COLOUR
Black & Grey

APPLICATIONS
General Purpose

ECONO ALL ROUNDER

PARSONS S1 BOOT

SKU: JS01 S1



SIZE OPTIONS
2 – 15

COLOUR
Black

APPLICATIONS
Construction
Engineering
Mining
Agriculture
Warehousing
General

ASSASSIN CHELSEA

SKU: JS06



SIZE OPTIONS
2 – 15

COLOUR
Brown

APPLICATIONS
Heavy Duty
Construction
Engineering
Agriculture
Packaging
Ware House
Oil Rigs

VERSATILE
SLIP ON

BAGHEERA CHELSEA

SKU: JS07



SIZE OPTIONS
2 – 15

COLOUR
Brown

APPLICATIONS
Heavy Duty
Construction
Engineering
Agriculture
Packing
Ware House
Oil Rigs

SLIP ON
VERSATILE

ASSASSIN CHELSEA

SKU: JS06 NSTC



SIZE OPTIONS
2 – 15

COLOUR
Brown

APPLICATIONS
Agriculture
Hiking
Hunting
Office
Fashion

NON-STEEL TOE CAP
SLIP ON

ALL WHEEL DRIVE

SKU: AS01



SIZE OPTIONS
2 – 15

COLOUR
Black

APPLICATIONS
Clinical Work Environments
Office to Factory Floors
Automotive
Chemical & Medical
Warehousing
Pack Houses
Food & Beverage

SPECIALIST

FLAME BOOT

SKU: JS10



SIZE OPTIONS
5 – 15

COLOUR
Black

APPLICATIONS
ARC Flash
Eskom Spec 34-232 (20 KV Electical resistance for 1 minute)
Heavy Duty Electrical
Mining
Construction
Engineering
Rigs

SPECIALIST

TERRAPIN BOOT

SKU: MR02



SIZE OPTIONS
5 – 12

COLOUR
Black

APPLICATIONS
Heavy Welding
Heavy Duty
Heavy Construction
Heavy Mining
Heavy Engineering

SPECIALIST

TARANTULA BOOT

SKU: JS05 TAN



SIZE OPTIONS
2 – 15

COLOUR
Tan

APPLICATIONS
Heavy Duty
Heat
Construction
Engineering
Petroleum
Mining
Agricultural
Electrical

HEAVY DUTY
HIGH ANKLE

TARANTULA BOOT

SKU: JS05 BLACK



SIZE OPTIONS
2 – 15

COLOUR
Black

APPLICATIONS
Heavy Duty
Heat
Construction
Engineering
Petroleum
Mining
Agricultural
Electrical

HIGH ANKLE
HEAVY DUTY

TARANTULA SHOE

SKU: JS05S



SIZE OPTIONS
2 – 15

COLOUR
Black

APPLICATIONS
Heavy Duty
Heat
Construction
Engineering
Agricultural
Electrical

HEAVY DUTY

SHAMROCK BOOT

SKU: MR01



SIZE OPTIONS
2 – 15

COLOUR
Black

APPLICATIONS
Heavy Duty
Heat
Welding
Heavy Construction
Heavy Engineering
Mining

HEAVY DUTY
WELDERS METAGUARD

SCARLET BOOT

SKU: LS01



SIZE OPTIONS
2 – 9

COLOUR
Black & Pink

APPLICATIONS
General
Construction
Engineering
Agriculture
Packaging
Wearhousing

LADIES

SILK SHOE

SKU: LS05



SIZE OPTIONS
2 – 9

COLOUR
Black & Pink

APPLICATIONS
Multi-Purpose
General
Hospitality
Food & Beverage
Packaging
Warehousing
Office to Factory Floor

LADIES

SUN BOOT

SKU: LS07



SIZE OPTIONS
2 – 9

COLOUR
Black & Pink

APPLICATIONS
General
Construction
Mining
Engineering
Agriculture
Oil & Gas
Packaging
Warehousing

LADIES

GOLIATH II BOOT

SKU: JS04 II BLACK



SIZE OPTIONS
2 – 15

COLOUR
Black
Brown

APPLICATIONS
Heavy Duty
Construction
Engineering
Petroleum
Mining
Agriculture

HIKER

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

CORE RANGE

MAVERICK: 60002 ♂



ANTI-STATIC

CE

ultrafresh

Sizes
4-13

Colour
Black

BOVA60002

SPECIFIC FEATURES:

TOE CAP: Steel
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (60702)

EN / ISO 20345 NRCS/9002/287766/0169

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

CORE RANGE

NEOFLEX: 90004 ♂



ANTI-STATIC

EXTENDED SIZE RANGE

CE

ultrafresh

Sizes
3-15

Colour
Black & Richmond

BOVA90004

SPECIFIC FEATURES:

TOE CAP: Steel / Available without toe cap in Black only (90504)
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (90704 / Black only)

EN / ISO 20345 NRCS/9002/287766/0055

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

CORE RANGE

CHELSEA: 90006 ♂



ANTI-STATIC

CE

ultrafresh

Sizes
3-13

Colour
Black & Brown

BOVA90006

SPECIFIC FEATURES:

TOE CAP: Steel / Available without toe cap (90506)
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: APT midsole available (90606)

EN / ISO 20345 NRCS/9002/287766/0170

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

TRAX RANGE

HIKER: 20702 ♂



ANTI-STATIC

ERGONOMIC DESIGN APPROVED BY A PODIATRIST

SABS APPROVED

ultrafresh

Sizes
3-13

Colour
Black & Brown

BOVA20702
BOVA20702 - Soft Toe (Brown Only)

SPECIFIC FEATURES:

TOE CAP: Steel – extra wide fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: Shank reinforcement for arch support

SANS / ISO 20345

2.0 Version Available

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

TRAX RANGE

BREMEN: 21001♂



ANTI-STATIC

ERGONOMIC DESIGN APPROVED BY A PODIATRIST

FREE ROVER SOCKS

SABS APPROVED

ultrafresh

Sizes
5-13

Colour
Black

BOVA21001

SPECIFIC FEATURES:

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (20701)

SANS / ISO 20345

2.0 Version Available

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

TRAX RANGE

MUNICH: 20002 ♂



ANTI-STATIC

ERGONOMIC DESIGN APPROVED BY A PODIATRIST

FREE ROVER SOCKS

SABS APPROVED

ultrafresh

Sizes
5-13

Colour
Black

BOVA20002

SPECIFIC FEATURES:

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (20702)

SANS / ISO 20345

2.0 Version Available

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

PU RUBBER RANGE

FIREWALK: 42003 ♂



ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232)

NON CONDUCTIVE

SABS APPROVED

ultrafresh

FREE ROYAL SOCK

Sizes
4-13

Colour
Black

BOVA42003

SPECIFIC FEATURES:

TOE CAP: Steel
SOLE: Dual Density PU/Rubber (Heat resistant up to 300°C)
MIDSOLE: APT midsole available (42603)

SANS / ISO 20345 NRCS/9002/287766/0134

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

PU RUBBER RANGE

WELDERS: 42004 ♂



NON CONDUCTIVE

WITH SPAT COVERING

SABS APPROVED

ultrafresh

FREE ROYAL SOCK

Sizes
4-13

Colour
Black

BOVA42004

SPECIFIC FEATURES:

TOE CAP: Steel
SOLE: Dual Density PU/Rubber (Heat resistant up to 300°C)
MIDSOLE: APT Midsole available (42604)

SANS / ISO 20345

HEAVYWEAR RANGE

Hard-working protection for heavy industry demands

PU RUBBER RANGE

NEBULA: 43603 ♂



NON CONDUCTIVE

SRC SLIP RESISTANCE RATING

Vibram

ERGONOMIC DESIGN APPROVED BY A PODIATRIST

FREE ROYAL SOCK

SABS APPROVED

ultrafresh

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232)

Sizes
4-13

Colour
Brown

BOVA43603

SPECIFIC FEATURES:

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/Vibram Rubber (Heat resistant up to 300°C)
MIDSOLE: Standard with APT

SANS / ISO 20345

SiSi SAFETY WEAR

FOOT PROTECTION

DUAL DENSITY PU RANGE

YVONNE / 55013



ultrafresh

Sizes
3 - 8

Colour
Black

SISI55013

SPECIFIC FEATURES: Anti-static

TOE CAP: Steel Toe Cap
SOLE: Dual density PU/PU (Heat-resistance up to 95°C)
MIDSOLE: Shank reinforcement for arch support

EN 20345

SiSi SAFETY WEAR

FOOT PROTECTION

DUAL DENSITY PU RANGE

REESE / 55006



SABS APPROVED

ultrafresh

FREE SISI SOCK

Sizes
3 - 8

Colour
Black with Pink trim

SISI55006

SPECIFIC FEATURES: Anti-static

TOE CAP: Steel Toe Cap
SOLE: Dual Density PU/PU (Heat-resistant up to 95°C)
MIDSOLE: APT midsole available (55606)

SANS/ISO 20345 NRCS/9002/287766/0152

SiSi SAFETY WEAR

FOOT PROTECTION

DUAL DENSITY PU RANGE

JENNIFER / 55005



SABS APPROVED

ultrafresh

FREE SISI SOCK

Sizes
3 - 8

Colour
Black with Pink trim

SISI55005

SPECIFIC FEATURES: Anti-static

TOE CAP: Steel Toe Cap
SOLE: Dual Density PU/PU (Heat-resistant up to 95°C)
MIDSOLE: APT midsole available (55605)

SANS/ISO 20345 NRCS/9002/287766/0153

LEMAITRE

MAXECO RANGE

ROBUST: 8102



Sizes
2-13

Colour
Black
Tan

LEM8102

SPECIFIC FEATURES: Soft Toe – 8091

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

MAXECO RANGE

MAXECO: 8031



Sizes
2-13

Colour
Black
Tan

LEM8031

SPECIFIC FEATURES: Soft Toe – 8060 | Steel Midsole – 8011

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

MAXECO RANGE

SPARTACUS: 8075



Sizes
3-14

Colour
Black

LEM8075

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

MAXECO RANGE

MAXIMUS: 8078



Sizes
3-13

Colour
Black

LEM8078

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

MAXECO RANGE

ZEUS: 8115



Sizes
5-12

Colour
Black
Brown

LEM8115

SPECIFIC FEATURES: Soft Toe – 8114

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

APOLLO RANGE

BEN: 8003



Sizes
5-12

Colour
Black/Red or
Black/Grey

LEM8003

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

INYATI RANGE

URBAN: 4009



LEM4009

Sizes
4-13

Colour
Black

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Dual Density Pu/Rubber (Heat resistant up to 300°C)

SANS/ISO 20345

LEMAITRE

INYATI RANGE

TITANIUM: 4003



LEM4003

Sizes
4-13

Colour
Black
Brown

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Dual Density Pu/Rubber (Heat resistant up to 300°C)

SANS/ISO 20345

LEMAITRE

RAPTOR RANGE

OSPRAY: 8038



LEM8038

Sizes
5-12

Colour
Black
Tan

SPECIFIC FEATURES: Soft Toe – 8238

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

RAPTOR RANGE

EAGLE: 8025



LEM8025

Sizes
5-12

Colour
Black

SPECIFIC FEATURES: Steel Midsole – 8035

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

RAPTOR RANGE

FALCON SHOE: 8030



LEM8030

Sizes
5-12

Colour
Black

SPECIFIC FEATURES: Steel Midsole – 8062

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

LEMAITRE

RAPTOR RANGE

FALCON BOOT: 8027



LEM8027

Sizes
5-12

Colour
Black

SPECIFIC FEATURES: Steel Midsole – 8063

TOE CAP: Steel Toe Cap
SOLE: Double Density PU/PU (Heat resistant up to 95°C)

SANS/ISO 20345

FRAMS

PU/PU SOLE RANGE

NDLOVU ADDO – 8402



Sizes
3-13

Colour
Black

FRAM8402

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Dual Density PU/PU Sole (Heat resistant up to 95°C)
MIDSOLE: No steel midsole

EN 20345

FRAMS

PU/PU SOLE RANGE

GEO-TREAD | 2911



Sizes
4-13

Colour
Black

FRAM2911

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Dual Density PU/PU Sole (Heat resistant up to 95°C)
MIDSOLE: No steel midsole

EN 20345

FRAMS

PU SOLE RANGE

ECONO-TUFF | 4551



Sizes
4-13

Colour
Black

FRAM4551

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap
SOLE: Single Density PU Sole (Heat resistant up to 95°C)
MIDSOLE: No steel midsole

EN 20345

WAYNE

DURALIGHT RANGE

DURALIGHT MEN'S 2 (F1030)



SIZES
5-12

COLOUR
WHITE / RED

WAYF1030

SPECIFIC FEATURES:

TOE CAP: Without STC (soft toe)
SOLE: Nitrile PVC Sole
UPPER: Nitrile PVC Upper

SANS/ISO 20347

WAYNE

EGOLI RANGE

EGOLI 1 (F1270)



SIZES
3-14

COLOUR
BLACK / TOFFEE

WAYF1270

Size 14 is on a different sole, but carries the same accreditation

SPECIFIC FEATURES:

TOE CAP: Steel Toe Cap (available with no toe cap - F1260)
SOLE: Nitrile PVC Sole
UPPER: PVC Upper

SANS/EN20345

WAYNE

DURALIGHT RANGE

DURALIGHT MEN'S 1 (F1040)



SIZES
5-12

COLOUR
BLACK / BLACK

WAYF1040

SPECIFIC FEATURES:

TOE CAP: Without STC (soft toe)
SOLE: Durable PVC sole
UPPER: PVC Upper

SANS/ISO 20347

REBEL SAFETY GEAR

TRADITIONAL WORK BOOT

Kontrakta Boot



Sizes
3-14

Colour
Black

EN/ISO 20345 SB
NRCS/9002/262020/190

RE128

SPECIFIC FEATURES:

UPPER:	High quality split leather
TOE CAP:	200J Steel
SOLE:	Dual Density PU
INSOLE:	Moulded PU; taibrelle mesh upper with contoured heel and arch

REBEL SAFETY GEAR

TRADITIONAL WORK BOOT

FX2 Boot



Sizes
2-14

Colour
Black

EN/ISO 20345 S1P
NRCS/9002/262020/0066

FX2S1P

SPECIFIC FEATURES:

UPPER:	High quality full grain leather
TOE CAP:	200J Steel
MIDSOLE:	Steel Midsole for anti-penetration
SOLE:	Dual Density PU
INSOLE:	Moulded PU; taibrelle mesh upper with contoured heel and arch

REBEL SAFETY GEAR

TRADITIONAL WORK BOOT

Chukka Boot



Sizes
Black : 2-16
Brown: 2-15

Colour
Black &
Brown

EN/ISO 20345 S1
NRCS/9002/262020/0051

RE811

SPECIFIC FEATURES:

UPPER:	High quality full grain leather; high-viz reflective strip for added visability
TOE CAP:	200J Steel
SOLE:	Dual Density PU
INSOLE:	Moulded PU; taibrelle mesh upper with contoured heel and arch

REBEL SAFETY GEAR

TRADITIONAL WORK BOOT

FX2 Chelsea Boot



Sizes
3-13

Colour
Black &
Brown

EN/ISO 20345 S1P
NRCS/9002/262020/0388

REFX2CBS1P

SPECIFIC FEATURES:

UPPER:	High quality smooth microfibre
TOE CAP:	200J Steel
SOLE:	Dual Density PU
INSOLE:	Moulded PU; taibrelle mesh upper with contoured heel and arch
MIDSOLE:	Steel midsole for anti-penetration

REBEL SAFETY GEAR

PREMIUM WORK SHOE

Lo Top Shoe



Sizes
4-13

Colour
Charcoal &
Black

EN/ISO 20345 S1
NRCS/9002/262020/0201

RE429

SPECIFIC FEATURES:

UPPER:	High quality smooth microfibre
TOE CAP:	200J wide profile steel
SOLE:	Dual Density PU grey midsole and dark grey outsole, electrostatic discharge (ESD).
INSOLE:	Ultra-thick PU foam with mesh top lining

REBEL SAFETY GEAR

PREMIUM WORK BOOT

Hi Top Boot



Sizes
4-13

Colour
Brown &
Black

EN/ISO 20345 S1
NRCS/9002/262020/0202

RE420

SPECIFIC FEATURES:

UPPER:	High quality smooth microfibre
TOE CAP:	200J wide profile steel
SOLE:	Dual Density PU
MIDSOLE:	Grey
OUTSOLE:	Dark grey

REBEL SAFETY GEAR

PREMIUM WORK BOOT

Crazy Horse Chelsea



Sizes
Black/Tan: 4-13
Brown: 2-14

Colour
Black, Brown & Tan

EN/ISO 20345 S1P
NRCS/9002/262020/0182

RE652

SPECIFIC FEATURES:

UPPER:	High quality full grain crazy horse leather (suede finish)
TOE CAP:	200J steel
SOLE:	Dual density PU and rubber; heat resistant sole
INSOLE:	Ultra-thick PU with memory foam and Poron heel insert
MIDSOLE:	Steel Midsole for anti-penetration

REBEL SAFETY GEAR

PREMIUM WORK BOOT

Havoc Boot



Sizes
4-13

Colour
Black & Brown

EN/ISO 20345 S1P - Black
EN/ISO 20345 S1 - Brown
NRCS/9002/262020/0181

RE651

SPECIFIC FEATURES:

UPPER:	High quality waxy smooth leather
TOE CAP:	200J Steel
SOLE:	Dual density (PU) and rubber; heat resistant
INSOLE:	Ultra-thick PU with memory foam and Poron heel Insert

REBEL SAFETY GEAR

PREMIUM WORK SHOE

Light Industrial Mens Shoe



Sizes
5-13

Colour
Grey with Blue Trim

EN/ISO 20345 S1
NRCS/9002/262020/0213

RE942

SPECIFIC FEATURES:

UPPER:	Grey Oxford mesh, TPU trim, grey Nubuck backguard
TOE CAP:	200J Steel
SOLE:	EVA rubber outsole, electostatic discharge (ESD).
INSOLE:	Ultra-thick PU foam with mesh top lining

REBEL SAFETY GEAR

SPECIALISED WORK SHOE

Glider Shoe



Sizes
3-13

Colour
Black

EN/ISO 20345 S1
NRCS/9002/262020/0233

RE801

SPECIFIC FEATURES:

UPPER:	High quality microfibre smoth leather
TOE CAP:	200J composite non-metallic
SOLE:	Dual Density PU
INSOLE:	Extra-thick PU foam with 2mm memory foam pillow top and Poron heel insert

REBEL SAFETY GEAR

SPECIALISED WORK BOOT

Thermotrak Hi Boot



Sizes
4-14

Colour
Black

EN/ISO 20345 S1
NRCS/9002/262020/0124

RE6S5072

SPECIFIC FEATURES:

UPPER:	High quality full grain leather
TOE CAP:	200J steel
SOLE:	PU /Rubber, heat resistant to 300ºC
EYELETS:	No eyelets or laces, quick release Velcro fastening inside tab and quick release shop buckle on the outside tab
INSOLE:	Moulded PU; taibrelle mesh upper with contoured heel and arch

REBEL SAFETY GEAR

SPECIALISED WORK BOOT

Jigga Boot



Sizes
3-13

Colour
Black

EN/ISO 20345 SBP WRU
NRCS/9002/262020/0102

RE5174

SPECIFIC FEATURES:

UPPER:	High quality full grain leather, water resistant with TPU toe bumper for added scuff protection
TOE CAP:	200J composite non-metallic
SOLE:	PU /Rubber, heat resistant to 300ºC
MIDSOLE:	Non-metallic high density mesh for anti-penetration protection
INSOLE:	Moulded PU; taibrelle mesh upper with contoured heel and arch
ARC FLASH:	Compliant to Eskom Spec: 34.232
	No breakdown at AC Voltage, rasied at 5kv s per minute up to 20kv

REBEL SAFETY GEAR

SPECIALISED WORK BOOT

Miners Boot



Sizes
4-14

Colour
Brown

EN/ISO 20345 S3
NRCS/9002/262020/0270

RE954

SPECIFIC FEATURES:

UPPER:	High quality Buffalo crazy horse leather
TOE CAP:	200J Steel
SOLE:	PU and Rubber, heat resistant to 300ºC
INSOLE:	Extra-thick PU foam with 2mm memory foam pillow and Poron heel insert
MIDSOLE:	Steel Midsole for anti-penetration

METATARSAL PROTECTION: Poron XRD built in for impact protection

REBEL SAFETY GEAR

SPECIALISED WORK BOOT

Rigger Boot



Sizes
4-13

Colour
Dark Brown

EN/ISO 20345 S3
NRCS/9002/262020/0232

RE912

SPECIFIC FEATURES:

UPPER:	High quality full grain, water resistant upper with TPU toe bumper for added scuff protection
TOE CAP:	200J composite non-metallic
SOLE:	PU /Rubber with non metallic high density mesh midsole for anti-penetration protection, heat resistant to 300ºC
INSOLE:	Moulded PU; taibrelle mesh upper with contoured heel and arch

REBEL SAFETY GEAR

LADIES WORK BOOT

Thuli Chelsea



Sizes
2-8

Colour
Black with Pink Trim

EN/ISO 20345 S1
NRCS/9002/262020/0180

RE940

SPECIFIC FEATURES:

UPPER:	High quality microfibre, reinforced backguard
TOE CAP:	200J Steel
SOLE:	EVA/rubber outsole, heat resistant to 120°C
INSOLE:	Ultra thick Pu with memory foam and Poron heel insert

REBEL SAFETY GEAR

LADIES WORK BOOT

Light Industrial Shoe



Sizes
2-8

Colour
Grey with Pink Trim

EN/ISO 20345 S1
NRCS/9002/262020/0211

RE9410

SPECIFIC FEATURES:

UPPER:	Grey Oxford mesh, TPU trim, grey nubuck backguard
TOE CAP:	200J Steel
SOLE:	EVA/Rubber outsole, heat resistant 120 °C, Electrostatic discharge (ESD)
INSOLE:	Ultra-thick PU foam with mesh top lining
OUTSOLE:	Heat resistant to 120°C, elecrostatic discharge (ESD)



NEPTUN®
SAFETY FOOTWEAR

HEAVYDUTY GUMBOOT

Stimela Steel Toe Cap, Steel Midsole & Metaguard



NEPZBG25SP

Sizes
3-14
Colour
Black/Grey

SPECIFIC FEATURES:

Knee-length
Average weight of 2.4kg
Safety toe protection
Steel toe cap
Metatarsal protection
Steel midsole protector

EN ISO 20345: 2011

NEPTUN®
SAFETY FOOTWEAR

HEAVYDUTY GUMBOOT

Stimela Steel Toe Gumboot



NEPZBG25SM

Sizes
3-14
Colour
Black/Grey

SPECIFIC FEATURES:

Knee-length
Steel toe cap
Safety toe protection

EN ISO 20345: 2011

NEPTUN®
SAFETY FOOTWEAR

HEAVYDUTY GUMBOOT

Stimela Black Toffee Steel Toe Cap



ZBT255

Sizes
3-14
Colour
Black/Toffee

SPECIFIC FEATURES:

Knee-length
Average weight of 2.4kg
Safety toe protection
Steel toe cap

EN ISO 20345: 2011

NEPTUN®
SAFETY FOOTWEAR

HEAVYDUTY GUMBOOT

Stimela Steel Toe Cap & Metaguard



NEPZWG25SP

Sizes
3-14
Colour
Black

SPECIFIC FEATURES:

Knee-length
Safety toe protection
Steel toe cap
Metatarsal protection

EN ISO 20345: 2011

NEPTUN®
SAFETY FOOTWEAR

HEAVYDUTY GUMBOOT

Stimela Steel Toe Cap Recycled



NEPZBBSR

Sizes
3-14
Colour
Black/Black

SPECIFIC FEATURES:

Knee-length
Semi-recycled
Safety toe protection

EN ISO 20345: 2011

NEPTUN®
SAFETY FOOTWEAR

HEAVYDUTY GUMBOOT

Stimela XP Steel Toe Cap, Steel Midsole & Metatarsal Protection



XBG255PMS

Sizes
4-13
Colour
Black/Grey

SPECIFIC FEATURES:

Knee-length
Safety toe protection
Midsole Protection
Average weight of 2.35kg
Metatarsal protection

EN ISO 20345: 2011

NEPTUN SAFETY FOOTWEAR

HEAVYDUTY GUMBOOT

Stimela XP Steel Toe Cap & Metatarsal Protection



XBG255MS

Sizes
4-13

Colour
Black/Grey

SPECIFIC FEATURES:

Knee-length
Safety toe protection
Average weight of 2.35kg
Metatarsal protection

EN ISO 20345: 2011

NEPTUN SAFETY FOOTWEAR

GENERAL PURPOSE GUMBOOT

Shova Gumboot



NEPVBBGP

Sizes
4-13

Colour
Black/Black

SPECIFIC FEATURES:

Knee-length
Semi recycled
Average weight of 2kg

EN ISO 20347: 2012

NEPTUN SAFETY FOOTWEAR

GENERAL PURPOSE GUMBOOT

Shova Oil & Acid Resistant Upper + Sole Gumboot



NEPVWG25

Sizes
4-13

Colour
White/Grey

SPECIFIC FEATURES:

Knee-length
Average weight of 2kg
Oil and acid resistant upper + sole

EN ISO 20347: 2012

NEPTUN SAFETY FOOTWEAR

GENERAL PURPOSE PVC SHOE

Shova Oil & Acid Resistant Upper + Sole Gumboot



NEPVWG25SH

Sizes
4-13

Colour
White/Grey

SPECIFIC FEATURES:

Average weight of 1.5kg
Oil and acid resistant upper + sole

EN ISO 20347: 2012

NEPTUN SAFETY FOOTWEAR

GENERAL PURPOSE GUMBOOT

Marina Ladies Gumboot



NEPMBBR

Sizes
3-9

Colour
Black/Black or
Black/Green

SPECIFIC FEATURES:

Average weight of 1.4kg
Calf Length

EN ISO 20347: 2012

NEPTUN SAFETY FOOTWEAR

GENERAL PURPOSE GUMBOOT

Marina Ladies Oil & Acid Resistant Upper + Sole Gumboot



NEPMWG25

Sizes
3-9

Colour
White/Grey

SPECIFIC FEATURES:

Oil and acid resistant upper sole
Average weight of 1.4kg
Calf Length

EN ISO 20347: 2012

NEPTUN®
SAFETY FOOTWEAR

GENERAL PURPOSE PVC CLOG

Marina Ladies Oil & Acid Resistant Upper + Sole Clog



NEPMWG25CLG

Sizes
3-9

Colour
White/Grey

SPECIFIC FEATURES:

Clog
Average weight of 1.kg
Oiland acid resistant

EN ISO 20347: 2012

NEPTUN®
SAFETY FOOTWEAR

LIGHTWEIGHT SAFETY BOOT

Safelite Safety Shoe



NEPASBS2BLK

Sizes
3-13

Colour
Black/Grey

Available in:
- Toe cap S2
- Toe cap + midsole S3

Metal free

SPECIFIC FEATURES:

Water resistance
Full safety toe protection
2mm Split leather
Barton print

Dual density PU direct injected sole
Reflective Tape Side and Back
Average weight of 1.25kg
Polycarbonate Toe Cap

EN ISO 20345: 2011

NEPTUN®
SAFETY FOOTWEAR

LIGHTWEIGHT SAFETY BOOT

Safelite Ankle Safety Boot



NEPAABS2

Sizes
3-13

Colour
Black/Grey

Available in:
- Toe cap S2
- Toe cap + midsole S3

Metal free

SPECIFIC FEATURES:

Water resistance
Full safety toe protection
2mm Split leather
Barton print

Dual density PU direct injected sole
Reflective Tape Side and Back
Average weight of 1.25kg
Polycarbonate Toe Cap

EN ISO 20345: 2011

NEPTUN®
SAFETY FOOTWEAR

GENERAL PURPOSE SAFETY BOOT

Safelite Chelsea Boot



NEPACBS2 Black
NEPACRS2 Brown

Sizes
3-13

Colour
Brown
Black

Metal free

SPECIFIC FEATURES:

Water resistance
Full safety toe protection
2mm full-grain leather
Fine cow print

Dual density PU direct injected sole
Average weight of 1.25kg
Polycarbonate Toe Cap

EN ISO 20345: 2011





FALL ARREST

CORE RANGE

BOVA



HARN01220

STANDARD HARNESS

- Permanently attached double leg, shock absorbing lanyard with scaffolding hooks.
- Adjustable leg and chest straps

Sizing: One Size Fits All
Weight: 2,00kg

Standards:
SANS 50354 | EN 354
SANS 50355 | EN 355
SANS 50361 | EN 361
EN 362

CE
SABS APPROVED

CORE+ RANGE

BOVA



HARN02220

BELTED HARNESS

- Permanently attached, double leg, shock absorbing lanyard with scaffolding hooks.
- Adjustable shoulder, leg, waist and chest straps.

Sizing: One Size Fits All
Weight: 2,48kg

Standards:
SANS 50354 | EN 354
SANS 50355 | EN 355
SANS 50361 | EN 361
EN 362

CE
SABS APPROVED

MINING RANGE

BOVA



HARN30000

EXCAVO

- Rescue pack & battery strap
- 3 Attachment points: Dorsal D-ring & 2 frontal attachment points
- Adjustable leg, shoulder, chest & waist straps
- Padded waist & shoulder straps
- Standing step

Sizing: S/M/L/XL
Weight: 2,25kg

Standards:
SANS 50361 | EN 361

CE
SABS APPROVED

MULTI PURPOSE HARNESS

BOVA



HARN40000

AGILIS

- 4 Attachment points: Chest & dorsal D-ring with work positioning D-rings
- Adjustable leg, shoulder & chest straps
- Padded waist area
- Standing step

Sizing: S/M/L/XL
Weight: 2,5kg

Standards:
SANS 50361 | EN 361
SANS 50358 | EN 358

CE
SABS APPROVED

ROPE ACCESS & RESCUE HARNESS

BOVA



HARN50000

GORDIAN

- 5 Attachment points: Front waist, chest & dorsal D-ring with work positioning D-rings & loops
- Adjustable leg, waist, shoulder & back straps
- Padding in the leg & waist areas

Sizing: S/M/L/XL
Weight: 2,1kg

Standards:
SANS 50361 | EN 361
SANS 50358 | EN 358
SANS 50813 | EN 813

CE
SABS APPROVED

LANYARD EXTENSION RANGE

BOVA



LANY01220

LANYARD

- Double leg with scaff hooks
- Shock absorber

Sizing: 1750mm
Weight: 1.65kg
Max Fall Weight: 140kg

Standards:
SANS 50354 | EN 354
SANS 50355 | EN 355
EN 362

CE
SABS APPROVED

HEAD PROTECTION



MARTCARE

- Polycarbonate visor & brow guard carrier
- Elasticated adjustable headband
- Provides protection against flying objects, particles, chemical splashes, splashes of molten metals & penetration of hot solids
- Approved to EN 166

CHIN STRAPS

2 Point/3 Point/4 Point



DROMEX HARD HAT



- Polypropylene copolymer hard hat
- 2- Point adjustable webbed polyester chin strap

- **SANS 1397:2003**
- **EN 397:2012+ A1:2012**
- **CE Approved**

WH RD YL GRN
DRK BLU BLU GRY OR

STANDARD HARD HAT



WH RD YL RB
LIM GRN GRY OR PNK

NIKKI 1 INDUSTRIAL HARD HAT



Standard Lining Available



Rachet Lining Available



BUMP CAP

- 80% Polyester 20% polyester Bump Cap.
- Ventilated baseball cap style.
- Conforms to EN 812.



BK NV

NIKKI 1 MINING HARD HAT



Standard Lining Available



Rachet Lining Available



CAPS & HATS



BEANIES

BK NV





HEARING PROTECTION

DISPOSABLE FOAM EAR PLUGS



DXDR-098 uncorded
DXDR-098C corded

- Disposable, hi-visibility fluorescent PU foam ear plugs
- PU coated for hygiene
- Smooth, soft & pliable for comfort
- Available in corded & uncorded
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

Corded: CE EN 352-2 (H=33 dB, M=33 dB, L=32 dB)
SNR 35 dB

Corded & uncorded: CE EN 352-2 (H=36 dB, M=34 dB, L=33 dB)
SNR 37 dB

DISPOSABLE CORDED EARPLUGS



DXDR-099C

- Disposable corded foam ear plugs
- Smooth & soft foam for comfort
- Hi-visability fluoresent lime PU foam
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

CE EN 352-2 (H=33 dB, M=33 dB, L=32 dB)
SNR 35 dB

RE-USABLE CORDED EARPLUGS



DXDR-090C

- Hi-visibility fluorescent green triple flange TPR ear plugs
- Available in corded loose or corded in a plastic box
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

Corded: CE EN 352-2 (H=29 dB, M=26 dB, L=26 dB)
SNR 29 dB

RE-USABLE CORDED EARPLUGS



DXDR-118C

- Hi-visibility fluorescent blue triple flange TPR ear plugs
- Corded
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

Corded: CE EN 352-2 (H=29 dB, M=26 dB, L=26 dB)
SNR 29 dB

BANDED RE-USABLE CORDED EARPLUGS



- Re-usable ear plugs
- Soft detachable cord
- Hi visibility Blue XTREE TPR
- Suitable use: Food, Machining, Grinding, Woodwork & Steel cutting

DXEG-3301B

CE EN 352-2 (H=28, M=25, L=25)
SNR 28

JM EAR MUFF



- Banded ear muff
- Adjustable rotational ABS cups
- Designed with comfort in mind
- Lightweight & robust design
- Soft foam cushions for all day comfort
- Suitable use: Machining, Grinding, Woodwork & Steel cutting

DXJM-B

CE EN 352-1 (H=28 dB, M=23 dB, L=15 dB)
SNR 25 dB

CLASSIC EXTREME EAR MUFF



- Padded headband ear muff
- Twin point mounted cups
- Designed for all day comfort
- Low risk of entanglement on machinery
- Large cups with soft foam cushions for high noise levels
- Hearing protection for extended periods
- Suitable use: Machining, Grinding, Woodwork, Aviation industry, high pressure steaming & hunting

DXCEM

CE EN 352-1 (H=36 dB, M=27 dB, L=18 dB)
SNR 30 dB

BUSHMASTER



- Twin point mounted, adjustable ABS cups and soft foam cushions
- Hearing protection for extended periods
- Visor can easily flip up and down
- Close fitting wire headband for comfort

BUSH-WG
BUSH-PC

X-FIT EARPLUGS



- Ergonomically shaped, detectable disposable earplug
- Bright blue colour makes it easier to see in production areas
- x-grip for easy insertion and removal
- Best suited for use in very loud environments
- Sealed surface, preventing foreign bodies from penetrating
- Excellent voice recognition
- Soft foam offers real comfort, even when worn for extended periods

K200 EARMUFF



- Easy adjustable length adjustment for a perfect fitting
- Perfect fitting of the headband for an optimal protection
- Earmuffs are 360° rotatable for different wearingpositions. Can be use as headband version, underthe chin or behind the neck
- Includes no metal - Dielectric Earmuff
- Low weight and small volume

HEARING PROTECTION PLUXONE®





EYE PROTECTION

WIDE VISION GOGGLES



DXDV-11 Direct
DXDV-21 Indirect

EN 166 F CE
DV - 1, 9, B/DV - 1 F

- Clear Polycarbonate mono lens
- 14mm Elasticated & adjustable cotton knit headband
- Scratch resistant lens
- 120° lateral vision
- Available in direct mesh ventilation or indirect dual ventilation system
- Suitable use: Grinding, Woodwork & Light Chemical Splashes

MAXI VIEW GOGGLES



DXDV-004MAX

EN 166 3, 4, 9, FN
DV 2-1.2 1 F N

- Clear (EN 170 2-1, 2) polycarbonate mono lens
- Wide face contact area for comfort & seal
- Efficient indirect ventilation system
- Compatible with respiratory equipment
- Suitable with prescription spectacles
- Scratch resistant & anti fog lens
- 180° lateral vision
- Suitable use: Grinding; Woodwork & Light Chemical Splashes

FLIP FRONT WELDING GOGGLES



DXDV-GW5

EN 175:1997 3 4 9 B CE
ES ANZI Z87 1

- Shade 5, flip-up, polycarbonate mono lens
- Soft rubber face seal
- Efficient indirect ventilation system
- Scratch resistant lens & anti-mist lens
- Suitable use: Welding industry & applications

SPOGGLE



DXDV-326B-C-AF clear
DXDV-326B-G-AF grey

- Prescription lens inner attachment
- Polycarbonate mono lens
- Soft Rubber face seal
- Efficient indirect ventilation system
- Compatible with respiratory equipment
- Scratch resistant & anti fog lens
- 180° lateral vision
- Available in Clear & Grey
- Suitable use: General Industry & Light Chemical Splashes

WRAP AROUND SPECTACLES



DXDV-1C clear
DXDV-1GN green
DXDV-1A amber

EN 166 F CE

- Polycarbonate mono lens
- Polycarbonate temples with ventilation
- Compatible with respiratory equipment
- Can be used with prescription spectacles
- Available in Clear, grey & amber
- Anti-glare lens (green & amber)
- Scratch resistant lens
- Over spectacle
- Suitable use: Overspecs & visitor glasses

EURO SPECTACLES



DXDV-026C-AF clear
DXDV-026GN-AF green
DXDV-026G-AF grey
DXDV-026A-AF amber

EN 166 F CE

Clear: DV 1 F/ Clear anti-fog: DV 1 FN
Grey: DV 5-2,5 1F/ Green: DV 5-2 1F
Amber: DV 2-1, 2 1F

- Polycarbonate mono lens
- Compatible with respiratory equipment

Available in clear, green, grey & amber

- Anti-fog lens (Clear only)
- Anti-glare lens (Amber, grey & green)
- Scratch resistant lens
- 180° lateral vision
- Suitable use: Construction, mining, milling, engineering workshops & factories

WELDING SPECTACLES



DXDV-026-IR3

EN 166 F CE

- Polycarbonate mono lens
- Compatible with respiratory equipment
- Scratch resistant lens
- 180° lateral vision
- Shade 3
- Suitable use: Welding industry

CLASSIC SPECTACLES



DXDV-55C-AF clear
DXDV-55G-AF grey

EN 166 F CE
Clear: DV 1 FN
Grey: DV 5-2,5 1FN

- Polycarbonate dual lens
- Soft nose seat for comfort
- Compatible with respiratory equipment
- Available in clear & grey
- Anti-fog lens
- Anti-glare lens (Grey)
- Scratch resistant lens
- 180° lateral vision
- Suitable use: General industry & safety officers.
  Grey- outdoor & construction environment

SPORTY SPECTACLES



DXDV-12C-AF clear
DXDV-12G-AF grey
DXDV-12GN-AF green
DXDV-12A-AF amber

Clear: DV 1 F/ Clear anti-fog: DV 1 FN
Grey: DV 5-2,5 1F/ Green: DV 5-2 1F
Amber anti-fog: DV 2-1, 2 1F
Mirror: DV 5-2,5 1F

EN 166 F CE

- Polycarbonate frame & mono lens
- Compatible with respiratory equipment
- Available in clear, grey, green & amber
- Anti-fog lens (Clear & amber)
- Anti-glare lens (Mirror, green & grey)
- Scratch resistant lens
- 120° lateral vision
- Suitable use: Construction, mining, milling, engineering workshops, factories, warehouse & general industries

SPORTY RACER SPECTACLES



DXDV-098C-AF

EN 166 F CE
DV 2-1, 2 1 F N

- Polycarbonate frame mono lens
- Compatible with respiratory equipment
- Anti-fog & scratch resistant lens
- Scratch resistant lens
- 180° lateral vision
- Suitable use: Construction, instrumental installation & general industry

SPORTY COOL SPECTACLES



DXDV-353C-AF clear
DXDV-353B-AF blue
DXDV-353L-AF lime

EN 166 F CE
DV 2-1, 2 1 F N

- Polycarbonate mono anti-fog lens
- Polycarbonate multi colour frame & rubbber temples
- Scratch resistant lens
- 180° lateral vision
- Available frame in red, blue & lime
- Suitable use: Construction, mining, instrumental installations & warehousing

PHEOS SPECTACLES



UV9128265

- Classic-sporty, lightweight safety spectacle with innovative side arm structure
- Comfortable, secure fit without pressure
- Increased air circulation
- Nose bridge
- Robust polycarbonate lens with uvex's proven supravision coating technology
- Permanent anti-fog and scratch-resistant lens
- UV400 - 100% protection against dangerous UV radiation up to 400 nm
- Metal-free

PHEOS CX2 SPECTACLES



- Soft component connected directly with the lens
- Uvex supravision excellence coating: anti-fog on the inside, extremely scratch-resistant and chemical-resistant on the outside
- Available frame in black/light blue, PC lens, clear
- Available frame in white/black - PC lens, grey 23 %

UV9198256 black/blue
UV9198237 black/white

X-FIT SPECTACLES



- Feather-light with a weight of only 23 grams
- Uvex supravision excellence coating provides anti-fog protection on the inside and makes the outside extremely resistant to chemicals & scratches
- Translucent blue frame - clear PC lens
- Translucent grey frame - grey PC lens 23% Sun Protection
- Translucent grey frame - amber PC lens Contrast adjustment

UV9199266 - blue/clear
UV9299021 - blue/grey

ULTRAVISION WIDE VISION GOGGLES



- Particularly well suited to use in conjunction with a respirator
- Cleverly designed ventilation system
- Uvex supravision excellence coating provides anti-fog protection on the inside & makes the outside extremely resistant to chemicals & scratches
- Transparent grey frame -clear PC lens

UV9301105

CARBONVISION GOGGLES



- Lightweight at 46 grams, with high mechanical stability with uvex supravision extreme coating: extremely scratch-resistant exterior, permanently anti-fog interior
- Frame in black,/ grey -PC lens, clear

UV9307375

METASONIC GOGGLES



- Unique frameless lens design
- Soft, adaptive face seal
- Generous internal volume to accommodate prescription spectacles
- indirect ventilation system increases air circulation
- Length-adjustable 30 mm wide headband
- Polycarbonate lens
- Permanent anti-fog and scratch-resistant lens
- UV400
- Metal-free

UV9320281 grey lens
UV9320265 clear lens

I-VO WELDING SAFETY SPECTACLES



- Intelligent combination of protection and comfort through the use of hard and soft components
- Uvex infrared plus coating provides anti-fog protection on the inside, while the outside is scratch-resistant and protected against sparks
- Combined UV and IR protection
- Perfect colour recognition
- Frame in black, green

UV9198171 welding protection level: 1.7 (lens: grey PC)
UV9198173 welding protection level: 3 (lens: grey PC)
UV9198175 welding protection level: 5 (lens: grey PC

LENS SELECTION AND APPLICATION:

Clear	general indoor use eye protection against impact hazards	
Grey	sunglare 5-2,5	Outdoor anti-glare lens use to prevent eye fatigue from sun glare
Amber	uv 2-1,2	Prevention of high density light (hdl) for contrast and rotational clarity
Green	sunglare 5-2,0	Prevent eye fatigue from indirect light flash
IR green	infrared 4-IR3 or 5	Used for certain welding & gas cutting techniques
Mirror	sunglare 5-1,7	Indoor/outdoor (i/o) for artificial and sunlight glare
Blue	sunglare 5-2,5	Outdoor anti-glare lens use to prevent eye fatigue from sun glare



FIRST AID

REGULATION 3 FIRST AID KIT COMPLETE, METAL BOX

- 1 x Cleansing Solution 100ml
- 1 x Gauze swabs - 1 OO's
- 2 x Sterile gauze 5's
- 1 x Forceps
- 1 x Bandage scissors
- 1 x Safety pins 12"
- 4 x Triangular bandages non-woven/ 4 x Conforming bandages 75mm
- 4 x Conforming bandages 100mm/ 1 x Plaster roll 25mm x 3m
- 1 x Paper tape 25mm x 3m
- + 1 x Plaster assorted 20's
- 2 x Straight splints Interlocking
- 4 x Latex gloves (2 x M ; 2 x L) 2 x CPR mouth pieces
- 1 x Cotton wool



REGULATION 7 FIRST AID KIT COMPLETE, METAL BOX

- 1 x Cleansing Solution 100ml
- 1 x Gauze swabs - 1 OO's
- 2 x Sterile gauze 5's
- 1 x Forceps
- 1 x Bandage scissors
- 1 x Safety pins 12"
- 4 x Triangular bandages non-woven/ 4 x Conforming bandages 75mm
- 4 x Conforming bandages 100mm/ 1 x Plaster roll 25mm x 3m
- 1 x Paper tape 25mm x 3m
- + 1 x Plaster assorted 20's
- 2 x Straight splints Interlocking
- 4 x Latex gloves (2 x M ; 2 x L) 2 x CPR mouth pieces
- 1 x Cotton wool
- Absorbent 40g
- Eusol Disinfectant 50ml
- Bioside 6g
- Rubber household Glove (2x M, 2xL)
- Imperious yellow bag



REGULATION 3 & 7 FIRST AID KIT REFILLS AVAILABLE

MOTORIST FIRST AID KIT COMPLETE IN ZIPPER BAG



- 1 x Eye Pad
- 1 x Cleansing Solution 100ml
- 2 x Gauze swabs 5's
- 1 x Plastic Forceps
- 1 x Scissors
- 1 x Safety Pins 12's
- 2 x Triangular Bandages
- 4 x Conforming Bandages 75mm x 5,4m
  4 x Conforming Bandages 100mm x 4.5m
- 1 x Plaster roll 3m x 25mm
- 2 x Pairs Latex gloves
- 4 x First Aid Dressing No 3
- 4 x First Aid Dressing No 5
- 1 x Plasters Assorted 5's
- 2 x CPR mouth pieces
- 2 x Set Green plastic splints

MOTORIST FIRST AID KIT REFILL AVAILABLE



RESPIRATORY PROTECTION



FFP1

DXQSA2010

NRCS AZ2006/21



FFP2

DXQSA2020

NRCS AZ2006/20



FFP2 (VALVED)

DXQSA2021

NRCS AZ2006/29

MASK RESPIRATORS

SINGLE FILTER



- Soft PVC mask
- Dual wide elastic headband connected with a pin swivel connector
- NRCS AZ2011/43

DXDH-101

TWIN FILTER



DXDH-102 soft pvc mask
DXDH-202 soft TPR mask

- Available in soft PVC mask
- Dual wide elastic headband connected with a pin swivel connector
- NRCS AZ2011/45
- Available in Soft TPR (Thermo Plastic Rubber)
- Dual wide elastic headband with a skull cradle and a pin swivel connector
- NRCS AZ2011/46

SINGLE UNIFIT FILTERS



DXDHCS-A1 - Organic
DXDHCS-B1 - Inorganic
DXDHCS-P2 - Particle
DXDHCS-P2PF - Pre-filter

FULL FACE MASK



Bag Available

NRCS Homologated to SANS 50136: 1998 CL1
EN 136:2008 Approved
ISO 9001: 2008

DXDH-FFM mask
DXDH-FFMBAG bag

DOUBLE UNIFIT FILTERS

DXDHCT-A1 - Organic
DXDHCT-A2 - Organic
DXDHCT-B1 - Inorganic
DXDHCT-P2 - Particle
DXDHCT-P3 - Particle
DXDHCT-P3PF - Unifit pre-filter
DXDHCT-ABEK 1 - Organic, Inorganic, Acid & Ammonia

GREENLINE RESPIRATORY PROTECTION

GreenLine Respirator Masks are designed to protect the wearer from Inhaling hazardous atmospheres such as Fumes, Vapours, gases and particulate matter such as Dust (Solid) and or non Volatile liquid particles up to limits.

1200 SERIES

FFP2
without valve



GL1200

FFP2
with valve



GL1201

4000 SERIES

FFP2
without valve



GL4200

FFP2
with valve



GL4201

5000 SERIES

FFP2
without valve



GL5200

FFP2
with valve



GL5201

FFP3
with valve



GL5301

FFP2
Carbon Activated



GL5401

6000 SERIES

FFP1
without valve



GL6100

FFP2
without valve



GL6200

FFP2
with valve



GL6201

7000 SERIES

FFP2
without valve



GL7200

FFP2
without valve



GL7400

FFP2
with valve



GL7401

STANDARDS -LOCAL & INTERNATIONAL

Class	Filter Penetration Limit (at 95 L/min air flow)	Inward Leakage
FFP 1	Filters at least 80% of airborne particles	<22%
FFP 2	Filters at least 94% of airborne particles	<8%
FFP 3	Filters at least 99% of airborne particles	<2%



HAND PROTECTION

CUT5 LATEX COATED GLOVE



DX59YSP

- High Abrasion & Cut Resistance
- High Contact Protection
- High Grip Power
- Ultra grip crinkle latex coating
- Composite knitted wrist
- Suitable for: Automotive, Glass & Welding Industry
- Size: 8-11

CUT5 CAMO GLOVE



DX52J

- High abrasion resistance
- High cut protection
- High dexterity
- Ultra grip PU anti-slip coating
- Composite knitted wrist
- Suitable for: Military, Police force & Outdoor hunting
- Size: 8-11

CUT5 NITRILE COATED GLOVE



DX57

- High Abrasion & Cut Resistance
- High Contact Heat Protection
- High Grip Power
- Ultra grip nitrile coating
- Composite knitted wrist
- Suitable for: Automotive, Glass & Welding Industry
- Size: 7-12

CUT5 PU GLOVE



DXPU5

- High mechanical strength
- Protects against abrasion, tear, puncture & hazards
- Superior Externity & Grip
- HDPE (High Density Polyethylene) glass fibre and nylon
- Suitable for: Automotive Industries, Component & Assembly
- Size: 7-10

MACH 777 IMPACT & VIBRATION GLOVE



DXMACH-777

- Highest cut resistance level 5
- Nitrile micro foam coating Foamed padding adds on the palm for anti-vibration
- Impact protection
- Suitable for: Outdoor Machinery & Mining
- Size: 7-13

MOLTEN WARRIOR GLOVE



- Leather palm and Aluminium back with Kevlar lining
- High heat resistance with contact heat up to 500°C
- Protection against molten metal sparks & splash
- High resistance to abrasion, tear & cut
- Excellent grip in oily conditions
- Suitable for: Foundry, Forging & Welding
- Size: 10

DXS-H35

MACH 4 META MINE IMPACT GLOVE



- Thermal Plastic Rubber on back of fingers & thumb
- Anti-slip palm
- Fluorescent orange spandex back for safety
- Highly reflective knuckle strip with an ergonomic design reducing hand fatique
- Suitable for: Mechanics & Strip miners
- Size: 8-12

DXMACH-4

VIPER PLUS CHEMICAL GLOVE



- Higher flexibility for long duration wear comfort
- High dexterity & abrasion
- Super grip
- Impermeable protection
- Suitable for: Chemical processing, Petrochemical refining, Metal treatment (acid, planting) & waste water
- Sizes: 9-10

DXVIPERPLUS

INFERNO FIRE FIGHTER GLOVE



- High Breathability
- High Heat Resistance & Flash
- High Temperature Stability
- High Abrasion Resistance
- Waterproof
- Suitable for: Fire fighting, search & rescue
- Size: M-XL

DXINFERNO

VIPER CHEMICAL GLOVE



- High dexterity & abrasion
- Super grip
- Impermeable protection
- Suitable for: Chemical processing & Petrochemical refining
- Size: 9-10

DXVIPER

ULTI-CHEM PLUS CHEMICAL GLOVE



- Premium protection against chemicals, mechanical, contact heat and micro-organism hazards
- Excellent dexterity & grip
- Resistance to n-Heptane, Sodium Hydroxide 40% & Sulphuric Acid 96%
- Suitable for: Chemical handling EN 374 & Laboratories
- Size: 8-10

DXULTICHEMPLUS

CUT5 CAMO SLEEVES



- High Abrasion, cut & heat Resistance
- High Contact Heat Protection
- Colour UV Resistance/Washable
- Breathable & Comfortable
- Suitable for: Automotive, Glass; Steel, Machining, Construction; Mining & extraction industry

DX50-135-CAMO

ULTICHEM CHEMICAL GLOVE



- Protection against chemicals, mechanical and micro-organism risks.
- Excellent dexterity & grip
- Resistance to Methanol, n-Heptane; Sodium Hydroxide 40% & Sulphuric Acid 96%
- Suitable for: Chemical handling EN 374 & Cleaning Industry
- Size: 8-10

DXULTICHEM

DBL PALM CHROME LEATHER GLOVES



- High abrasion resistance
- High cut resistance
- Double layer palm
- 2.5 inch cow chrome leather cuff
- Suitable for: Welding related operations
- Elbow length available
- Size: 10.5

DXWELD/2.5
DXWELD/6

CUT5 FULL LENGTH SLEEVES



- High Abrasion, cut & heat Resistance
- High Contact Heat Protection
- Colour UV Resistance/Washable
- Breathable & Comfortable
- Suitable for: Automotive, Glass; Steel, Machining, Construction; Mining & extraction industry

DX50-60THV

RIGGER LEATHER PALM & CANDY BACK GLOVE



- High abrasion & cut resistance
- High contact protection
- Reinforced index finger, palm & knuckle protection
- Suitable for: Rigging operations & General handling
- Size: 10

DXGRIGGER/EXEC

GOATSIN FULL GRAIN DRIVERS GLOVE



- Consists of natural premium full grain goatskin leather
- Syntax thread and red cotton bound cuff trim for additional strength
- Suitable for: VIP TIG (Tungsten Inert Gas) welding & driving
- Size: 7-12

DXGGOATA

CANDY STRIPE GLOVE



- Chrome cow split leather and cotton drilled candy stripped fabric
- Cotton laminated safety cuff
- Suitable for: Rigging operations & General handling
- Size: 10-11

GCANDY

PREMIUM WELDERS GLOVE



- High abrasion, heat & cut resistance
- High contact protection
- Heat resistance
- 16 inch green split leather cuff
- Suitable for: Welding related operations
- Size: 10.5

DXWELD/PRIME

SUPERIOR LINED LEATHER WELDERS GLOVE



- High abrasion & cut resistance
- Premium green dyed cow split leather
- 6 inch cow chrome leather cuff
- Size: 10.5

DXWELD/6GR

SUPERIOR LINED LEATHER WELDERS GLOVE



- High abrasion & cut resistance
- 2.5 inch cow split leather cuff
- Suitable for: Welding related Operations
- 2.5 inch cow split leather cuff
- Size: 7-10

DXWELD/2.5GR

BLUE PREMIUM LEATHER WELDERS GLOVE



- High abrasion, cut & heat resistance
- High contact protection
- 8 inch leather cuff
- Suitable for: Welding related operations
- Size: 10.5

DXWELD/BLUE

PREMIUM PIG LEATHER GLOVE



- Pigskin full grain leather
- Continuous side open cuff with polyester binding
- Reinforced with syntax thread & cotton bound cuff trim for additional strength
- Suitable for: TIG (Tungsten Inert Gas) Welding & driving
- Size: 8-11

DXTIG

NITRILE FULLY DIPPED



- Excellent grip
- High abrasion & Cut resistant
- Fully Coated Nitrile
- Suitable for: Handling, assembling light fabrication & Packaging
- Size: 8-12

DX0921

RED PREMIUM LEATHER HEAT GLOVE



- High abrasion, cut & heat resistance
- High contact protection
- 8 inch leather cuff
- Suitable for: Welding related operations
- Size: 10.5

DXWELD/RED

NITRIFLEX FULLY COATED GLOVE



DXNITRIFLEX

- High Abrasion
- Strong Oil-Resistance
- Super Grip
- Softer Touch and Higher Flexibility
- Suitable for: General Maintenance
- Size: 7-11

NITRIFLEX PALM COATED GLOVE



DXNITRIFLEXPC

- High Abrasion
- Strong Oil-Resistance
- Super Grip
- Softer Touch and Higher Flexibility
- Suitable for: General maintenance
- Size: 8-11

NITROLITE PALM COATED GLOVE



DXNITROLITE

- High abrasion
- Oil solvent resistance
- High dexterity
- Suitable for: Engineering Assembly & Workshops
- Sizes: 7-10

NITRILE COATED KNIT WRIST GLOVE



DX0722/10

- Heavy duty
- Excellent grip
- High abrasion
- High cut resistance
- Suitable for: Automotive assembly & Construction
- Size: 10

NITRILE COATED SAFETY CUFF GLOVE



DX0742/10

- Heavy duty
- Excellent grip
- High abrasion
- High cut resistance
- Suitable for: Automotive assembly & Construction
- Size: 10

CHEMICAL NITRILE GLOVE



DX0056

- Washable
- Micro flock lined for comfort
- Resistance to K: Sodium Hydroxide 40% L: Sulphuric Acid 96% J: n-Heptane
- Suitable for: Chemical handling EN374/ Mild Acids/ Solvents
- Sizes: 7-11

SUPERLITE MICRO-COATED GLOVE



DXSUPERLITE

- High Durability, Dexterity & Super Grip
- High Sensitivity on the fingers area
- Suitable for: General maintenance, assembly work & Small component handling
- Size: 8-11

MIIZU400 THERMAL GLOVE



DXMIIZU400IW

- High Durability & Dexterity
- Super Grip
- Good alternative to leather glove
- Thermal protection
- Suitable for: Automotive, Component & Packing assembly
- Size: 8-10

SEAMLESS INSPECTORS GLOVE



DXPU2001B

- High Durability & Dexterity
- Super Grip
- Suitable for: Automotive Machining, Inspection, component & Packing assembly
- Size: 7-10

MIIZU300 HI-VIZ GLOVE



DXMIIZU300HI

- High Durability& Dexterity
- Super Grip
- Suitable for: Automotive, Component & Packing assembly
- Size: 8-11

XTRA HEAVY DUTY PVC GLOVE



DXXTRA/27

- High abrasion, cut, chemical & heat resistance
- 27cm open cuff
- Suitable for: Chemical handling, Oil & greasy environments & Petroleum hydrocarbons

XTRA HEAVY DUTY PVC GLOVE



DXXTRA/KW

- High abrasion, cut, chemical & heat resistance
- Suitable for: Chemical handling, Oil & greasy environments, Petroleum hydrocarbons, Alcohol & glycol industry

STD DUTY PVC COATED GLOVE



DXGPVC/KW

- Provides excellent resistance to most acids, oils fats caustics and petroleum
- In addition provides abrasion resistance for both wet & dry applications
- Suitable for: Alcohol, glycol ethers, Chemicals, Oils & Fats

XTRA HEAVY DUTY PVC GLOVE



DXXTRA/35

- High abrasion, cut, chemical & heat resistance
- Suitable for: Chemical handling Oil & greasy environments/Petroleum hydrocarbons/Alcohol & glycol industry
- 35cm open cuff

STD DUTY PVC COATED GLOVE



DXGPVC/27

- Provides excellent resistance to most acids, oils fats caustics and petroleum
- Provides abrasion resistance for both wet & dry applications
- Suitable for: Alcohol, glycol ethers, Chemicals, Oils & Fats
- 27cm open cuff

7GG DOUBLE DOTTED COTTON GLOVE



DXGCOTDD

- Knit construction stretches for excellent fit
- Provides comfort and protection of the hand
- Designed to assist in grip on wet and dry surfaces
- Re-usable ambidextrous
- Suitable for: Warehousing & General maintenance

STD DUTY PVC COATED GLOVE



DXGPVC/35

- Provides excellent resistance to most acids, oils fats caustics and petroleum
- Provides abrasion resistance for both wet & dry applications
- Suitable for: Alcohol, glycol ethers, Chemicals, Oils & Fats

HI-VIS PVC GLOVE



DXCRONUS

- Provides hands with protection against hazards of most acids, oils fats, caustics and petroleum hydrocarbons.
- Excellent abrasion protection and tear resistant properties
- Suitable for: Automotive & Construction

INSPECTOR GLOVE



DXINSPEC

- Ultra thin for comfort and lightweight
- Excellent touch sensitivity & dexterity
- Eliminates finger print residue
- Suitable for: Inspecting, Motor & Component assembly
- Size: 8-10

RUBBER GRIPPER GLOVE



DX1412A

- Provides excellent grip and Dexterity
- Machine knitted reinforced cotton liner
- Suitable for: Building, Woodworking & Wire industry
- Size: 8-10

CRAYFISH GLOVE



- Provides grip when handling slippery or abrasive objects
- Protects hands against cut and puncture hazards
- Suitable for: Inspection, General maintanance, Gardening, Glass handling & Fishing industries
- Size: 10

DXGCRAY

RUBBER HOUSEHOLD GLOVE



- 10cm Flute cuff allows the glove to breathe and provides a good seal over chemical protective suit or on hands
- Suitable for: Laboratories, Cleaning, Janitorial & Household
- Size: S-XL

DG-HS-7

BLACK RUBBER GLOVE



- Designed to protect hands and arms
- Suitable for: chemical disposal and contact, handling laboratory experiment, unidentified liquid and powder recycle & examination,corpse transportation, agricultural pesticide, plywood manufacturing, work in plague zone & fishing
- Size: L

DXH1-40

FLEXINITE GRIP HANDLING GLOVE



- Excellent dexterity due to fine knitting
- Sandy finish provides very good grip properties, especially of slippery oily parts
- High degree of flexibility and durability with optimum dexterity
- EN420
- EN388
- Size: 8-11

GL0300

UVEX UNIFLEX U7020 GLOVE



- High quality cotton support
- Good abrasion resistance
- Extremely flexible
- Excellent fit
- Suitable for: Maintenance work, machine construction & Transport industry
- Size: 7-10

UV60515

UVEX HELIX 2076 GLOVE



- Knit wrist prevents dirt & debris from entering the glove
- Excellence dexterity & tactility
- Reinforced thumb & crotch area
- 13-Gauge HPPE, steel & fiberglass blend shell
- Superior grip & abrasion resistance
- Size: 4-13

UV60660

UVEX ATHLETIC LITE GLOVE



- "Slim-fit" assembly glove
- Good grip
- Extremely flexible
- Excellent fit
- Suitable for: dry & slightly damp work environments
- Size: 7-10

UV60027

UVEX ATHLETIC GLOVE



- Dirt resistant all round safety glove
- Good abrasion resistance
- High mechanical abrasion resistance
- Excellent fit
- Secure grip & good tactile feel
- Suitable for: dry & slightly damp work environments. Ideal for mechanical tasks
- Size: 7-10

UV60028



Glove Solutions Africa

MaxiFlex® 34-814

Ultra lightweight, knitwrist palm coated with micro-foam nitrile & Bodycare™
Aloe vera and vitamin E are released while your work taking care of your hands during and after work.



Colour – Coating	Rose
Colour – Liner	Rose
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Nylon, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	1.00

Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)
Total glove length (+/- 10 mm)	195	205	215	220
Wrist length (mm)	60	1	65	70
Wrist width (mm)	65	65	70	75
Palm width (mm)	80	82	87	94
Over lock colour	Blue	Red	Orange	White

EN 388:2016 + A1:2018: **4131A**

MaxiCut® 44-3745

Lightweight, cut-resistant knitwrist, palm coated with micro-foam nitrile.MaxiCut® Ultra™ is our latest cut offering for dry environments that integrates the core values of MaxiCut® into a thinner, more comfortable and durable package.



Colour – Coating	Black
Colour – Liner	Blue
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Polyester, Spandex, UHMWPE-Glass-Nylon
Palm thickness (mm)	1.00

Dimensions

Size Range	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	210	220	230	240	245
Wrist length (mm)	1	70	70	75	80
Wrist width (mm)	72	74	76	78	80
Palm width (mm)	86	96	98	100	103
Over lock colour	Red	Orange	White	Yellow	Black

EN 388:2016 + A1:2018: **444**
ANSI/ISEA 105 (2016): **A3**

MaxiFlex® Ultimate™ 42-874

Ultra lightweight, knitwrist, palm coated with micro-foam nitrile. Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology.



Colour – Coating	Black
Colour – Liner	Grey
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Nylon, Spandex
Palm thickness (mm)	1.00

Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/- 10 mm)	195	205	215	220	225	230	240
Wrist length (mm)	60	1	65	70	70	70	75
Wrist width (mm)	65	65	70	75	75	80	80
Palm width (mm)	80	82	87	94	97	100	105
Over lock colour	Blue	Red	Orange	White	Yellow	Black	Green

EN 388:2016 + A1:2018: **4131A**

MaxiDry® 56-425

Super lightweight, liquid repellant knitwrist, 3/4 coated with synthetic latex. People have been asking us to make an oil repellent MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did and it's called MaxiDry®.



Colour – Coating	Purple, Black
Colour – Liner	Grey
Design	3/4 coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam with Non-Slip Grip
Liner	Nylon, Polyester, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	1.30

Dimensions

Size Range	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	215	225	235	240	245
Wrist length (mm)	70	1	80	80	85
Wrist width (mm)	77	83	86	88	90
Palm width (mm)	104	107	110	114	118
Over lock colour	Red	Orange	White	Yellow	Black

EN 388:2016 + A1:2018: **4121A**

MaxiCut® 34-450

Lightweight, cut-resistant knitwrist, palm coated with micro-foam nitrile. MaxiCut® combines cut protection with comfort, flexibility and dexterity for dry environments.



Colour – Coating	Grey
Colour – Liner	Green
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	UHMWPE-Glass-Nylon, Polyester, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	1.20

Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	200	210	220	230	240	250
Wrist length (mm)	55	60	1	70	70	70
Wrist width (mm)	70	75	75	80	82	82
Palm width (mm)	83	87	94	100	103	104
Over lock colour	Blue	Red	Orange	White	Yellow	Yellow

EN 388:2016 + A1:2018: **4342B**
ANSI/ISEA 105 (2016): **A2**

MaxiChem® 76-830

Built with our innovative TRItech™ technology that enables it to be 30% thinner and 100% more comfortable whilst maintaining good mechanical performance. Liquidproof.



Colour – Coating	Green
Colour – Liner	White
Design	Gauntlet - 35 cm
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam with Non-Slip Grip
Liner	Nylon, Spandex
Palm thickness (mm)	0.90

Dimensions

Size Range	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	350	350	350	350
Palm width (mm)	110	117	122	129
Over lock colour	Orange	White	Yellow	Black

EN ISO 374-1:2016 + A1:2018/Type A: **JKLMNO**
EN ISO 374-5:2016: **Yes**




MASTER LOCK

PADLOCKS, IDENTIFICATION AND ACCESSORIES



Thermoplastic Safety Padlocks | Keyed Alike Sets | Aluminium Safety Padlocks | Steel Safety Padlocks | Padlock Identification | Padlock Accessories

LOCKOUT DEVICES, KITS AND STATIONS



Hasps | Electrical Lockouts | Electrical Covers | Valve Lockouts | Group & Multi-Point Lockouts | Pneumatic & Wheel Lockouts


SIGNS AND TAGS



Guardian Extreme™ Signs & Tags | Laminated Tags & Tag Stations

RODUCT FEATURES

Master Lock offers a complete line of Safety Lockout, to complement our full range of Safety Padlocks. The goal is for your facility to meet or surpass OSHA's LOTO requirements. You can rely on the Master Lock Safety Solutions™ockout to perform to the high standards you expect from Master Lock.



FOOD GRADE CHEMICAL PRODUCTS

Food Grade Cleaning Products (FG) , are cleaners & detergent disinfectants which have been scientifically tested and independently certified for safe use within the food , beverage and related industries.

CHEMICAL TECHNIQUES
YOUR QUALITY CHEMICAL MANUFACTURER

ISO 9001 COMPANY

Industries: FMCG , Restaurants , Abattoirs , Bakeries , Butcheries , Agri , Food processing / packing / storage / transport.

All certificates available on request

DEGREASER

H26



Application

- Multi functional fat, oil, grease and grime remover.
- Used as an all-purpose foaming degreaser in food sensitive areas.
- Uses: processing equipment, abattoir's, ovens, grills, fryers, smoke-houses, baking equipment , restaurants , food transport vehicles , general floors.

Pack Size
1lt / 5lt / 25lt

SANS 1828

HEAVY DUTY DEGREASER

H135



Application

- High alkaline, heavy duty, concentrated.
- Multi functional fat, oil, grease and grime remover.
- Assist with the removal of hard stains and carbon build-up.
- Uses: Hard surface degreaser.

Pack Size
1lt / 5lt / 25lt

SANS 1828

DISINFECTANT

H28B



Application

- All-purpose liquid disinfectant and cleaner in food sensitive areas
- Uses: food processing equipment, abattoirs, butcheries , bakeries , restaurants , food transport vehicles food store warehouse & associated areas.

Pack Size
1lt / 5lt

EN 1276 /ACT5 (SANS 1853)

POWDER DISINFECTANT

H134



Application

- All-purpose powder disinfectant and light duty cleaner in food sensitive areas.
- Uses: food processing floors & abattoirs. In restaurants / kitchens & sanitizing buckets stations.

Pack Size
1kg / 5kg / 25kg
200x10gr

EN 1276 / ACT 5 (SANS 1853)

SUPER DETERGENT

H241



Application

- All-purpose, high-foaming neutral cleaner.
- Uses: washing of dishes ,floors , walls , glass tops , windows and all other general and light duty type cleaning applications.

Pack Size
1lt / 5lt / 25lt

SANS 1828

HYGIENE HANDSOAP

H46



Application

- All-purpose hygiene hand-soap with added anti-microbial reducing agents.
- Uses: most food & beverage industries as the pre-sanitizing wash.

Pack Size
1lt / 5lt / 25lt

SANS 1828 (EN 1276)

HYGIENE GEL SANITIZER

H105



Application

- All-purpose alcohol hand sanitizer gel.
- Will dry on hands, thus rinsing with water is not required.
- For best results use, Handsan (FG) prior to using Alcosan G (FG).

Pack Size
1lt / 5lt / 25lt

EN 1276 / SANS 490 (SANS 1853)

CHLORINE DISINFECTANT

H115



Application

- All-purpose chlorinated disinfectant foam cleaner/degreaser in food sensitive areas.
- Uses: processing equipment, restaurants, food transport vehicles, floors in food store warehouse etc.

Pack Size
5lt / 25lt

EN 1276 / ACT 5 (SANS 1853)

ACID DESCALER

H144



Application

- Used primarily as a viscous detergent on plant and general manufacturing equipment to remove harsh water scale and hard water mineral deposits.
- Uses: holding tanks , stainless mixing vessels , gantries, walls , windows and general area's prone to scale build-up.

Pack Size
5lt / 25lt

SANS 1828

PERACETIC DISINFECTANT

H142




Application

- All-purpose broad spectrum disinfectant & CIP cleaner in various sensitive industries.
- Uses: chicken, ostrich, pork, beef, lamb abattoirs.
- Perfect for use as a hygiene drain oxidizer treatment.

Pack Size
5lt / 25lt

EN 1276 / ACT 5 (SANS 1853)



CHEMICAL PRODUCTS

DISHWASH

H18



Application

- All-purpose, high-foaming neutral cleaner.
- General and light duty type cleaning applications.
- Washing of dishes, floors; walls, glass tops and windows.

Pack Size

1lt / 5lt / 25lt

BLEACH

H8



ACT 29

Application

- All-purpose bleaching agent for white fabric.
- Product has cleaning & biocidal properties.
- Toilets, urinals, wash basins & dustbins

Pack Size

1lt / 5lt / 25lt

PINESAN

H69



ACT 29

Application

- All purpose biocidal cleaner
- Contains pleasant pine oil & surfactants for effective cleaning.
- Q.A.C additive provides biocidal properties.
- Mainly washroom & toilet facilities.

Pack Size

1lt / 5lt / 25lt

DRAIN CLEANER

H36



Application

- Heavy duty drain cleaner for unclogging exterior drains.
- Highly acidic acid drain cleaner, inhibited.

Pack Size

1lt / 5lt / 25lt

DEGREASER

H22



SANS 1828

Application

- Walls, floors, engine's, upholstery, carpets.
- All food & beverage cleaning requirements.
- All in one, multi-functional degreaser and general purpose cleaner of all hard surface's.

Pack Size

1lt / 5lt / 25lt

HAND CLEANER

H49



Application

- Used daily in all industries that require quick and effective cleaning of hands and arms soiled with all types of grease and grime.
- Contains essential oils providing skin conditioning.

Pack Size

500gr/ 5kg / 25kg

CREAM CLEANER

H47



Application

- All purpose ammoniated cleaner for all types of hard surface.
- Floors , walls , tiles , basins, kitchens and general surfaces.

Pack Size

1lt / 5lt / 25lt

ALL PURPOSE DEGREASER

H180



Application

- Daily degreasing & cleaning of most hard & soft surfaces
- Uses: most general & industrial equipment. Garment soaking and spotting.

Pack Size

1lt / 5lt / 25lt

PINE GEL

H68



Application

- All purpose cleaner, in mainly washroom and toilet facilities.
- Can be used for most general cleaning applications.
- Contains pleasant pine oil and surfactants for effective cleaning.

Pack Size

1lt / 5lt / 25lt

HAND SOAP

H51



Application

- All-purpose liquid hand soap and skin cleanser.
- Gentle on skin, contains essential moisturizing oils, pleasant fragrance.

Pack Size

1lt / 5lt / 25lt

OMO HAND WASHING POWDER



UL68167281

Benefits

- 90 loads
- Fights tough stains
- Hygienically clean
- Shelf Life: 2 years

Application

- Hand wash laundry

Case cofig.

1X9kg

OMO AUTO WASHING POWDER



UL68167279

Benefits

- 90 loads
- Fights tough stains
- Hygienically clean
- Shelf Life: 2 years

Application

- Front loaders
- Top loaders/Twin tubs

Case cofig.

1X9kg
1X18kg

SKIP AUTO WASHING POWDER



UL68167283

Benefits

- 90 loads
- Fibre care technology
- Removes stains without damage
- Shelf Life: 2 years

Application

- Front loaders
- Top loaders/Twin tubs

Case cofig.

1X9kg

SUNLIGHT AUTO WASH POWDER



UL68345430

Benefits

- 90 loads
- With optical brightner
- Sensational fragrance
- Shelf Life: 2 years

Application

- Front loaders
- Top loaders/Twin tubs

Case cofig.

1X9kg
1X18kg

SUNLIGHT HAND WASHING POWDER



UL68345426

Benefits

- 90 loads
- With optical brightner
- Sensational clean
- Long lasting fragrance
- More and more foam
- Shelf Life: 2 years

Application

- Hand wash laundry

Case cofig.

1X9kg

COMFORT CONCENTRATED FABRIC SOFTNER



UL68348711

Benefits

- Long lasting freshness
- No need to dilute
- 75 loads
- Shelf life: 18 months

Application

- Front loaders
- Top loaders

Case cofig.

1x3L

SUNLIGHT MULTIPURPOSE PINE GEL



UL68424421

Benefits

- Fresh, Pine Fragrance
- Non-Abrasive, Shines Surfaces
- Neutralises Odours
- Adaptable: Use Neat or Diluted
- Soluble in Hot and Cold Water
- Shelf Life: 1 year

Application

- Kitchen/Floors
- Walls/Surfaces
- Bathroom/Toilets

Case cofig.

1X5L

SUNLIGHT DISHWASHING LIQUID



UL68191007

Benefits

- 4 x Degreasing Powders
- Powerful Degreaser
- Leaves dishes sparkling
- Shelf life: 3 years

Application

- Cutlery
- Glasses
- Dishes

Case cofig.

4X5L

LIFEBUOY HAND SANITIZER LIQUID



UL68432546

Benefits

- Instantly protects
- Kills 99.99% of germs, including bacteria
- Leaves no residue
- Moisturises your hands
- Fragrance free
- Proven effective against coronavirus

Application

- Hands

Case cofig.

4X5L

DOMESTOS MULTIPURPOSE THICK BLEACH



UL68144870

Benefits

- Kills 99.9% of germs
- Destroys Coronavirus in just 60 seconds
- Removes stains
- Prevent limescale
- Shelf life: 1 year

Application

- Toilets
- Bathrooms
- Kitchen
- Floors and surfaces
- Drains

Case cofig.

6X3L

HANDY ANDY MULTIPURPOSE WITH BLEACH



UL68348687

Benefits

- Antibacterial
- Kills 99.99% of germs
- Shelf Life: 18 months

Application

- Toilets
- Bathrooms
- Kitchen

Case cofig.

4X5L

HANDY ANDY MULTIPURPOSE CREAM



UL68191005

Benefits

- With natural micro crystals
- 100% dirt removal
- Shiny clean
- Shelf Life: 3 years

Application

- Basins/Sinks
- Taps/Tiles
- Counter tops/Floors
- Work bench
- Pots & pans
- Kitchen hob
- Bath/Shower

Case cofig.

4X5L

HANDY ANDY GLASS & WINDOW CLEANER



UL68348685

Benefits

- Removes dirt
- Sparkling shine
- Clean & shiny in 10 seconds
- Shelf life: 3 years

Application

- Windows
- Mirrors
- Doors

Case cofig.

4X5L

HANDY ANDY KITCHEN DEGREASER



UL68348689

Benefits

- 100% daily grease removal
- No need to rince
- Clean & shiny in 10 seconds
- Shelf life: 2 years

Application

- Stoves
- Ovens
- Surfaces

Case cofig.

4X5L



YOUR GUIDE TO POWERFUL CLEANING.

Unilever PROFESSIONAL

CLEANING EQUIPMENT



ARROW brushware

Golden Touch® HYGIENE PRODUCTS

e-line RANGE

ProMop

GEERPRES

Numatic

FAN MOP HEAD

ProMop



AFCMHFA

Size	Code
400g	2003
500g	2004

Interchangeable heads for cost effective use.

Handle not included

FAN MOP HEAD- COLOUR CODED

ProMop



AFCMHFA

Size

38mm Webbing
400g Mop head

Colour	Code
Red	2034
White	2041
Yellow	2047
Blue	2013
Green	2020
Black	2008
Orange	3017

Colour coded for use in colour coded areas.

Handle not included

FAN MOP HEAD HYGIENE

ProMop



AFCMHFA

Colour	Code
Red	2027
Yellow	2029
Blue	2025
Green	2026
Black	2024
White	2028
Orange	3071

The Spunlace Mop head is used in Hygiene sensitive areas.
It is low linting and has colour coded webbing.

Handle not included

MOP FAN HEAD MICROFIBRE



AFCMHFA

Colour	Code
Blue	1100
White	1111

Detail

Colour coding tags

The Microfibre mop head is used in hygiene sensitive areas, is lint free and has looped ends to reduce fraying.

Handle not included

DUST MOP SWEEPER FRAME



AFCMCDU

Size	Code
100cm	1001
80cm	1004
60cm	1003
40cm	1002

Handle not included
Use with aluminium handle (22mm or 25mm) and dust mop duster sleeve

DUST MOP SWEEPER SLEEVE



AFCMCDU

Size	Cotton	Acrylic
100cm	1009	1005
80cm	1012	1008
60cm	1011	1007
40cm	1010	1006

Options

Cotton (white)
Acrylic - for finer dust (blue)

Handle not included
Use with aluminium handle (22mm or 25mm) and dust mop duster frame

MICROFIBRE SLEEVE



AFCSPMI-1022

Free of metal eyelids- no rust.
Comes with colour coded tags and can be used in hygiene sensitive areas.

FLOOR TOOL MICROFIBRE



AFCSPMI-1001

Use with aluminium handle (22mm or 25mm) and microfibre sleeve.
- Handle & sleeve not included

HANDLE ALUMINIUM



AFCHAME

Size	Code
1.3m x 22mm	1026
1.5m x 25mm	1027

Aluminium handles can be used in hygiene sensitive areas.

MOP CLIP

Mirapal



AFCMACL

Colour	Code
Red	1034
White	1035
Yellow	1036
Blue	1032
Green	1033
Orange	1037
Black	1031

Clips are colour coded and can be used for colour coding purposes.

Suitable for 22mm and 25mm handles.
-Handle not included

FAN MOP WOODEN HANDLE - WITH METAL SOCKET & WIRE

ProMop



AFCHAWO

Size	Code
1.5m	1062
1.2m	1063

Mop Head not included

FAN MOP HOLDER SPRING CLIP + ALUMINIUM HANDLE

GEERPRES



AFCHAME-1029

Aluminium handle with a metal spring clip.
22mm x 1.3m

Mop Head not included

THREADED HANDLE POWDER COATED



AFCHAME

Colour	Code
Red	1229
White	1230
Yellow	1231
Blue	1227
Green	1228
Grey	1226

Size
1.2m x 22mm

Handles are threaded and can only be used with a threaded mop head socket.

THREADED SPUNLACE MOPHEAD



AFCMHRO

Colour	Code
Red	2050
White	2052
Yellow	2051
Blue	2048
Green	2049

Colour coded sockets

COMPLETE MOPS

ProMop



AFCMCRO

Size		Code
300g	1.2m x22mm	4030
400g	1.2m x25mm	1034
500g	1.2m x25mm	1035

Mop Head and wooden handle included

FLOOR SQUEEGEE MUSTEK



AFCSPFS

Colour	Code
Red	1004
White	1005
Yellow	1006
Blue	1002
Green	1003
Orange	1008
Black	1001

Double blade
Handle not included
To be used with aluminium handle (22mm or 25mm)

BUCKET & WRINGER 20L



Colour	Code
Red	1003
Yellow	1004
Blue	1001
Green	1002

Size

20L

AFCJAMS

(300g mop max in a 20L wringer)

BUCKET & WRINGER 36L



Colour	Code
Red	1008
Yellow	1009
Blue	1006
Green	1007
Orange	1017
Grey	1040

Size

36L

AFCJAMS

TROLLEY ECONO JANI



Details

With lid + bag

(30L bag)

AFCJATR-1000

DOUBLE BUCKET + WRINGER



Size

50L
Plastic econo

AFCJAMS-1024

Replacement Wringer available

POLISHER ECONO INCL. PAD DRIVE



Details

ST Speed

Single disc polisher 150 RPM - Includes: 425MM pad drive only. Hard, soft brushes, and solution tank also available (but not included)

AFCCMRA-1030

PADS E-LINE (FLOOR)



Details

Black = Stripping
Blue = Cleaner
Red = Buffing
White = Polishing

AFCPAFL

Colour	425mm	450mm	500mm
Black	1010	1011	1013
Blue	1027	1028	1030
Red	1043	1044	1046
White	1059	1060	1062

PUSH SWEEPER MANUAL



Colour

Blue

AFCCMVA-1060

VAC 15L S/S WET & DRY



Capacity: 15L
Power: 1000W
Tank diameter: 345mm
Height: 580mm
Hose length:2.5m

AFCCMVA-1009

DOODLEBUG HOLDER

Mirapal



To be used with aluminium handle (22m or 25mmm).
- Handle not included.

AFCJAEQ-1041

DOODLEBUG PADS E-LINE

e-line RANGE




Colour	Code
Blue	1003
Red	1007
White	1009
Black	1001

Black = Stripping
Blue = Cleaner
Red = Buffing
White = Polish

AFCPASC

CLOTH SPUNLACE LD



Colour	Code
Red	1014
White	1015
Yellow	1016
Blue	1012
Green	1013
Orange	1017
Black	1038

AFCCLSP

Multi-purpose, disposable cloth (1 day).
Sold in packs of 50 units.

CLOTH SPUNLACE HD



Colour	Code
Red	1042
White	1044
Yellow	1043
Blue	1032
Green	1033
Orange	1056

AFCCLSP

Multi-purpose, disposable cloth (2-3 day).
Sold in packs of 50 units.

SPUNLACE JUMBO ROLL LD



Colour	Code
Red	1028
White	1029
Yellow	1030
Blue	1026
Green	1027
Orange	1039
Black	1055

AFCLSP

Length: 400m
Multi-purpose absorbent disposable cloth (1-a-day).
Perforated.

CLOTH HOSPITAL (25 PACK)



Colour	Code
Red	1004
Yellow	1005
Blue	1002
Green	1003

AFCCLNP

Multi-purpose, semi-disposable cloth (5-7 days), absorbent, low linting and durable.

MICROFIBRE CLOTH WOVEN



Colour	200gsm	280gsm
Red	1024	1013
Yellow	1026	1016
Blue	1022	1011
Green	1023	1012
White	1025	1015
Black	1021	N/A
Grey	1028	N/A
Orange	1027	N/A

Options
200gsm
280gsm

AFCCLMI

Multi-purpose cloth which can be used on sensitive surface areas, holds dust well - low linting

MICROFIBRE CLOTH WOVEN (5 PACK)



Option

Pack of 5 - 220gsm

AFCCLMI-1020

DISH CLOTH DELUXE DC65 (10 PACK)



AFCCLGE-1033

DISH CLOTH SWAB (10 PACK)



Options	Code
Cotton	1022
Terry	1031

AFCCLGE

WET FLOOR SIGN CONE



Size	Code
65cm	1052
91cm	1053

AFCJAEQ

WET FLOOR SIGN ECONO



AFCJAEQ-1021

HANDLE GRIP



Colour	22mm	25mm
Red	1007	1008
White	1009	1010
Yellow	1012	1011
Blue	1003	1004
Green	1005	1006
Orange	1038	1027
Black	1001	1002

Size
22mm
25mm

AFCHAGR

Grip for colour coding

HD BUCKET PLASTIC



AFCJABU

Colour	6L	12.5L
Red	1010	1162
White	1011	1017
Yellow	1012	1018
Blue	1008	1014
Green	1009	1015
Orange	1016	1161
Black	1007	1160

Size
06L
12.5L

Buckets are colour coded and can be used for colour coding purposes to avoid cross contamination.
Comes with measurements on the inside of the bucket.

SPONGE SCOURER



Options	Size
Large	110mm x 80mm
Small	75mm x 55mm

Options	Code
Large	1038
Small	1039

AFCPASC

Sold in pack of 3

STEEL WOOL



Options	Code
200g	1095
500g	1010

AFCPASC

POT SCOURER



Details
Pack of 36
Standard

AFCPASC-1090

SPRAY BOTTLE & TRIGGER SPRAY





Size
750ml Bottle

Trigger Colour	Code
Red	1023
White	1025
Yellow	1024
Blue	1017
Green	1022
Orange	1056

AFCJAEQ

Bottle & Trigger Spray Sold separately

HAND PAD THINLINE GREEN



Size	Code
14cm x 21cm	1029
14cm x 11cm	1024


Options

14cm x 21cm - Pack of 10
14cm x 11cm - Pack of 20

AFCPASC

Thinline green hand pads.

DUSTERS CLOTH (10 PACK)



Soft, non-abrasive cloth which is commonly used to wipe down surfaces.

AFCCLGE-1023

DUSTER CHENILLE MICROFIBER

Handle
Extendable
70cm/120cm



AFCBRDU-1027

Replacement sleeve available
AFCBRDU-1029

FEATHER DUSTER



Options	Size
Long	1840mm
Medium	900mm
Short	460mm

Size	Size
1840mm	1007
900mm	1009
460mm	1008

AFCBRDU

DUSTER FLICK HEAD & HANDLE



Handle
Extendable length

Powder coated
mild steel

Replacement head available

AFCBRDU-1005/10/11

LITTER PICKER CLAW



AFCJAEQ-1028

WALL RAIL BRACKET 20-30



Colour	Code
Red	1035
White	1039
Yellow	1038
Blue	1036
Green	1037
Black	1025

AFCBRGE

WALL RAIL



Size	Code
50cm	1026
90cm	1027

Options

50cm
90cm

Standard with black end clips.
Colour clips sold separately

AFCBRGE

MINI SANI BAG (100)



AFCWASC-1009

REFUSE BAGS



Colour	40MIC	30MIC	25MIC
Black	1127	1121	1125
Smokey	1135	1129	1132

Colour

Black
Smokey

Option

40MIC
30MIC
25MIC

AFCCOBA

Standard pack of 200

SANI BIN LINERS 25MIC



Colour	Code
Red	1011
Smokey	1012

AFCWASC

Standard pack of 100

HANDLE HYGIENE HD

e-line RANGE



Colour	Code
Red	1034
Blue	1032
White	1035
Green	1033
Yellow	1036
Black	1031
Orange	1147

Size

25mm x 1.3m

AFCHAME

BROOM HEAD HYGIENE

e-line RANGE



Head

Hard
Soft

Colour

Red
Blue
White
Green
Yellow
Black
Orange

Size

300mm
450mm

Colour	Hard 300mm	Soft 300mm	Hard 450mm	Soft 450mm
Red	1054	1060	1068	1074
Blue	1051	1058	1066	1072
White	1055	1061	1069	1075
Green	1053	1059	1067	1073
Yellow	1056	1062	1070	1076
Black	1050	1057	1065	1071
Orange	1005	1008	1007	1009

AFCBMHY

HARD PLATFORM BROOM

ARROW brushware



Details

Brown = PVC/hard

Size	Code
305mm	1079
380mm	1090
450mm	1100
600mm	1110
900mm	1114

AFCBMPL

SOFT FIBRE PLATFORM BROOM

ARROW brushware



Details

Black = Soft

Size	Code
305mm	1074
380mm	1081
450mm	1094
600mm	1106
900mm	1112

AFCBMPL

DELUXE BROOM FLAGGED

ARROW brushware



Details

Wooden handle

AFCBMGE-1215

GRIP BROOM

ARROW brushware



Details

Wooden flagged broom with metal connector

AFCBMGE-1300

POLYCORN BROOM + HANDLE



Suitable to be used on carpets and outdoors

AFCBMGE-1247

PLASTIC BACK SCREW FIT BROOM

ARROW brushware



Details

Powder coated handle

AFCBMGE-1413

SCOOP + BROOM



Details

Scoop long plastic handle Broom Econo

AFCJASC-1012

DUSTPAN SETS

ARROW brushware



Colour	Code
Blue	2135
Green	2136
Red	2137
Yellow	2138
White	2134
Black	2139
Grey	2140
Orange	2171

AFCBRBR

TRUCK WASH BROOM



Options	Codes
Head	1136
1.3 Handle	1138
2.5 Handle	1142

AFCBRGE

BUS WASH HANDLE



Size
1.2m extends to 2m

Replacement head sold separately.
AFCCBMGE-1492

AFCBMGE-1470

CHUBBY SCRUB


ARROW brushware



AFCBRBR-2154

ARROW SCRUB PLASTIC

ARROW brushware



AFCBRBR-2088

BRAZING BRUSH - WOODEN

ARROW brushware



AFCBRBR-2101

WINDOW SQUEEGEE



Details
Black Short plastic handle

AFCWIGE-1081

WINDOW SQUEEGEE



Size	Codes
1.1m	1016
2.1m	2017

AFCWIGE

WINDOW CLEANING SET ECONO WC



AFCWIGE-1008

Includes: Sponge 2x1/1m telepole
20cm window scraper with handle, 35m window washer, 3x channel and rubbers (34cm,35cm,45cm), crank joint, channel with 10blades (92cm rubber).

35CM WINDOW SQUEEGEE



AFCWIGE-1018

TELEPOLE



Size	Code
2x1.25m	1030
2x2m	1033
2x3m	1035
3x3m	1040

AFCWIGE

JUMBO PAPER WALL STAND

GEERPRES



AFCJAEQ-1013

JUMBO PAPER ROLL STAND


GEERPRES



AFCJAEQ-1091

FLOOR SQUEEGEE METAL

Size	Code
45cm	1007
60cm	1009



AFCSPFS

BUCKET METAL 28L ON CASTORS

GEERPRES



AFCJAMS-1015

Geerpres Econo Bumper Bucket on Castors -use either Geerpress wringer or Wringmaster

MOP WRINGMASTER METAL

GEERPRES



AFCJAMS-1022

The wringmaster is only suitable for fan mops

GEERPRES

GEERPRES



AFCJAMS-1019

The geerpres wringer is suitable for both the round mop and the fan mop

AIR FRESHNER DISPENSER



Compatible with
100ml or 250ml refill

AFCWAAF-1216

A/FRESH 250ML AEROSOL



Fragrance	Code
Baby Powder	1051
Boss	1053
Vanilla	1091
Temptation	1089
Lotus	1094
Morning Dew	1095
Sandalwood	1087
Linen	1064

AFCWAAF

RHINO TROLLEY METAL DOUBLE



Option	Code
Frame	1029
25L - Blue	1054
25L - Red	1046

Rhino Double Bucket Trolley
Only suitable to be used with a metal wringer.
Wringmaster or Geerpress,
Buckets are not included.
available in various colours.

AFCJAMS

GOLDEN TOUCH SOAP DISP



Options

Plastic Soap Dispenser -1L
Lockable
Top up

Stainless Steel Soap
Dispenser -1.2L
Lockable
Top up only unit

Options	Code
Plastic	1017
S/S	1015

AFCWASD

SOAP: H51/H46

BARREL PAPER DISP STD



AFCWAPD-1003

FOLDED PAPER TOWEL DISP



Options	Code
Plastic	1009
S/S	1010

Capacity: 500 sheets
Estimated paper size:
240 x 360mm per sheet

AFCWAPD

TOILET ROLL HOLDER



Options	Size	Code
S/S	TR2	1001
	TR3	1003
White	TR2	1002
	TR3	1004

AFCWATR

WALL BIN S/S



Options	Size
Small	30 x 30 x 20cm
Large	46 x 37 x 20cm

Options	Code
Small	1015
Large	1013

Stainless Steel, Grade 441-
Rust Resistant

AFCWABI

SANI BIN S/S



Options	Size
Large -25L	1007
Small -15L	1011

Stainless Steel, Grade 441-
Rust Resistant

AFCWABI

SANITARY TOWEL BIN PLASTIC



Colour

White with grey lid

Detail

18L
Foot Pedal

AFCWABI - 1009

BREEZE - HAND DRYER



Details

1.8kw
White
20 000rpm

AFCWAHD-1012

HAND DRYER



Details

2.3kw
S/S

AFCWAHD-1003

TOILET SEAT ECOWIPE



Details	Code
100	1004
200	1005

AFCWASC

TOILET SEAT WIPE DISPENSER



Details

Plastic

AFCWADI-1011

URINAL SCREEN (BOX OF 10)



I-MAT

Colour	Fragrances	Code
Blue	Sea Mist	1300
Green	Eucalyptus	1301
Red	Sweet Cherry	1302
Yellow	Lemon	1303
Orange	Citrus	1304



P-MAT

Colour	Fragrances	Code
Blue	Bubblegum	1310
Green	Eucalyptus	1311
Red	Wild Cherry	1312
Orange	Citrus	1314

AFCWAAF

TOILET BRUSH SET



Options

Round
Square

Colour

White
Grey

Colour	Round	Square
White	1067	2117
Grey	1038	N/A

AFCBRBR

NVP180-11 NUPRO (DRY)

Numatic



SKU - 905722
Motor - 620W
Power - 230V AC50 / 60Hz
Airflow - 31.5L/sec
Suction - 2050mm H2O
Capacity - 8L
Range - 26.8m
Weight - 5.8kg
Dimensions - 340x340x350mm

CT370-2 CARPET EXTRACTOR

Numatic



SKU - VA838084
Motor - 1060W
Power - 230V AC50 / 60Hz
Airflow - 49L/sec
Suction - 2500mm
Capacity- 15L-Dry / 9L-Wet
Range - 26.8m
Weight - 8.86kg
Dimensions - 355x355x510mm

WV370-2 (WET OR DRY)

Numatic



SKU - VA832184
Motor - 1060W
Power - 230V AC50 / 60Hz
Airflow - 49L/sec
Suction - 2400mm
Capacity- 15L-Dry / 9L-Wet
Range - 26.8m
Weight - 7.1kg
Dimensions - 355x355x510mm

HFM ROTARY (150RPM / 300RPM)

Numatic



SKU - RO905882 (150 rpm)
SKU - RO905894 (300 rpm)
Motor - 1500W
Deck- 450mm
Power - 230V AC50Hz
Range - 32m
Weight - 32kg
Dimensions - 460x560x1250mm

TBL4045

Numatic



SKU - TW916773
Speed - 100rpm
Brush Motor - 24V / 300W
Vac Motor - 24V / 400W
Dimensions - 330x540x1145mm
Capacity - 40L
Recharge time - 2.5hrs
Run time - 1hr 40min
Dimensions - 470x1070x1160mm
Working width - 450mm

HB1812R DOUBLE MOP SYSTEM

Numatic



SKU - NM909881
Capacity - 30L or 18L / 12L
Castors - 4 x 75mm
Dimensions - 30 litre Bucket

MM4R MULTI-MATIC

Numatic



SKU - NM915235
1 x 17L Front Bucket (Blue Handle)
1 x 15L Rear Bucket (Red Handle)
1 x Vertical Press
1 x 70L Lidded Waste Facility
2 x 5L Buckets (Blue/Red Handle)
1 x Large T-slot Hook
1 x T-slot Hook
Castors - 4 x 75mm
Dimensions - 480 x 940 x 1130mm

NKT1FFR

Numatic



SKU - NM913193
Bag-1 x 100l Canvas Bag (Grey)
2 x Storage Shelves
1 x Flexi Front Cover
Castors - 4 x 100mm
Dimensions - 51361x582x1352mm

PAPER PRODUCTS BATHROOM SYSTEMS & DISPENSERS



Kimberly-Clark PROFESSIONAL® | Exceptional Workplaces

Forget me not TWINSAVER AWAY FROM HOME

KLEENEX® ULTRA™ SLIMROLL™



- Slimroll 110m/2ply.
- 440 sheets per roll, 6 Rolls per case.
- Provides user satisfaction through luxurious quality and delivers our most gentle hand dry.
- Superior brand embossing on our rolled hand towels increase user satisfaction and enhance employee care.
- Unique Airflex technology fabric delivers a highly absorbent hand towel with superior strength, meaning fewer towels are needed and do not break up when wet.

PAIRED WITH KC7955 DISPENSER



Kleenex

KC6551

ISO 14001/ISO 9001

FSC

SCOTT® ESSENTIAL™ HAND TOWEL



- Large Roll 350m/1ply.
- 1400 sheets per roll, 6 Rolls per case.
- Gives 23% more hand dries than equivalent systems.
- Also available in blue and food contact certified.
- Unique Airflex technology fabric delivers highly absorbent hand towels with superior strength, meaning fewer towels are needed and do not break up when wet.

PAIRED WITH KC7375 DISPENSER



Scott

KC6692

ISO 14001/ISO 9001

EU Ecolabel

SCOTT® ESSENTIAL™ SLIMROLL™ HAND TOWEL



- Slim Roll 190m/1ply.
- 760 sheets per roll, 6 Rolls per case.
- Gives 23% more hand dries than equivalent systems.
- Also available in blue and contact certified.
- Unique Airflex technology fabric delivers a highly absorbent hand towel with superior strength, meaning fewer towels are needed and not break up when wet.

PAIRED WITH KC7955 DISPENSER



Scott

KC6696

ISO 14001/ ISO 9001

EU Ecolabel

SCOTT® CONTROL™ SLIMROLL™ HAND TOWEL



- Slim Roll 190m/1ply.
- 760 sheets per roll, 6 Rolls per case.
- Made with eucalyptus fibres for a gentle feel for repeated use.
- Unique Airflex technology fabric delivers a highly absorbent hand towel with superior strength, meaning fewer towels are needed and do not break up when wet.
- The superior brand embossing on our rolled hand towels increase user satisfaction and enhance employee care.
- For uncompromised clean, every single time our slimroll works with the most hygienic dispenser to deliver increased hygiene.

PAIRED WITH KC7955 DISPENSER



Scott

KC6695

ISO 14001/ISO 9001

EU Ecolabel

SCOTT® SLIMROLL™ HAND TOWEL 2PLY



Scott KC6576

ISO 1400:2004/ISO 9001:2008 FSC

- Slim Roll 2ply, unperforated.
- 125m per roll, 6 Rolls per case.
- A sustainable choice, Scott® paper towel rolls are made from 100% recycled fibres, are FSC certified
- The lightweight 2 ply towel paper is absorbent and strong, even when wet
- The superior brand embossing on our rolled hand towels increase user satisfaction and enhance employee care.
- For uncompromised clean, every single time our slimroll works with the most hygienic dispenser to deliver increased hygiene.

PAIRED WITH KC6953 DISPENSER



SCOTT® HAND CLEANSER



Scott KC6342

- 1L Cassette
- 0.4ml per shot, 2500 shots per cassette (6 per case)
- Available in Scott® Control Frequent use hand cleaner 6342 or Scott® Control Sani foam hand cleaner 6377
- Foam soap delivers up to twice as many washes per litre as conventional liquid soaps & uses 16-45% less water to wash hands
- Fragrance & die free
- Hygienic hand wash is completely triclosan free, improves personal hygiene, cares for your skin & reduces bacteria
- Dispensing the ideal amount of soap to prevent overuse

PAIRED WITH KC6948 or KC8973 DISPENSER



ALCOHOL SANITIZER



Kleenex KC6382999

Scott

- 1L Cassette
- Kleenex® gel 6382 1ml shot size, 1000 shots per cassette (6 per case)
- Scott® foam 6392 0.4ml shot size, 2500 shots per cassette (6 per case)
- Alcohol hand sanitizer meets the requirements of the biocidal % 99.999 products directive (98/8/EC) & kills (in as little as 30 seconds) up to of the common bacteria fungi, yeast and viruses that can cause infection or illness.
- Available as colour free, fragrance free gel containing aloe vera, vitamins E and B

PAIRED WITH KC6948 or KC8973 DISPENSER



KLEENEX® TOILET TISSUE-WRAPPED& UNWRAPPED



Kleenex KC6416

ISO 1400:2004/ISO 9001:2008 FSC

- Small Roll/2Ply
- 350 sheets per roll, 48 rolls per case
- Soft and luxurious for user comfort
- Uniquely embossed with the Baby Soft® Puppy
- Unwrapped packaging is pre-packed for increased hygiene & efficiency

PAIRED WITH KC426130 or KC6992 DISPENSER



SCOTT® CONTROL™ JUMBO ROLL TOILET TISSUE



KC8595

- Jumbo Roll/2Ply
- Available in 8569- 314m centrefeed 1280 sheets per roll, 6rolls per case or the 8595- 204m centrefeed, 833 sheets per roll, 6rolls per case
- The centrefeed toilet tissue system delivers maximum hygiene without compromising on efficiency
- The Scott® Control™ dispencers forms part of the controlled one-sheet dispensing system for increased efficiency- helping to control usage, reduce waste and cut unnecessary costs
- Fully enclosed protecting the rolls against cross-contamination and ensuring users only touch the sheet they use

PAIRED WITH KC7186 DISPENSER



SCOTT® ESSENTIAL JUMBO ROLL TOILET TISSUE



KC8598

- Jumbo Roll/1Ply
- Continous roll, 6 rolls per case
- Jumbo roll format reduce washroom maintenance and waste
- Tissue dissolves in water to prevent blockage

PAIRED WITH KC6991 DISPENSER



WASHROOM ACCESSORIES- AIRCARE FRAGRANCES



KC6188/89/90

- 6 x 300ml pouch
- 0.05ml shot size, 6000 shots per pouch
- Fragrances are manufactured using compressed oil technology for consistent fragrance intensity with much lower residue
- A specially designed valve delivery system ensures a finer spray dispersal with each refill lasting up to 90 days of frequent use
- This aerosol free technology creates lower VOC's compared to standard aerosol system

PAIRED WITH KC6994 DISPENSER



WASHROOM ACCESSORIES- TOILET SEAT & SURFACE CLEANER



KC6374

- 6 x 400ml pouch
- 0.2ml shot size, 2000 shots per pouch
- Kimberly-Clark Professional™ toilet seat and surface cleaner dispenser provides a stylish slimline design, promoting hygiene and helping to manage costs through controlled dispensing
- Simple to unlock and refill with a window to gauge refill needs

PAIRED WITH KC7135 DISPENSER



WYPALL* EXTRA: LARGE WHITE 1PLY PAPER WIPER



WYPALL* KC7391

- Jumbo Wiper (Large Roll)/1Ply
- 1 x 1100m roll per case
- Reliability for light to medium duty tasks
- Strong and absorbent
- The strongest, thickest 1ply paper wiper
- High wet strength paper wiper
- Ideal for polishing glass, smooth surfaces and cleaning tasks where strength and absorption are critical
- Larger roll for high traffic areas and heavier wiping tasks
- Available in blue (KC7394)

PAIRED WITH KC408591 DISPENSER



WYPALL* EXTRA: LARGE WHITE 2PLY PAPER WIPER



WYPALL* KC7389

- Jumbo Wiper (Large Roll)/2Ply
- 1 x 646m roll per case
- Reliability for light to medium duty tasks
- Soft, low lint, non scratching wiper
- 2Ply highly absorbent- absorbs 3.5 times its own weight
- Ideal for polishing glass, smooth surfaces and cleaning tasks where strength and absorption are critical
- Ideal laboratory use
- Large roll for high traffic areas and heavier wiping tasks

PAIRED WITH KC408591 DISPENSER



WYPALL* X50 INTERFOLD CLOTHS



WYPALL* KC7441/42/43/44

- Interfold cleaning cloth x50/1Ply
- 245 x 416mm 6 packs
- Reusable Wypall® cloths are absorbent and solvent resistant
- Strong enough to tackle tough tasks
- Designed for efficiency to save costs and time
- Absorbs 6 times its own weight in oil
- Contains no adhesive or binders, reducing surface residue
- Colour coded for HACCP compliance
- Ideal for cleaning surfaces, hands and wiping down machinery

PAIRED WITH KC6945 DISPENSER



WYPALL* X80 INTERFOLD CLOTHS



WYPALL* KC7565/66/67/68

- Interfold cleaning cloth x80/1Ply
- 350 x 420mm 10 packs
- Extended use Wypall® X cloths are absorbent and solvent resistant
- Power pockets help trap dirt and grime quicker and more effectively better scrubbing power
- Wypall® X cloths weigh 5x less than the average rag, meaning less waste
- Contains no adhesive or binders, reducing surface residue
- Colour coded and low lint for HACCP compliance
- Ideal for cleaning surfaces, hands and wiping down machinery

WYPALL® X80 CLOTHS-LARGE ROLL



- Large roll/1Ply
- 475 sheets per roll, 1 roll per case
- Reusable Wypall® X cloths are absorbent and solvent resistant
- Perforated roll
- Improved absorbtion with unique power pockets and better scrubing power
- Power pockets help trap dirt and grime quicker and more effectively Wypall™
- Wypall® x80 cloths weigh 5x less than an average rag, meaning less waste
- Contains no adhesive or binders, reducing surface residue
- Ideal for cleaning surfaces, hands and wiping down machinery

WYPALL® KC8347

WYPALL® CLEANING CLOTHES



WYPALL® KC6035

- Wypall® X60 Cloths - BRAG™ Box / White
- 1Ply
- Sheet size 43 x 31.8cm
- 1 Box = 200 sheets
- Advanced Hydroknit™ Technology ensures each cloth is strong and fast absorbing
- HyperAbsorb™ technology helps reduce waste and drive sustainable practices by providing great durability and allowing reuse up to 5 times



WYPALL® KC8381

- Wypall® X70 Cloths -Right Rag Box / White
- 1Ply
- Sheet size 42.1 x 37.5cm
- 1 Box = 300 sheets
- Advanced Hydroknit™ Technology ensures each cloth is highly absorbent & stays strong when wet
- Deals with thicker contaminants such as grease and grime. Stays strong even when wet and have great durability. Can be reused up to 10 times

WYPALL® REACH™ CENTREFEED SYSTEM



WYPALL® KC6223



WYPALL® KC6220

- 6223 1 Ply food & hygiene centrefeed
  6 rolls x 164m= 984m
- 6220 1 Ply service & retail centrefeed
  6 rolls x 106m= 636m
- Designed to help prevent transmission of foodborne bacteria caused by handling of exposed blue rolls during food preparation
- Always at hand- convenient and portable for cleaning tables
- High image dispenser- designed to compliment front of house areas
- Reduces paper consumption by over 20%
- Cuts paper waste by over 20%

PAIRED WITH
KC6221
DISPENSER





THE TRUSTED TISSUE BRAND

TWINSAVER SUPERIOR 2 PLY



TW1320

- Softness: 3D embossing that is soft to the touch
- 100% Virgin Fibre
- Wrapped in 4's for hygiene
- 12 packs of 4 with 350 sheets per case
- Sheet size: 100mmx110mm

TWINSAVER EMBOSSED 2 PLY



TW1364

- Softness: 3D embossing that is soft to the touch
- 100% Virgin Fibre
- Individually wrapped for hygiene
- 24 rolls of 350 sheets per case
- Sheet size: 100mmx110mm

TWINSAVER LAMINATED 2 PLY



TW3022

- Luxurious laminated soft towel
- Ideal for automated dispensers
- Controlled sheet dispensing, reduce waste
- 6 Rolls per case
- Roll size: 200mmx125m

TWINSAVER ROLL 1 PLY



TW0171

- Green choice
- Cost effective
- Septic tank safe
- 48 Rolls of 500 sheets per case
- Sheet size: 100mmx110mm

TWINSAVER ROLL 1 PLY VIRGIN



TW0177

- Soft, great quality
- FCS Certified
- Affordable virgin 1 ply
- Made from 100% virgin fibre
- 48 Rolls of 500 sheets per case
- Sheet size: 100mmx110mm

TWINSAVER CONTROL 1 PLY



TW0391

- Super strong, super absorbent
- Controlled sheet dispensing, reduces waste
- Cost Effective
- 6 Rolls per case
- Roll size: 200mmx150m

TWINSAVER FLAT 2000



TW0319

- Green Choice
- Controlled sheet dispensing, reduces waste
- Cost effective quality and adsorbency
- 20 packs of 100 per case (2000 sheets per case)
- Sheet size: 240mmx330mm

2 PLY WHITE BOX 90'S



TW2030

- 100% Virgin Fibre
- Soft, strong & great quality
- FSC® certified
- 90 Tissues per box; 40 units per case
- Sheet size: 205mmx190mm

TWINSAVER 2 PLY ROLLER TOWEL



TW3012

- Green choice
- Super strong, super absorbent
- 50 Sheets per roll
- 12 packs of 2s per case
- Sheet size: 260mmx220mm

TWINSAVER MIGHT BIG ROLLER TOWEL



TW3020

- Green choice
- Super strong, super absorbent
- 150 Sheets per roll
- 12 packs of 2s per case
- Sheet size: 260mmx220mm

TWINSAVER WIPE



TW0480

- Super strong, super absorbent
- Multi-purpose wiping
- 2 Ply softness
- 1 roll per pack
- Sheet size: 280mmx1000mm

TWINSAVER WIPE ECONO



TW0482

- Green choice
- Multi-purpose wiping
- 1 Roll per pack
- Roll size: 160mmx1500m

TWINSAVER WIPE



TW0474

- Green choice
- Multi-purpose wiping
- 1 Roll per pack
- Roll size: 210mmx1500m

TWINSAVER WIPE MINI



TW0481

- Green choice
- Multi-purpose wiping
- 1 Roll per pack
- Roll size: 210mmx1500m

askafrika ICON BRANDS 2020/2021 CATEGORY WINNER

Little by Little YOUR CHOICE MAKES A DIFFERENCE

A FRESH APPROACH
TO WORKPLACE SOLUTIONS

HALSTED HOSPITALITY







MARULA COLLECTION





FYNBOS RANGE





GENERIC CARTONS




















WAFFLE WEAVE

- White
- Case pack: 100



TERRY

- White
- Case pack: 100



THONG

- White
- Case pack: 100



THONG

- Black
- Case pack: 100










GENERIC TUBES



DELUXE RANGE

MISCELLANEOUS



LIFEBUOY RING
RED & WHITE

LIFEBUOY ROPE
30M



BUGGY WHIP
ONE PIECE OR SPLIT POLE
3M/4M



RED FLAG
LOOSE OR COMPLETE
WITH POLE



BARRIER NETTING
ORANGE
1MX50M



BARRIER TAPE
RED & WHITE
75MMX100M/75MMX500M



TRAFFIC CONE
REFLECTIVE
500MM/750MM



KIDNEY BELT
ELASTICATED
S-3XL



RAGS
5KG



MUTTON CLOTH
400G



BELT CAMP LAMP
S-4XL



KNEE PADS
SINGLE STRAP OR
DOUBLE STRAP



SPILL KIT
240LT WHEELIE BIN
AVAILABLE FOR OIL OR
CHEMICAL SPILLS



WHEELIE BIN
240LT WITH LID



REFUSE BAGS



DEO BLOCKS
5KG



ABSORBENT BAG
20LT

GROCERIES

FIVE ROSES BLACK TEA ENVELOPE
200X2.5G



TEABLK200E

FIVE ROSES ROOIBOS TEA ENVELOPE
200X2.5G



TEAR00200E

NESCAFE RICOFFY SACHET
200X2.5G



COFRIC200

NESCAFE CLASSIC SACHET
200X1.8G



COFNES200

NESCAFE DEFAF SACHET
200X1.8G



COFNESDC200

NESTLE CREMORA SACHET
200X4G



CREM4GS

PARMALAT MINI MILKS
50X20ML



NOVATMINI50

CANDEREL SWEETNER STICKS
1000X1G



CAN100

SELATI BROWN OR WHITE SUGAR TUBES
5G (5KG)



SUGSELW5GT

SUGSELB5GT

HULETTS BROWN OR WHITE SUGAR TUBES
1X5KG



SUGHULW5GT

SUGHULB5GT

PRODUCT BY INDUSTRY.

PRODUCT CATOGORY	ENGINEERING	MANUFACTURING	FARMS	MINING	CORPORATE	SCHOOLS	GUEST HOUSES AND LODGES	ABATTOIRS AND FOOD INDUSTRIES	PETROL STATIONS	LOGISTICS	HEALTH SECTOR
Cleaning Chemicals	*	*		*	*	*	*	*	*	*	*
Food Grade Chemicals			*				*	*			*
Brooms/Brushes/Mops/Cloths	*	*	*	*	*	*	*	*	*	*	*
Colour Coded Brushware HACCP			*				*	*			*
Rags and Mutton cloth	*	*	*	*					*	*	
Headwear	*	*	*	*			*				*
Hearing Protection	*	*	*	*				*	*		
Eye And Face Protection	*	*	*	*				*	*		*
Respitory Protection	*	*	*	*			*	*	*	*	*
Workwear	*	*	*	*		*		*	*	*	*
Freezer and Thermal Wear	*	*	*	*	*	*	*	*	*	*	*
Reflective wear	*	*	*	*	*				*	*	
Chef Wear					*	*	*				*
Rain Wear			*	*					*	*	*
Disposable Wear		*	*	*	*	*	*	*			*
Corporate Clothing	*	*		*	*	*	*			*	*
Gloves	*	*	*	*			*	*	*	*	*
Footwear	*	*	*	*	*		*	*	*	*	*
Harnesses	*	*		*							
Security Wear				*							
Toilet Paper and Paper Products	*	*	*	*	*	*	*	*	*	*	*
Dispensers and Air freshners	*	*	*	*	*	*	*	*	*		*
Polishers and Vacuum Machines				*	*	*	*	*			*
First Aid	*	*	*	*	*	*	*	*	*	*	
Safety Signs	*	*		*		*					
Hotel Amenities							*				
Coffee/Tea/Sugar	*	*	*	*	*	*	*	*	*	*	
Welding Equipment	*	*		*							
Locks And Tools	*	*		*		*					

Size Chart.

MENS WORKWEAR.

INCHES	30	32	34	36	38	40	42	44	46	48	50
CHEST CM	76	81	87	92	97	102	107	112	117	122	127
RANGE	XS	S	S	M	M	L	L	XL	XL	XXL	3XL

SECURITY & COMBAT CLOTHING TROUSERS

CM	76	81	87	92	97	102	107	112	117	122	127
INCHES	30	32	34	36	38	40	42	44	46	48	50
RANGE	3	4	5	6	7	8	9	10	11	12	13

SHIRT: Table of equivalent sizes

CM	36	37	38	39	41	42	43	44	46	48	51
INCHES	14	14.5	15	15.5	16	16.5	17	17.5	18	19	20
RANGE	XS	S	M	M	L	L	XL	XL	XXL	3XL	4XL

LADIES WORKWEAR

SIZES REF	SW	W	OS	XOS	XXOS	3XOS	4XOS	5XOS	6XOS
INCHES	32/34	36/38	40/42	44/46	48/50	52	54	56	58

SAFETY BOOTS, SHOES & GUMBOOTS

RANGE	6	7	8	9	10	11
EU SIZE	40	41	42	43	44	45
METRIC SIZE	247	255	262	270	277	285


RISE BY SIZE

SIZE	32-34	46	48	50	52	54
SIZE	S-L	XL	XXL	3XL	4XL	5XL
PERCENT	Price stated	+10%	+15%	+20%	+25%	+30%

HALSTED & Co. (Pty) Ltd

Your Trusted Supplier of all PPE, Cleaning & Industrial Supplies Since 1952

www.halsted.co.za



BRANCHES NATIONWIDE

Bethlehem
64 Cambridge Str
Tel: 058 303 0036

Boksburg
23C Merinda Ind Park
Cnr Rudo Nell & Kelly Rd
Jet Park
Tel: 011 397 5989

Vryburg
3 Industria Str
Tel: 053 927 1894

Klerksdorp
120A OR Thambo Str
Tel: 018 469 1615

Polokwane
No. 19 22nd Str
Tel: 015 000 6400

Potchestroom
17 Promosa Rd
Potch Industria
Tel: 018 000 5175

Lichtenburg
31 Bantjes Str
Tel: 018 013 0001

Cape Town
19 Muscat Rd
Saxenburg Park 1
Blackheath
Tel: 021 905 0661

Upington
2A Karakoel Str
Tel: 054 332 2020

Kimberley
10A Fabricia Rd
Tel: 053 831 2027/8

Welkom
8 14th Str
Tel: 057 355 2535

Springbok
Shop 3 Luckhoff Str
Tel: 027 022 0240

Nelspruit
6 Wilkens Str
B2 Axis Ind Park
Rock Drift, White River
Tel: 013 758 1109

Bloemfontein
3 Nuffield Str
Tel: 051 435 7892

Rustenburg
98 Hefer Str
Tel: 014 596 7090

Kathu
4095 Kameeldoring
Business Zone
Frikkie Meyer Str
Tel: 053 723 1365